



Catalogue

**HEAD OFFICE
GRIFFITHS & BEERENS PTY.
LTD.**

44-46 Berkshire Road,
PO Box 211,
Sunshine,
Victoria 3020
AUSTRALIA
Phone: +61 3 9312 3211
Facsimile: +61 3 9312 1207
e-mail: gbbar@gbbar.com.au

**AMERICAN OFFICE
GB AMERICAN INC.**

244 Main Street,
PO Box 514,
Lancaster,
New Hampshire, 03584
USA
Phone: +603 788 2825
Facsimile: +603 788 4529
e-mail: gba@gbbar.biz

**AUSTRALIAN DISTRIBUTION
GB PRODUCTS PTY. LTD.**

40-42 Berkshire Road,
PO Box 590,
Sunshine,
Victoria 3020
AUSTRALIA
Phone: +61 3 9312 6222
Facsimile: +61 3 9312 5796
e-mail: sales@gbproducts.com.au

<http://www.gbbar.com.au>



CONTENTS

Guide Bars 4

- Bar Range	6
- Pro Top Replacement Noses	18
- Power Tech Replacement Noses	19
- Harvester Bar Noses	20
- Motor Mounts	21
- Part Number System	30
- Chainsaw Guide Bar Application	31

Special Bars 76

- Carving Bars	76
- Double End Mill Bars	77
- Extra Long Chainsaw Bars	78
- Pruning Bars	79

Sprockets 83

- Spur Sprocket Part Numbering System	83
- Center Drive Part Numbering System	85
- Rim Sprockets	86
- Replacement Rim Part Numbering System	87
- Center Drive & Spur Sprocket Application	88

Accessories 99

- Chainsaw	99
- Brushcutter	113
- Safety	119
- Tools	122
- Garden	124
- Air Filters	126
- Rewind Springs	128
- V-Belts	130
- Promotional Products	132

Cross Reference 141



Professional PRO-TOP
MADE IN AUSTRALIA




Hi Tech
CN40

TITANIUM
AUSTRALIA



Titanium CARVER

GUIDEBARS



GUIDE BAR DESCRIPTION

PROFESSIONAL HARD TOP



LENGTH
10" - 44"

GROOVE
.050"
.058"
.063"

PITCH
All

NOSE
Available
in 6 sizes

CODE



FEATURES

- One-piece, solid, high-carbon steel body (GB T-40 alloy).
- Laser-cut for precision shape and fit-up.
- New NASALLOY 8 hard facing material extends well beyond nose radius, into transition zone where chain slap erodes rails of ordinary bars.
- Nose radius has been engineered for maximum performance & durability.
- Grooves are individually precision-ground, not mass-milled. This places the groove dead centre & unlike milling, creates much smoother rails.
- Ground grooves have rounded gullets for more strength.
- Rails are uniformly induction hardened and tempered.
- Excellent hardness, straightness, durability and overall life.
- Audited for quality and fully guaranteed.

BENEFITS:

- Less friction in rails / strengthened base of each rail.
- Maximum chain and bar life.
- Superior resistance to wear.
- Superior resistance to rail chipping.
- Cutting performance enhanced.
- Consistent groove width.
- Minimizes bar wear in abusive or abrasive conditions and improves performance.
- Strength and resilience.
- New hard-facing alloy, NASALLOY 8, exceeds performance of other hard facing alloys.

BAR PART NUMBERS

DO15-63	DS18-58	ET16-50	HN30-50	HV28-63	JO24-63	P20-58	POX18-50	SLD56-63	SN36-63	UHL16-58
DO17-63	DS21-58	ET18-50	HN30-58	HV30-58	JO25-58	P24-58	S13-63	SLD64-63	SN42-63	UHL16-63
DO21-63	DS21-63	EX12-50	HN30-63	HV30-63	JO30-58	P28-58	S15-63	SLD72-63	SO16-50	UHL18-50
DO25-63	DS24-58	EX14-50	HN32-50	HV32-63	JOX20-58	P30-63	S17-63	SLDL36-63	SO17-63	UHL18-58
DO29-58	E14-50	EX16-50	HN36-63	HV34-58	JOX24-58	P32-63	S21-63	SLDX25-63	SO20-50	UHL20-50
DO30-58	E16-50	EX16-58	HV13-58	HV34-63	M12-50	P36-63	S25-63	SN13-63	SO21-63	UHL20-58
DO30-63	E18-50	EX18-50	HV15-58	HV36-58	M14-50	P42-63	S30-63	SN14-50	SO24-50	UHL20-63
DO33-63	E18-63	EX20-50	HV16-50	HV36-63	M16-50	PA14-58	S36-63	SN14-63	SO25-63	UHL24-50
DO37-63	E20-50	EX20-63	HV16-58	HV42-58	M36-58	PA15-58	S42-63	SN15-63	SO30-63	UHL24-58
DO42-63	E20-63	EX22-50	HV16-63	HV42-63	M36-63	PA18-58	SL17-63	SN16-50	SO32-63	UHL25-58
DO44-63	E21-63	EX24-50	HV17-58	HX10-50	MA16-50	PA18-63	SL21-63	SN16-58	SO36-63	UHLX15-58
DOL15-58	E24-50	EX24-58	HV18-50	HX12-50	MA16-58	PA20-58	SL25-63	SN16-63	SO42-63	UHLX16-58
DOL17-58	E24-63	HK8-50	HV18-58	HX14-50	MA20-50	PA20-63	SL30-63	SN18-50	SOA12-50	UHLX18-58
DOL17-63	E30-50	HN12-50	HV18-63	HX16-50	MA20-58	PA22-58	SL33-63	SN18-58	SOA16-50	UHLX20-50
DOL20-50	E30-63	HN14-50	HV20-50	JO16-50	MA20-63	PO10-50	SL36-63	SN18-63	SW12-50	UHLX20-58
DOL20-58	EC12-50	HN15-63	HV20-58	JO16-58	MA24-50	PO12-50	SL42-63	SN19-58	SW14-50	
DOL20-63	EC14-50	HN16-50	HV20-63	JO17-58	MA28-50	PO14-50	SL72-63	SN19-63	SW16-50	
DOL24-50	EC16-50	HN16-63	HV22-58	JO18-58	MA28-63	PO14-58	SLD21-63	SN20-50	SW18-50	
DOL24-58	ECX12-50	HN18-50	HV22-63	JO20-50	MA30-50	PO16-50	SLD25-63	SN20-63	UHL13-58	
DOL24-63	EK21-63	HN18-63	HV24-50	JO20-58	MA31-50	PO16-58	SLD30-63	SN25-50	UHL13-63	
DOL29-58	EK24-50	HN20-50	HV24-58	JO20-63	MA33-50	PO18-50	SLD33-63	SN25-58	UHL14-50	
DS12-63	EK25-63	HN20-63	HV24-63	JO22-58	P16-50	PO18-58	SLD36-63	SN25-63	UHL14-58	
DS15-50	EK30-63	HN24-50	HV26-63	JO23-58	P16-58	PO20-50	SLD40-63	SN28-63	UHL15-50	
DS15-58	EK32-63	HN24-58	HV28-50	JO24-50	P18-58	PO20-58	SLD42-63	SN30-63	UHL15-58	
DS16-63	EK36-63	HN25-50	HV28-58	JO24-58	P20-50	POX16-50	SLD48-63	SN32-63	UHL16-50	



LENGTH
16" - 44"

GROOVE
.050"
.058"
.063"

PITCH
.325"
3/8"

NOSE
12 tooth
11 tooth

CODE
PJ
PA



FEATURES

- One-piece solid steel body; specially heat-treated and tempered for high strength.
- Laser-cut for precision shape and fit-up.
- Precision-ground grooves.
- Rails are induction hardened and tempered.
- Super-tough, high-tech alloy sprocket glides on precision Swiss bearings.
- Nose cartridge side plates made of titanium alloy steel, hardened to CN40 specifications.
- Nose self-locks over a solid steel web on the bar body. Held firmly together by three high- tensile rivets.
- All GB bars are fully inspected and subjected to a strict quality assurance system during manufacturing.

BENEFITS:

- Superior resistance to wear.
- Tougher and stronger nose plates can withstand greater abuse than those on competitive bars.
- Easy nose replacement.
- Precision shape and fit-up.
- Uniform rails with a strong base radius.
- Cutting performance enhanced.
- Maximum chain and bar life.
- More forgiving in cutting mishaps. Nose can usually be straightened and reused. Competitive noses may break or cause damage to bar body.
- Less chain-throwing and, thus, less risk of damage to the bar groove and rails.
- Extremely tough and durable.

BAR PART NUMBERS

DO17-63PA	E18-58PJ	H21-63PB	HV16-58PA	HV32-58PA	JO23-63PA	JOJ36-63PA	PO18-58PJ	SLD33-63PA	SN20-58PA	UHL14-58PJ	UHL24-58PJ
DO30-63PA	E20-50PA	H25-63PA	HV17-58PA	HV32-63PA	JO24-50PA	JOX20-50PA	PO20-50PA	SLD36-50PJ	SN20-63PA	UHL15-50PA	UHL25-58PA
DO33-63PA	E20-58PA	H30-63PA	HV18-50PA	HV34-58PA	JO24-58PA	JOX20-58PA	PO20-50PJ	SLD36-63PA	SN20-63PJ	UHL15-50PJ	UHL26-58PJ
DOL15-58PJ	E24-50PA	H30-63PB	HV18-58PA	HV34-63PA	JO24-63PA	JOX24-58PA	POX16-50PA	SLD42-50PJ	SN22-63PA	UHL15-58PA	UHL28-58PJ
DOL17-50PA	E24-58PA	H42-63PA	HV18-58PJ	HV36-50PA	JO28-50PA	M16-50PA	POX16-50PJ	SLD42-63PA	SN25-50PA	UHL15-58PJ	UHLX16-58PA
DOL17-58PA	EC14-50PA	HN16-50PA	HV18-63PA	HV36-58PA	JO28-58PA	MA16-50PA	POX18-50PJ	SN13-63PA	SN25-63PA	UHL16-50PA	UHLX16-58PJ
DOL20-50PA	EC14-50PJ	HN16-50PJ	HV20-50PA	HV36-63PA	JO28-63PA	MA16-50PJ	S16-50PA	SN13-63PJ	SN28-50PA	UHL16-50PJ	UHLX18-50PA
DOL20-58PA	EC16-50PA	HN16-63PA	HV20-50PJ	HV42-58PA	JO30-58PA	MA16-58PA	S16-63PA	SN14-50PJ	SN28-50PV	UHL16-58PA	UHLX18-50PJ
DOL24-50PA	EC16-50PJ	HN18-50PA	HV20-58PA	HV42-63PA	JO32-50PA	MA16-58PJ	S16-63PJ	SN14-63PA	SN28-63PA	UHL16-58PJ	UHLX18-58PA
DOL24-58PA	EX16-50PA	HN18-50PJ	HV20-63PA	JO16-50PA	JO32-58PA	MA20-50PA	S17-50PA	SN14-63PJ	SN30-50PA	UHL16-63PA	UHLX18-58PJ
DOL29-58PA	EX16-50PJ	HN18-63PA	HV22-58PA	JO16-58PA	JO32-63PA	MA20-58PA	S17-63PA	SN15-63PA	SN30-63PA	UHL16-63PJ	UHLX20-50PA
DS15-58PA	EX16-58PA	HN20-50PA	HV22-63PA	JO16-58PJ	JO35-50PA	MA20-58PJ	S20-50PA	SN15-63PJ	SN32-50PA	UHL18-50PA	UHLX20-50PJ
DS15-58PJ	EX16-63PA	HN20-50PJ	HV24-50PA	JO18-50PA	JO35-58PA	MA20-63PA	S21-50PA	SN16-50PA	SN32-63PA	UHL18-50PJ	UHLX20-58PA
DS18-58PA	EX18-50PA	HN20-63PA	HV24-58PA	JO18-58PA	JO35-63PA	MA24-50PA	S21-50PJ	SN16-50PJ	SN36-50PA	UHL18-58PA	UHLX20-58PJ
DS18-58PJ	EX18-50PJ	HN24-50PA	HV24-63PA	JO18-58PJ	JO36-58PA	MA28-50PA	S21-63PA	SN16-58PA	SN36-63PA	UHL18-58PJ	
DS21-58PA	EX18-58PA	HN30-50PA	HV26-58PA	JO20-50PA	JOJ16-50PA	MA33-50PA	S25-50PA	SN16-63PA	SN42-63PA	UHL20-50PA	
DS24-58PA	EX20-50PA	HN36-50PA	HV28-50PA	JO20-50PJ	JOJ20-50PA	PA18-58PA	S25-63PA	SN16-63PJ	SW16-63PJ	UHL20-50PJ	
E16-50PA	EX20-50PJ	HV13-58PA	HV28-58PA	JO20-58PA	JOJ20-63PA	PA20-58PA	SL21-63PA	SN18-50PA	UHL13-50PJ	UHL20-58PA	
E16-58PA	EX20-58PA	HV13-58PJ	HV28-63PA	JO20-58PJ	JOJ24-63PA	PC16-58PJ	SL30-63PA	SN18-58PA	UHL13-58PA	UHL20-58PJ	
E16-58PJ	EX20-63PA	HV15-58PA	HV30-50PA	JO20-63PA	JOJ28-50PA	PO16-50PA	SLD16-50PA	SN18-63PA	UHL13-58PJ	UHL20-63PJ	
E18-50PA	EX24-50PA	HV15-58PJ	HV30-58PA	JO22-58PA	JOJ28-63PA	PO16-50PJ	SLD21-50PA	SN18-63PJ	UHL14-50PA	UHL24-50PA	
E18-50PJ	H17-63PA	HV16-50PA	HV30-63PA	JO23-50PA	JOJ32-50PA	PO18-50PA	SLD25-63PA	SN20-50PA	UHL14-50PJ	UHL24-50PJ	
E18-58PA	H21-63PA	HV16-50PJ	HV32-50PA	JO23-58PA	JOJ32-63PA	PO18-50PJ	SLD30-63PA	SN20-50PJ	UHL14-58PA	UHL24-58PA	

GUIDE BARS



GUIDE BAR DESCRIPTION

PROFESSIONAL .404" PRO TOP



LENGTH
20" - 44"

GROOVE
.058"
.063"

PITCH
.404"

NOSE
11 tooth

CODE
VQ



FEATURES:

- One-piece solid body bar with wider profile.
- Extra strong 11 tooth Sprocket, has more "MEAT" at the sprocket gullet.
- High-tech alloy steel construction with increased resilience and resistance to bending.
- Induction hardened, precision-ground rails.
- Advanced sprocket geometry that minimizes chain outlet contact loads and maximizes sprocket strength.
- Nose cartridge manufactured to exacting tolerances to maintain precision clearances for sprocket rotation.
- High tensile alloy rivet system.
- Precision-ground Swiss bearings lubricated with special high-temperature, high-adherence grease.
- Fully guaranteed.

BENEFITS:

- Outstanding reliability and added durability.
- Superior materials make bar body much more resilient.
- Long rail life with minimal risk of chipping or rail spreading.
- Smooth chain transport from nose sprocket to bar.
- Rugged, dependable.
- Less chance of breaking sprocket or sprocket teeth.
- Less frictional heating of sprocket/bearing/hub assembly.
- Longer bearing life.
- Resistance to nose spreading.
- Sprocket nose cartridge easy to replace.

BAR PART NUMBERS

DO17-63VQ	SLD21-63VQ
DO25-63VQ	SLD25-63VQ
DO30-63VQ	SLD30-63VQ
DO33-63VQ	SLD33-63VQ
DO37-63VQ	SLD36-63VQ
E28-63VQ	SLD42-63VQ
H25-63VQ	SLDX25-63VQ
HV20-63VQ	SN18-63VQ
HV22-58VQ	SN20-63VQ
HV22-63VQ	SN22-63VQ
HV24-58VQ	SN25-63VQ
HV24-63VQ	SN28-63VQ
HV28-58VQ	SN30-63VQ
HV28-63VQ	SN32-63VQ
HV30-58VQ	SN36-63VQ
HV30-63VQ	SN42-63VQ
HV32-63VQ	
HV34-63VQ	
HV36-58VQ	
HV36-63VQ	
HV42-63VQ	
HVP20-58VQ	
HVP20-63VQ	
HVP24-58VQ	
S17-63VQ	
S21-63VQ	
S25-63VQ	





CN40 TITANIUM PRO TOP

LENGTH

18" - 36"

GROOVE

.050"

.058"

.063"

PITCH

3/8"

.404"

NOSE

11 tooth

11 tooth

CODE

PA

VQ

**FEATURES:**

- One-piece Titanium alloy steel body.
- Laser cut for precision shape & fit up.
- Precision ground grooves.
- Rails are injected with carbon nitride.
- Super-tough, high-tech alloy sprocket glides on precision Swiss bearings.
- Nose cartridge side plates made of Titanium alloy steel, hardened to CN40 specifications.
- Nose self locks over a solid steel web on bar body, held firmly together by three high tensile rivets.

BENEFITS:

- Much more flexibility in bar body.
- Hardest wearing rails in the world. Strongest bar in the world.
- Guaranteed, increased life.
- Light weight. Easy Manoeuvrability.
- Precision shape & fit up.
- Uniform rails with a strong base radius.
- Cutting performance enhanced
- Maximum chain & bar life.
- More forgiving in cutting mishaps. Nose can usually be straightened & reused. Competitive noses may break or cause damage to bar body.
- Less chain throwing therefore less risk of damage to the bar groove and rails.

BAR PART NUMBERS

HVT16-58PA	HVTX36-58PA	SNT25-63VQ
HVT18-58PA	HVXT36-63VQ	SNT28-50PA
HVT20-58PA	HVXT36-58PA	SNT28-63PA
HVT22-58PA	HVXT36-58VQ	SNT30-50PA
HVT22-63PA	SLDT21-63VQ	SNT30-63PA
HVT24-58PA	SLDT25-63PA	SNT30-63VQ
HVT24-58VQ	SLDT25-63VQ	SNT32-63PA
HVT24-63PA	SLDT30-63PA	SNT36-63PA
HVT24-63VQ	SLDT30-63VQ	SNT36-63VQ
HVT26-58PA	SLDT33-63VQ	SNT42-63PA
HVT28-58PA	SLDT36-63PA	SNT42-63VQ
HVT28-58VQ	SLDT36-63VQ	ST16-50PA
HVT28-63VQ	SLDT42-63VQ	ST17-63PA
HVT30-50VQ	SLT21-63VQ	ST21-63PA
HVT30-58PA	SNT16-50PA	ST25-63PA
HVT30-58VQ	SNT16-50PJ	
HVT30-63VQ	SNT16-63PA	
HVT32-58PA	SNT18-50PA	
HVT32-63VQ	SNT18-50PJ	
HVT34-63VQ	SNT18-63PA	
HVT36-58PA	SNT20-50PA	
HVT36-58VQ	SNT20-50PJ	
HVT36-63PA	SNT20-63PA	
HVT36-63VQ	SNT20-63VQ	
HVT42-58VQ	SNT25-50PA	
HVT42-63VQ	SNT25-63PA	

GUIDEBARS

GUIDEBARS

BENEFITS:

- One-piece steel construction--no welds!
- Laser-cut for precision shape and fit-up.
- Precision-ground grooves assure uniform rail thickness and a strong radius at the base of the rail.
- Rails are induction-hardened and tempered.
- Steel bar body is tempered for strength.
- Professional sprocket glides on precision Swiss bearings.
- Sprocket is replaceable.
- Fully guaranteed.
- Attractively priced--save money!
- Weighs the same as a laminated guide bar.
- Improved maneuverability.
- Superior resistance to wear; extremely durable.
- Greater strength in bar body.
- Maximum bar life and greater value.
- Won't bend like a laminated bar; no spot-welds to break.
- Consistent groove width, less friction.
- Cutting performance enhanced.

DS13-58SH	EX20-58SG	JO20-58SG	SN15-63SG	UHL14-58SH	UHLX16-58SG
DS15-58SG	EX24-50SG	M16-50SH	SN15-63SH	UHL15-50SH	UHLX16-58SH
DS15-58SH	HN15-50SG	MA16-50SG	SN16-50SG	UHL15-58SG	UHLX18-50SG
DS18-50SG	HN15-50SH	MA18-50SG	SN16-50SH	UHL15-58SH	UHLX18-58SG
DS18-58SG	HN16-50SG	MA20-50SG	SN16-58SG	UHL16-50SG	UHLX20-50SG
DS18-58SH	HN18-50SG	PO13-50SH	SN16-63SG	UHL16-50SH	UHLX20-58SG
DS21-50SG	HN20-50SG	PO13-58SH	SN16-63SH	UHL16-58SG	
DS21-58SG	HV13-58SG	PO14-50SH	SN18-50SG	UHL16-58SH	
E20-50SG	HV13-58SH	PO15-50SH	SN18-50SH	UHL16-63SH	
E24-50SG	HV15-58SG	PO15-58SH	SN18-63SG	UHL18-50SG	
EC16-58SH	HV16-50SG	PO16-50SH	SN18-63SH	UHL18-50SH	
EC18-58SH	HV16-58SG	PO16-58SH	SN20-50SG	UHL18-58SG	
ET14-50SH	HV17-58SG	PO18-50SG	SN20-50SH	UHL18-58SH	
ET16-50SH	HV18-50SG	PO18-50SH	SN20-63SG	UHL20-50SG	
ET16-58SG	HV18-58SG	PO18-58SG	SN20-63SH	UHL20-50SH	
ET16-58SH	HV18-58SH	PO18-58SH	SNX16-50SN	UHL20-58SG	
ET18-50SH	HV20-50SG	PO20-50SG	SW14-50SH	UHL20-58SH	
ET18-58SH	HV20-58SG	PO20-50SH	SW14-63SH	UHLJ14-50SH	
ET20-50SH	HV22-58SG	POX16-50SG	SW16-50SH	UHLJ16-50SG	
ET20-58SH	HV24-58SG	POX16-50SH	SW16-63SH	UHLJ16-50SH	
EX16-50SG	HVJ20-50SG	POX18-50SH	SW18-63SH	UHLJ18-50SH	
EX16-58SG	HX14-50SH	POX20-50SH	UHL11-58SH	UHLJ18-58SG	
EX16-58SH	HX16-50SH	SN13-58SH	UHL13-50SH	UHLJ20-50SG	
EX18-50SG	JO16-50SG	SN13-63SG	UHL13-58SG	UHLJ20-50SH	
EX18-58SG	JO16-58SG	SN13-63SH	UHL13-58SH	UHLX15-58SG	
EX18-58SH	JO18-58SG	SN14-63SG	UHL14-50SH	UHLX16-50SG	
EX20-50SG	JO20-50SG	SN14-63SH	UHL14-58SG	UHLX16-50SH	



LENGTH
12" - 20"

GROOVE
.050"

PITCH
.325"
3/8"LP

NOSE
10 tooth
9 tooth

CODE
SF
SR



FEATURES:

- Smaller nose radius.
- Solid one-piece bar made from high-tech alloy steel.
- Induction-hardened, precision-ground rails.
- Sprocket glides on precision Swiss bearings.
- No spot welds!

BENEFITS:

- Low kick-back.
- Light weight.
- Superior resistance to wear.
- Stronger body than laminated bars.
- Professional quality.

BAR PART NUMBERS

EC12-50SR	PO10-50SR	SW14-43SR
EC14-50SR	PO12-50SR	SW14-50SR
EC16-50SR	PO13-50SF	SW16-50SR
ET14-50SR	PO14-43SR	SW18-50SR
ET16-50SF	PO14-50SR	UHL12-43SR
ET16-50SR	PO16-43SR	UHL12-50SR
ET18-58SF	PO16-50SR	UHL13-50SF
HV18-58SF	PO18-50SR	UHL13-50SR
HV20-58SF	POX12-50SR	UHL13-58SF
HX12-50SR	POX14-50SR	UHL14-43SR
HX14-50SR	POX18-50SR	UHL14-50SR
HX16-50SR	SN12-50SR	UHL15-50SF
HX18-50SR	SN14-50SR	UHL15-50SR
M10-50SR	SN15-50SR	UHL15-58SF
M12-50SR	SN16-50SR	UHL16-50SR
M14-50SR	SN20-63SF	UHL18-58SF
M16-50SR	SW12-43SR	UHLX12-50SR
M18-50SR	SW12-50SR	

GUIDE BARS

POWER TECH MINI

LENGTH
8" - 18"

GROOVE
.050"
.043"

PITCH
3/8"LP

NOSE
7 tooth

CODE
SW



FEATURES:

- Smaller nose radius.
- Solid one-piece bar made from high-tech alloy steel.
- Induction-hardened, precision-ground rails.
- Sprocket glides on precision Swiss bearings.
- No spot welds!

BENEFITS:

- Low kick-back.
- Light weight.
- Superior resistance to wear.
- Stronger body than laminated bars.
- Professional quality.

BAR PART NUMBERS

EC12-50SW	PO14-50SW	UHL18-50SW
EC14-50SW	PO16-43SW	
EC16-50SW	PO16-50SW	
F14-50SW	PO18-50SW	
F16-50SW	POX10-50SW	
HX12-50SW	POX12-50SW	
HX14-50SW	POX18-50SW	
HX16-50SW	SW12-43SW	
HX18-50SW	SW12-50SW	
M12-50SW	SW14-43SW	
M14-50SW	SW14-50SW	
M16-50SW	SW16-43SW	
M18-50SW	SW16-50SW	
PO10-43SW	SW18-50SW	
PO10-50SW	UHL12-43SW	
PO12-43SW	UHL12-50SW	
PO12-50SW	UHL14-43SW	
PO14-43SW	UHL14-50SW	



GUIDE BAR DESCRIPTION

MINI CUT POWER TIP



LENGTH
12" - 16"

GROOVE
.050"

PITCH
3/8"LP

NOSE
9 tooth

CODE
CR



FEATURES:

- Laminated construction with a slim contour.
- Smaller nose radius.
- Alloy-steel construction with deep heat-treated bar rails.

BENEFITS:

- Less weight and bulk.
- Improved maneuverability.
- Reduced kick-back.
- Suits most cutting conditions.

BAR PART NUMBERS

HX12-50CR
HX14-50CR
HX16-50CR
M12-50CR
M14-50CR
M16-50CR
M18-50CR
PO12-50CR
PO14-50CR
PO16-50CR
SW12-50CR
SW14-50CR
SW16-50CR

EXTRA LONG CHAINSAW BARS REPLACEMENT SPROCKET NOSE

LENGTH
44" - 87"

GROOVE
.063"

PITCH
.404"
3/8"

NOSE
Sprocket

CODE
RQ
RA



FEATURES:

- Bar body crafted in solid, high-tech titanium alloy steel.
- Precision-ground grooves; Uniform, induction-hardened rails.
- Quality bar can be re-grooved for extra-long life.
- Easily replaceable sprocket nose.
- Premium Swiss roller bearings.
- Helper handles can be fitted.

BAR PART NUMBERS

HS44-63RQ
HS50-63RQ
HS56-63RQ
HS60-63RQ
HS64-63RQ
HS72-63RQ
HS84-63RQ

BENEFITS:

- Nose can be replaced in minutes--in shop or field.
- Super-resilient--minimal bending/ bowing, even with longer lengths.
- Extended rail and bar life.
- Low risk of rail chipping and/or spreading.
- Cutting performance enhanced.
- Less chance to throw chain.



DOUBLE END MILL & DECK SAW

LENGTH
36" - 87"

GROOVE
.063"

PITCH
All

NOSE
-

CODE



FEATURES:

- Manufactured from Hi-Tech Titanium alloy steel for long life strength & durability.
- Hardened Titanium steel bar rails
- Precision ground grooves
- Universal mounts to suit all Pro saws.

BAR PART NUMBERS

HSD44-63D
HSD50-63D
HSD56-63D
HSD66-63D
HSD72-63D
HSD84-63D

BENEFITS:

- High performance & manufactured for large professional saws
- Longer life bar rails made from hardened titanium steel.

GUIDE
BARS

HI-TECH CARVING HARD NOSE

LENGTH
12" - 18"

GROOVE
.050"

PITCH
All

NOSE
Nickel (small)
& Dime (mini)

CODE



FEATURES:

- One piece, solid, hi-tech titanium alloy steel body.
- Precision ground grooves; Uniform, induction-hardened rails.
- Laser cut for precision shape and fit up.
- NASALLOY 8 hard facing alloy extends well beyond nose radius.
- Grooves have rounded gullets for more strength.
- Slender body and extremely small nose radius.
- Nose hole to dissipate heat build up.

BAR PART NUMBERS

CV8-50
CV10-50
CV12-50
CV14-50
CV16-50
CV18-50
CVY8-50
CVY10-50
CVY12-50
CVY14-50
CVY16-50
CVY18-50
SNCY14-50
SNCY18-50

BENEFITS:

- Less friction in rails/ground radius strengthens rail base.
- Extremely easy maneuverability.
- Consistent groove width.
- Maximum chain and bar life.
- New hard facing alloy, NASALLOY 8, exceeds performance of other materials.
- Extremely tough and durable.
- Small nose radius allows for precise finish.



GUIDE BAR DESCRIPTION

HI-TECH TITANIUM CARVING SPROCKET NOSE



LENGTH
12" - 18"

GROOVE
.050"

PITCH
1/4"
3/8LP

NOSE
9 tooth
7 tooth

CODE
SK
SW



FEATURES:

- One piece, solid, hi-tech titanium alloy steel body.
- Precision ground grooves; Uniform, induction-harden rails.
- Laser cut for precision shape and fit up.
- Grooves have rounded gullets for more strength.
- Slender body and extremely small nose radius.
- Super tough, hi-tech alloy sprocket glides on precision swiss bearings.
- Easy replaceable sprocket nose.

BAR PART NUMBERS

CV8-50SK
CV10-50SK
CVY12-50SK
CVY14-50SK
CVY16-50SK
CVY18-50SK
CV12-50SW

BENEFITS:

- Less friction in rails/strengthen base of each rail.
- Extremely easy maneuverability.
- Consistent groove width.
- Maximum chain and bar life.
- Extremely tough and durable.
- Small nose radius allows for precise cut and finish.
- Fast chain speed.

GUIDEBARS



.404" TITANIUM HARVESTER

LENGTH
14" - 36"

GROOVE
.063"
.080"

PITCH
.404"

NOSE
11 tooth

CODE
SQ
SM



GUIDEBARS

FEATURES:

- Advanced Sprocket tip system.
- Manufactured to exacting tolerances to maintain precision clearance for sprocket rotation providing less sprocket heating.
- Long bearing life and resistance to nose spreading.
- Resilient Titanium Alloy Steel.

BENEFITS:

- Minimized chain contact loads.
- Maximized sprocket strength.
- Minimum breakage of sprocket teeth and sprocket.
- Limited sprocket heating

NEW

REPLACEABLE SPROCKET NOSE

LENGTH
36" - 36"

GROOVE
.080"

PITCH
.404"

NOSE
11 tooth

CODE
RM



FEATURES:

- Titanium Alloy Steel.
- Strong sprocket tip system.
- Hi tensile rivets.
- Super strong bar.

BENEFITS:

- Maximum sprocket strength.
- Long life less wear.
- Easy nose replacement.



HARVESTER BAR DESCRIPTION

UREA HARVESTER (1 SIDE & 2 SIDE AVAILABLE)



LENGTH
16" - 36"

GROOVE
.080"

PITCH
.404"

NOSE
11 tooth

CODE



FEATURES:

- Advanced Sprocket tip system.
- Manufactured to exacting tolerances to maintain precision clearance for sprocket rotation providing less sprocket heating.
- Long bearing life and resistance to nose spreading.
- Resilient Titanium Alloy Steel.

BENEFITS:

- Minimized chain contact loads.
- Maximized sprocket strength.
- Minimum breakage of sprocket teeth and sprocket.
- Limited sprocket heating

3/4" PITCH HARD TOP HARVESTER

LENGTH
25" - 55"

GROOVE
.122"

PITCH
3/4"

NOSE
Hard Tip

CODE



FEATURES:

- Bar body crafted in solid, high-tech titanium alloy steel.
- Precision-ground grooves; Uniform, induction-hardened rails.
- Quality bar can be re-grooved for extra-long life.

BENEFITS:

- Super-resilient--minimal bending, even with longer lengths.
- Extended rail and bar life.
- Low risk of rail chipping and/or spreading.



HI-TECH 3/4" PITCH DOUBLE ENDER

LENGTH
25" - 87"

GROOVE
.122"

PITCH
3/4"

NOSE
-

CODE



FEATURES:

- A fully engineered bar to suit all demanding production required.
- Designed to O.E.M specifications.
- made from hi-tech titanium alloy steel.
- Precision ground grooves.

BENEFITS:

- Long life.
- Able to be re-grooved.
- Bending properties.

GUIDE BARS

3/4' PITCH TITANIUM HARVESTER

LENGTH
25" - 50"

GROOVE
.122"

PITCH
3/4"

NOSE
X-LARGE

CODE
BC



FEATURES:

- Advanced Sprocket tip system.
- Manufacture to exacting tolerances to maintain precision clearance for sprocket rotation providing less sprocket heating.
- Long bearing life and resistance to nose spreading.
- Resilient Titanium Alloy Steel.

BENEFITS:

- Longer life.
- Guaranteed performance.




PRO TOP NOSES



.404" VQ PROFESSIONAL "PRO TOP"


GUIDEBARS



- New larger sprocket, has more strength.
- Utilizes harvester bar technology.
- Full hardened rivets.
- Improved boring.
- Improved bearings.
- Hi-temp grease to lubricate bearings.
- This new GB nose improves sprocket life & performance.


PART NO.	PITCH	NO. TEETH	NOSE RADIUS	CODE
GB11VQ	.404"	11	LARGE	V

PROFESSIONAL "PRO TOP"



PART NO.	PITCH	NO. TEETH	NOSE RADIUS	CODE
GB11PTA	3/8"	11	STANDARD	A
GB11PTB OBSOLETE	.404"	10	STANDARD	B
GB12PTJ	.325"	12	STANDARD	J

WORKMAN "PRO TOP"



PART NO.	PITCH	NO. TEETH	NOSE RADIUS	CODE
GB9WTR	3/8"LP	9	MINI	R
GB10WTF	.325"	10	MINI	F






POWER TECH NOSES




SMALL




SG = 3/8" X 10T
SH = .325" X 11T

MINI



SR = 3/8" LP X 9T
SF = .325" X 10T
CR = 3/8"LP X 9T (Laminated)

EXTRA MINI



SW = 3/8" LP X 7T

GUIDEBARS




HARVESTER NOSES




HARVESTER - .404"

REPLACEABLE HARVESTER NOSE - .404"

GUIDEBARS




SQ = .404" X 11T X .063
SM = .404" X 11T X .080



RQ = .404" X 11T X .063
RM = .404" X 11T X .080

HARVESTER - 3/4"



BC = 3/4"






GUIDE BAR MOTOR MOUNTS




AL

ALPINA



OREGON

A016




DO & DOL

DOLMAR
McCULLOCH
POULAN

OREGON

D033



DS

DOLMAR

OREGON

B083

GUIDE BARS






GUIDE BAR MOTOR MOUNTS



E & EX

ECHO
TANAKA
JOHN DEERE




OREGON

D176

EC

ECHO




OREGON

A041/ K041

EK

ECHO
TANAKA
JOHN DEERE



OREGON

D196

GUIDEBARS






GUIDE BAR MOTOR MOUNTS



GUIDE BARS




ET

ECHO
TANAKA
JOHN DEERE

OREGON

A041/ K041




E

FRONTIER
ALPINA
HUSQVARNA
JOBU
JONSERED
LOMBARD
PARTNER
PIONEER

OREGON

A064



HN

HOMELITE
ALPINA
LOMBARD
REMINGTON

OREGON

D196





GUIDE BAR MOTOR MOUNTS



GUIDEBARS

HS
STIHL
HUSQVARNA

OREGON
E099

HV
HUSQVARNA
JONSERED
PARTNER
POULAN
ZENOAH/
REDMAX
SOLO

OREGON
D009

HVP
HUSQVARNA
JONSERED
PARTNER
POULAN
ZENOAH/
REDMAX


OREGON
D005



GUIDE BAR MOTOR MOUNTS




GUIDEBARS



HX
HOMELITE

OREGON
A061



JO
JONSERED
JOBU
OLEO MAC/
OLYMPIC
TOPSO

OREGON
D024



M
McCULLOCH
RYOBI

OREGON
A118




GUIDE BAR MOTOR MOUNTS



GUIDEBARS

MA

McCULLOCH
ZENOAH/
REDMAX
SEARS
RYOBI




OREGON

D276

OL

OLEO MAC




OREGON

A111/ A129

P

PIONEER



OREGON

D026






GUIDE BAR MOTOR MOUNTS




GUIDEBARS




PA
PARTNER

OREGON
H010/ D010



PO
POULAN
ECHO
HUSQVARNA
JOBU
JOHN DEERE
RYOBI
DOLMAR
SEARS
(CRAFTSMAN)
SHINDAIWA
TANAKA
ZENOAH/
REDMAX

OREGON
A041/ K041



S
STIHL

OREGON
E031



GUIDE BAR MOTOR MOUNTS



GUIDEBARS

SL
STIHL
ECHO

OREGON
E089

SLD
STIHL
ECHO

OREGON
E099

SN
STIHL
OPEM


OREGON
D025



GUIDE BAR MOTOR MOUNTS



GUIDE BARS




SW

STIHL
OLEO MAC/
OLYMPIC

OREGON

A074



UHL

ALPINA
HOMELITE
HUSQVARNA
JONSERED
OLEO MAC/
OLYMPIC
PARTNER
PIONEER
DOLMAR
SHINDAIWA
SOLO
ZENOAH/
REDMAX

OREGON

A095
K095
A195





GB PART NUMBERING SYSTEM



Please read this page carefully.

This page explains how the GB part numbering system works and how you use the GB system to identify a bar you may need, even if it is not in this catalogue.

GUIDEBARS

SN 20 - 63 P A

MOTOR MOUNT	LENGTH IN INCHES	GROOVE GAUGE	TYPE OF NOSE & CODE	SIZE & PITCH OF NOSE TYPE	NOSE RADIUS
SN HV	20" 12"	.063" .050" .058"	NO CODE = HARD NOSE BAR	NIL	SMALL STANDARD LARGE
MA UHL	16" 18"	.050" .063" .058"	P = PROFESSIONAL REPLACEMENT TIP	A - 3/8" x 11T B - .404" x 10T (OBSOLETE) J - .325" x 12T	STANDARD
		.063"	V = LARGE PROFESSIONAL REPLACEMENT TIP	Q - .404" x 11T	LARGE
PO ETC	18"	.050" .058"	W = WORKMAN REPLACEMENT TIP	R - 3/8" x 9T F - .325" x 10T	MINI
		.063" .080"	S = SOLID SPROCKET NOSE HARVESTER	Q - .404" x 11T x .063" SPROCKET M - .404" x 11T x .080" SPROCKET	LARGE
		.043" .050" .058" .063"	S = POWER TECH	W - 3/8" LP X 7T R - 3/8" LP X 9T G - 3/8" x 10T H - .325" x 11T	EXTRA MINI MINI SMALL
		.050" .043"	C = MINI CUT CONSUMER LAMINATED	R - 3/8" LP x 9T	MINI
		.063"	F = REPLACEMENT ROLLER NOSE	X - 3/8", .404" ROLLER	LARGE
		.122"	B = REPLACEABLE 3/4" PITCH SPROCKET NOSE	C - 3/4" NOSE	X-LARGE
		.080"	R= HARVESTER REPLACEMENT NOSE	M- .404" x 11T x .080"	LARGE
		.063"	R= REPLACEMENT LONG BAR NOSE	Q- .404" x 11T x .063" A- 3/8" x 11T x .063"	LARGE STANDARD

EXAMPLES:

PROFESSIONAL HARD TOPSTELLITE	SN16-63	MINI CUT LAMINATED	3/8"LP x 9T x .050"	SW12-50CR
PROFESSIONAL PRO TOP BAR ..3/8" x 11T	SN16-63PA	HARVESTER SOLID	.404" x .063"	FM221-63SQ
.....325" x 12T	UHL15-58PJ	404" x .080"	FM221-80SM	
......404" x 11T	SN30-63VQ	HARVESTER RSN	.404" x .080"	FM221-80RM
POWER TECH PRO.....3/8" x 10T	SN16-63SG	HARVESTER 3/4".....	3/4" x .122"	TM34-122BC
......325" x 11T	UHL15-58SH	EXTRA LONG CHAINSAW BAR	.404" x .063"	HS84-63RQ
POWER TECH ARBORIST	3/8"LP x 9T	3/8" x .063"	HS84-63RA	
......325" x 10T	UHL13-58SF	CARVING BAR	STELLITE	CV12-50
POWER TECH MINI.....	3/8"LP X 7T x .050"	1/4" x .050"	CV12-50SK	
.....3/8"LP x 7T x .043"	SW12-43SW			





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

ALPINA

3/8" LP Pitch

A-10E, A14E, P34, E35, E40, E120, E130, E150, KS1400, KS1500

12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR

.325" Pitch

PROF 41, PROF 45, A40E, C40E, A40AV, CP41, 45AV, CP55, CP56, CP65, CP66, P400, P450, P500, P700, P460, P510, P540, 500

13	33	.058	56	UHL13-58	UHL13-58PJ		UHL13-58SH	UHL13-58SF		
14	35	.058	60	UHL14-58	UHL14-58PJ		UHL14-58SH	UHL14-58SF		
15	38	.058	64	UHL15-58	UHL15-58PJ		UHL15-58SH	UHL15-58SF		
16	40	.058	66	UHL16-58	UHL16-58PJ		UHL16-58SH			
17	43	.058	68	UHLX16-58	UHLX16-58PJ		UHLX16-58SH			
18	45	.058	72	UHL18-58	UHL18-58PJ		UHL18-58SH			
20	50	.058	78	UHL20-58	UHL20-58PJ					
24	60	.058	92	UHL24-58	UHL24-58PJ					

3/8" Pitch

PROF 55, PROF 65, PROF 66, 600, 600i, P650

13	33	.058	50	UHL13-58	UHL13-58PA		UHL13-58SG			
14	35	.058	54	UHL14-58	UHL14-58PA		UHL14-58SG			
15	38	.058	56	UHL15-58	UHL15-58PA		UHL15-58SG			
16	40	.058	59	UHL16-58	UHL16-58PA		UHL16-58SG			
16	40	.058	60	UHLX16-58	UHLX16-58PA					
18	45	.058	64	UHL18-58	UHL18-58PA		UHL18-58SG			
18	45	.058	68	UHLX18-58	UHLX18-58PA					
20	50	.058	70	UHL20-58	UHL20-58PA		UHL20-58SG			
20	50	.058	72	UHLX20-58	UHLX20-58PA					
24	60	.058	80	UHL24-58	UHL24-58PA					

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDE BARS



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

ALPINA continued

3/8" Pitch

070, A70, C70, CP70, PROF70, PRO78, 970S, CP90, PROF90, PROF120, CP120

16	40	.063	60	HN16-63	HN16-63PA					
18	45	.063	65							
20	50	.063	70	HN20-63	HN20-63PA					
24	60	.063	80							
30	75	.063	98	HN30-63						
36	90	.063	117	HN36-63						

3/8" Pitch

P700, P800, P750

18	45	.058	68	HV18-58	HV18-58PA	HVT18-58PA				
20	50	.058	72	HV20-58	HV20-58PA	HVT20-58PA				

3/8" LP Pitch

E160/170, E1.6, E1.8, S35, S40, P360, P370, P390

12	30	.050	44					SW12-50SR	SW12-50SW	SW12-50CR
14	35	.050	50					SW14-50SR	SW14-50SW	SW14-50CR
16	40	.050	56					SW16-50SR	SW16-50SW	SW16-50CR
18	45	.050	60					SW18-50SR	SW18-50SW	SW18-50CR

.325" Pitch

P370, P410

13	33	.050	56				SW13-50SH			
16	40	.050	64				SW16-50SH			

3/8" LP Pitch

330, 380, EU35, EU40, 432, 438, P34, P34S, PR350

12	30	.050	44					AL12-50SR	AL12-50SW	
14	35	.050	50					AL14-50SR	AL14-50SW	
16	40	.050	56					AL16-50SR	AL16-50SW	
18	45	.050	60					AL18-50SR	AL18-50SW	

3/8" LP Pitch .043" Gauge

PR350

12	30	.050	44						AL12-43SW	
----	----	------	----	--	--	--	--	--	-----------	--

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

BLITZ

3/8" LP Pitch

B34, B35DX, B35, E140F, B300, B304, B400, B404, B38

12	30	.050	44				OL12-50SR	OL12-50SR	OL12-50SW	
14	35	.050	49				OL14-50SR	OL14-50SR	OL14-50SW	
16	40	.050	56				OL16-50SR	OL16-50SR	OL16-50SW	

.325" Pitch

B38, B41, B42, B45, B46, B51, B54

13	32	.058	56	UHL13-58	UHL13-58PJ		UHL13-58SH	UHL13-58SF		
14	35	.058	60	UHL14-58	UHL14-58PJ		UHL14-58SH	UHL14-58SF		
15	38	.058	64	UHL15-58	UHL15-58PJ		UHL15-58SH	UHL15-58SF		
16	40	.058	66	UHL16-58	UHL16-58PJ		UHL16-58SH			
17	43	.058	68	UHLX16-58	UHLX16-58PJ		UHLX16-58SH			
18	45	.058	72	UHL18-58	UHL18-58PJ		UHL18-58SH			
20	50	.058	78	UHL20-58	UHL20-58PJ		UHL20-58SH			

3/8" Pitch

B50, B52AF, B500, B501, B502, B504, B55, B60, B64, B64XLF, B600GS, B701, B702, B80, B800, B802, B804

16	40	.058	60	JO16-58	JO16-58PA		JO16-58SG			
18	45	.058	68	JO18-58	JO18-58PA		JO18-58SG			
20	50	.058	70	JOX20-58	JOX20-58PA					
20	50	.058	72	JO20-58	JO20-58PA		JO20-58SG			
22	55	.058	76	JO22-58	JO22-58PA					
24	60	.058	84	JO24-58	JO24-58PA					

CASTEL

3/8" LP Pitch

CS35P

12	30	.050	44				OL12-50SR	OL12-50SW	
14	35	.050	49				OL14-50SR	OL14-50SW	

3/8" LP Pitch

CS16E, CS17E, CS36, CS39

12	30	.050	44				SW12-50SR	SW12-50SW	SW12-50CR
14	35	.050	50				SW14-50SR	SW14-50SW	SW14-50CR
16	40	.050	56				SW16-50SR	SW16-50SW	SW16-50CR
18	45	.050	60				SW18-50SR	SW18-50SW	

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

CASTEL continued

.325" Pitch

CS45, CS50

13	33	.058	56				UHL13-58SH			
14	35	.058	60				UHL14-58SH			
16	40	.058	66				UHL16-58SH			
18	45	.058	72				UHL18-58SH			
20	50	.058	78				UHL20-58SH			

3/8" Pitch

CS60

16	40	.058	59				UHL16-58SG			
18	45	.058	64				UHL18-58SG			
18	45	.058	68				UHLX18-58SG			
20	50	.058	72				UHLX20-58SG			

CASTOR

3/8" LP Pitch

330, CX35, 380, CX40, 423, 438, CX45, P34, P34S, CP34S, TR350

12	30	.050	44					AL12-50SR	AL12-50SW	
14	35	.050	50					AL14-50SR	AL14-50SW	
16	40	.050	56					AL16-50SR	AL16-50SW	
18	45	.050	60					AL18-50SR	AL18-50SW	

3/8" LP Pitch

EL160/170 HIT 1.6/1.8 CP360, CP370, CP380

12	30	.050	44					SW12-50SR	SW12-50SW	SW12-50CR
14	35	.050	50					SW14-50SR	SW14-50SW	SW14-50CR
16	40	.050	56					SW16-50SR	SW16-50SW	SW16-50CR
18	45	.050	60					SW18-50SR	SW18-50SW	

.325" Pitch

CP400, CP450, CP500, CP460, CP510, CP540, CP550

13	33	.058	56				UHL13-58SH	UHL13-58SF		
14	35	.058	60				UHL14-58SH	UHL14-58SF		
16	40	.058	66				UHL16-58SH			
18	45	.058	72				UHL18-58SH			
20	50	.058	78				UHL20-58SH			

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" x 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

CASTOR continued

.325" Pitch

C40, CP41, CP45

12	30	.050	55				UHL12-50SH	UHL12-50SF		
14	35	.050	60				UHL14-50SH	UHL14-50SF		
16	40	.050	66				UHL16-50SH			
18	45	.050	72				UHL18-50SH			

3/8" Pitch

CP600, CP650

16	40	.058	59		UHL16-58PA		UHL16-58SG			
18	45	.058	64		UHL18-58PA		UHL18-58SG			
18	45	.058	68		UHLX18-58PA		UHLX18-58SG			
20	50	.058	72		UHLX20-58PA		UHLX20-58SG			

3/8" Pitch

CP700, CP800, CP750

18	45	.058	68	HV18-58	HV18-58PA		HV18-58SG			
20	50	.058	72	HV20-58	HV20-58PA	HVT20-58PA	HV20-58SG			
22	55	.063	75	HV22-63	HV22-63PA	HVT22-63PA				
24	60	.063	84	HV24-63	HV24-63PA	HVT24-63PA				

.404" Pitch

CP700, CP800, CP750

24	60	.063	76	HV24-63	HV24-63VQ	HVT24-63VQ				
----	----	------	----	---------	-----------	------------	--	--	--	--

DOLMAR

3/8" LP Pitch

100, 101, 102, 103, 104, 105, 106, 108, 275, 285, 295, P533, ES140, ES160, ES1600, ES31, ES36, PS33, ES152, ES162, ES172 PS34, PS341, PS340, PS400, PS401, PS410, PS411, 90VP, 95VP, 3000, 3300, PS330, PS341, PS342, PS344

12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	56	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR

PRO SPROCKET BARS	POWER TECH BARS	POWER TECH ARBOR PRO	LAMINATED BARS
PA = 3/8" x 11 Teeth - Pro Nose PJ = .325" 12 Teeth - Pro Nose VQ = .404" x 11 Teeth - Pro Nose	SG = 3/8" x 10 Teeth Nose SH = .325" x 11 Teeth Nose	SF = .325" x 10 Teeth Nose SR = 3/8" x 9 Teeth Nose	CR = 3/8" LP x 9 Teeth Non Replacement Nose POWER TECH MINI SW = 3/8" LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALLLED LENGTH IN CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
---------------------------	--------------	------------	--------------	----------------------	-----------------------	-----------	-----------------	-------------------------	-------------------

DOLMAR continued

3/8" LP Pitch .043" GAUGE

PS410, PS411, PS34, ES31, ES36, ES40

12	30	.043	46					PO12-43SR	PO12-43SW	
14	35	.043	52					PO14-43SR	PO14-43SW	
16	40	.043	56					PO16-43SR	PO16-43SW	

.325" Pitch

UNIVERSAL BAR FOR 105, 108, 109, 110, 111, 112, 113, 114, 115, 116, PS43, PS52

13	33	.058	56	UHL13-58			UHL13-58SH	UHL13-58SF		
14	35	.058	60	UHL14-58	UHL14-58PJ		UHL14-58SH	UHL14-58SF		
15	38	.058	64	UHL15-58	UHL15-58PJ		UHL15-58SH	UHL15-58SF		

3/8" Pitch

109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 123, 219, PS600, 6000, 6400, 6800

15	38	.058	57	DS15-58	DS15-58PA		DS15-58SG			
18	45	.058	64	DS18-58	DS18-58PA		DS18-58SG			
21	53	.058	72	DS21-58	DS21-58PA		DS21-58SG			
24	60	.058	80	DS24-58	DS24-58PA		DS24-58SG			

3/8" Pitch UNIVERSAL MOUNT

109,110,111,112,113,114,115,116,117,118,119,120,219,6000,6800,PS600

16	40	.058	59	UHL16-58	UHL16-58PA		UHL16-58SG			
16	43	.058	60	UHLX16-58	UHLX16-58PA					
18	45	.058	64	UHL18-58	UHL18-58PA		UHL18-58SG			
20	50	.058	70	UHL20-58	UHL20-58PA		UHL20-58SG			
20	50	.058	72	UHLX20-58			UHLX20-58SG			

3/8" Pitch

122, 123, 133, 143, 144, 152, 153, 166, CA

17	43	.058	64	DOL17-58	DOL17-58PA		DOL17-58SG			
20	50	.058	72	DOL20-58	DOL20-58PA					
24	60	.058	80	DOL24-58	DOL24-58PA					
29	72	.058	96	DOL29-58						

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8"LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

DOLMAR continued

3/8" Pitch

CA, CC, CT, CX, DD, KMS4, PD, WIDE MOUNT, 9000, 9010

17	43	.063	67	DO17-63	DO17-63PA					
21	53	.063	76	DO21-63						
25	63	.063	86	DO25-63						
30	75	.063	101	DO30-63	DO30-63PA					
33	83	.063	110	DO33-63						

.404" Pitch

CA, CC, CT, CX, DD, KMS4, PD, WIDE MOUNT, 9000, 9010

17	43	.063	61	DO17-63						
21	53	.063	70	DO21-63						
25	63	.063	78	DO25-63						
30	75	.063	92	DO30-63						
33	83	.063	100	DO33-63						
37	94	.063	109	DO37-63						
44	110	.063	126	DO44-63						

3/8" Pitch

6400, 7300, 7900

16	40	.058	60	HV16-58	HV16-58PA	HVT16-58PA	HV16-58SG			
18	45	.058	68	HV18-58	HV18-58PA	HVT18-58PA	HV18-58SG			
20	50	.058	72	HV20-58	HV20-58PA	HVT20-58PA	HV20-58SG			
24	60	.058	84	HV24-58	HV24-58PA	HVT24-58PA				
26	65	.058		HV26-58	HV26-58PA	HVT26-58PA				
28	70	.058	92	HV28-58	HV28-58PA	HVT28-58PA				
30	75	.058		HV30-58	HV30-58PA	HVT30-58PA				

DRUSZBA

.404" Pitch

ALL MODELS

20	50	.063	64	DR20-63	DR20-63VQ					
----	----	------	----	---------	-----------	--	--	--	--	--

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALLLED LENGTH IN CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
---------------------------	--------------	------------	--------------	----------------------	-----------------------	-----------	-----------------	-------------------------	-------------------

ECHO

3/8" LP Pitch

E155, 280, 285, 290, 300, 301, 302, 304, 315, 320, 328, 330, 340, 351, 360, 2000, 2600, 2800, 2900, 3000, 3050, 3400, 3450, 3500

10	25	.050	40					EC10-50SR	EC10-50SW	EC10-50CR
12	30	.050	48	EC12-50				EC12-50SR		
12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	53	EC14-50				EC14-50SR		EC14-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	58	EC16-50				EC16-50SR		EC16-50CR
16	40	.050	56	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR

3/8" LP Pitch .043" GAUGE

E155, 280, 285, 290, 300, 301, 302, 304, 315, 320, 328, 330, 340, 351, 360, 2000, 2800, 2900, 3000, 3050, 3400, 3450, 3500

12	30	.043	45						PO12-43SW	
14	35	.043	52						PO14-43SW	
16	40	.043	56						PO16-43SW	

.325" Pitch

E155, 280, 285, 290, 300, 301, 302, 304, 315, 320, 328, 330, 340, 351, 360, 2000, 2600, 2800, 2900, 3000, 3050, 3400, 3450, 3500

13	33	.058	56				PO13-58SH	PO13-58SF		
15	38	.058	64				PO15-58SH	PO15-58SF		
16	40	.050	66	EC16-50						

3/8" LP Pitch

CS400, 440, 3600, 3700, 3900, 4000, 4010, 4100, 4200, 4400, 4500, 4510, 4600, 4601, 5000, 5100

14	35	.050						ET14-50SR		
16	40	.050	60	ET16-50				ET16-50SR		

.325" Pitch Also available in .058" gauge

CS400, 440, 3600, 3700, 3900, 4000, 4010, 4100, 4200, 4400, 4500, 4510, 4600, 4601, 5000, 5100, 510

14	35	.050	60				ET14-50SH	ET14-50SF		
16	40	.050	66	ET16-50			ET16-50SH	ET16-50SF		
18	45	.050	72				ET18-50SH			
20	60	.050	80				ET20-50SH			

3/8" Pitch

CS400, 440, 3600, 3700, 3900, 4000, 4010, 4100, 4200, 4400, 4500, 4510, 4600, 4601, 5000, 5100, 510

16	40	.058	60	ET16-58			ET16-58SG			
----	----	------	----	---------	--	--	-----------	--	--	--

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

ECHO continued

3/8" Pitch

60, CS451, 452, 500, 510, 550, 600, 601, 602, 610, 650, 660, 670, 701, 702, 750, 801, 802, 5000, 5500, 5501, 6700, 6701, 6702, 8000, 8001

16	40	.050	59	E16-50	E16-50PA					
16	40	.050	60	EX16-50	EX16-50PA		EX16-50SG			
18	45	.050	64	E18-50	E18-50PA					
18	45	.050	66	EX18-50	EX18-50PA		EX18-50SG			
20	50	.050	69/70	E20-50	E20-50PA					
20	50	.050	72	EX20-50	EX20-50PA		EX20-50SG			
22	55	.050	78	EX22-50						
24	60	.050	81	E24-50	E24-50PA					
24	60	.050	84	EX24-50	EX24-50PA					

.404" Pitch

CS900, CS1001

21	54	.063	71	EK21-63						
25	63	.063	84	EK25-63						
30	75	.063	92	EX30-63						
32	80	.063	94	EK32-63						

.404" Pitch

CS1100, CS1200 - SPACERS NEEDED

21	53	.063	72		SL21-63VQ	SLT21-63VQ				
25	63	.063	84	SLD25-63	SLD25-63VQ	SLDT25-63VQ				
30	75	.063	92	SLD30-63	SLD30-63VQ	SLDT30-63VQ				
36	90	.063	105	SLD36-63	SLD36-63VQ	SLDT36-63VQ				
42	105	.063	124	SLD42-63	SLD42-63VQ	SLDT42-63VQ				

EFCO

3/8" LP Pitch

114E, 116E, 132, 134, 135, 138, 141, 132, 117E, 136, 140, 155E, 119E

12	30	.050	45	SW12-50				SW12-50SR	SW12-50SW	SW12-50CR
14	35	.050	50	SW14-50				SW14-50SR	SW14-50SW	SW14-50CR
16	40	.050	55	SW16-50				SW14-50SR	SW16-50SW	SW16-50CR

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALLLED LENGTH IN CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
---------------------------	--------------	------------	--------------	----------------------	-----------------------	-----------	-----------------	-------------------------	-------------------

EFCO continued

.325" Pitch

142, 146, 147, 151, 152, 156, 162

13	33	.058	56	UHL13-58	UHL13-58PJ		UHL13-58SH	UHL13-58SF		
14	35	.058	60	UHL14-58	UHL14-58PJ		UHL14-58SH	UHL14-58SF		
15	38	.058	64	UHL15-58	UHL15-58PJ		UHL15-58SH	UHL15-58SF		
16	40	.058	66	UHL16-58	UHL16-58PJ		UHL16-58SH			
16	40	.058	68	UHLX16-58	UHLX16-58PJ		UHLX16-58SH			
18	45	.058	72	UHL18-58	UHL18-58PJ		UHL18-58SH			
20	50	.058	78	UHL20-58	UHL20-58PJ		UHL20-58SH			

3/8" Pitch

170, 180, 171, 181 - NEED SPECIAL SLOTS IN OIL HOLES

16	40	.058	60	JO16-58	JO16-58PA		JO16-58SG			
18	45	.058	68	JO18-58	JO18-58PA		JO18-58SG			
20	50	.058	70	JOX20-58	JOX20-58PA					
20	50	.058	72	JO20-58	JO20-58PA		JO20-58SG			
22	55	.058	76	JO22-58	JO22-58PA					
24	60	.058	81	JOX24-58						
24	60	.058	84	JO24-58	JO24-58PA					

3/8" Pitch

199

21	53	.063	77	SL21-63	SL21-63PA					
25	63	.063	90	SLD25-63	SLD25-63PA					
30	75	.063	100	SLD30-63	SLD30-63PA					
33	83	.063	107	SLD33-63	SLD33-63PA					

.404" Pitch

199

21	53	.063	72	SL21-63		SLT21-63VQ				
25	63	.063	84	SLD25-63		SLDT25-63VQ				
30	75	.063	92	SLD30-63		SLDT30-63VQ				
33	83	.063	100	SLD33-63		SLDT33-63VQ				
36	90	.063	104	SLD36-63		SLDT36-63VQ				
42	105	.063	123	SLD42-63		SLDT42-63VQ				

**Sprocket
Nose
Code**

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTech	POWERTech ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

EFCO continued

3/8" LP Pitch

131

12	30	.050	45					PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52					PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57					PO16-50SR	PO16-50SW	PO16-50CR

3/8 LP Pitch

134, 135, 114E, 116E, 117E, 136, 140, 140S

12	30	.050	44					OL12-50SR	OL12-50SW	
14	35	.050	49					OL14-50SR	OL14-50SW	
16	40	.050	56					OL16-50SR	OL16-50SW	

3/8" LP Pitch .043" GAUGE

115

12	30	.043	45						OL12-43SW	
----	----	------	----	--	--	--	--	--	-----------	--

.325" Pitch

138, 141

13	33	.050	56				UHL13-50SH	UHL13-50SF		
15	38	.050	64				UHL15-50SH	UHL15-50SF		
16	40	.050	66				UHL16-50SH			
18	45	.050	72				UHL18-50SH			

.325" Pitch

140S

13	33	.050	56					PO13-50SF		
16	40	.050	66					PO16-50SF		

EINHELL

3/8" LP Pitch

EKS25, EKS35

12	30	.050	47	SOA12-50				SOA12-50SR	SOA12-50SW	
14	35	.050	54	SOA14-50				SOA14-50SR	SOA14-50SW	
16	40	.050	58	SOA16-50				SOA16-50SR	SOA16-50SW	

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose

**Sprocket
Nose
Code**

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

EINHELL continued

3/8" LP Pitch

40A, 41, MKS30, MKS40AV

12	30	.050	45	F12-50				F12-50SR		
14	35	.050	52	F14-50				F14-50SR		
16	40	.050	56	F16-50				F16-50SR		

3/8" LP Pitch

PES30, PES34, PES34, PES35, PES40, PKS35, PKS40, KES1640, KES1435, PES1640, PES1540, KSE1435/1635/1640/2000/ PKS 1635/1840

12	30	.050	45					PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52					PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57					PO16-50SR	PO16-50SW	PO16-50CR

.325" Pitch

PKS45/1AV, PKS50/1AV

13	33	.058	56		UHL13-58PJ		UHL13-58SH	UHL13-58SF		
14	35	.058	60		UHL14-58PJ		UHL14-58SH	UHL14-58SF		
15	38	.058	64		UHL15-58PJ		UHL15-58SH	UHL15-58SF		
16	40	.058	66		UHL16-58PJ		UHL16-58SH			
16	40	.058	68		UHLX16-58PJ		UHLX16-58SH			
18	45	.058	72		UHL18-58PJ		UHL18-58SH			
20	50	.058	78		UHL20-58PJ		UHL20-58SH			

FOLUX

3/8" LP Pitch

E140, F130, F140, F2, F3, F30, F35, F4, F41

12	30	.050	44					OL12-50SW		
14	35	.050	49					OL14-50SW		
16	40	.050	56					OL16-50SW		

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



		PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
--	--	--------------	----------------------	-----------------------	-----------	-----------------	-------------------------	-------------------

FOLUX continued

.325" Pitch

F150, F155, F40, F42, F46, F51

13	33	.058	56		UHL13-58PJ		UHL13-58SH	UHL13-58SF		
14	35	.058	60		UHL14-58PJ		UHL14-58SH	UHL14-58SF		
15	38	.058	64		UHL15-58PJ		UHL15-58SH	UHL15-58SF		
16	40	.058	66		UHL16-58PJ		UHL16-58SH			
16	40	.058	68		UHLX16-58PJ		UHLX16-58SH			
18	45	.058	72		UHL18-58PJ		UHL18-58SH			
20	50	.058	78		UHL20-58PJ		UHL20-58SH			

3/8" Pitch

CAMP160, F160, F165, F170, F180, F5, F55, F6, F7, F8

16	40	.058	60	JO16-58	JO16-58PA					
18	45	.058	68	JO18-58	JO18-58PA					
20	50	.058	72	JO20-58	JO20-58PA					
23	58	.058	80	JO23-58	JO23-58PA					
25	63	.058	88	JO25-58	JO25-58PA					

.404" Pitch

CAMP160, F160, F165, F160, F180, F5, F55, F6, F7, F8

16	40	.058	55	JO16-58	JO16-58VQ					
18	45	.058	62	JO18-58	JO18-58VQ					
20	50	.058	66	JO20-58	JO20-58VQ					
23	58	.058	73	JO23-58	JO23-58VQ					

FRONTIER

3/8" LP Pitch

F35, MARK 1, MARK 1, VIP

12	30	.050	45	F12-50						
14	35	.050	50	F14-50				F14-50SR		
16	40	.050	56	F16-50				F16-50SR		

PRO SPROCKET BARS PA = 3/8" x 11 Teeth - Pro Nose PJ = .325" 12 Teeth - Pro Nose VQ = .404" x 11 Teeth - Pro Nose	POWER TECH BARS SG = 3/8" x 10 Teeth Nose SH = .325" x 11 Teeth Nose	POWER TECH ARBOR PRO SF = .325" x 10 Teeth Nose SR = 3/8" x 9 Teeth Nose	LAMINATED BARS CR = 3/8" LP x 9 Teeth Non Replacement Nose POWER TECH MINI SW = 3/8" LP x 7 Teeth Nose
---	---	---	---

Sprocket
Nose
Code

GUIDE BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALLLED LENGTH IN CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
---------------------------	--------------	------------	--------------	----------------------	-----------------------	-----------	-----------------	-------------------------	-------------------

GREEN MACHINE

3/8" LP Pitch

33, 38, 7100, 7200, 7400

12	30	.050	45	PO12-50				PO12-50SR	PO12-50W	PO12-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR

3/8" Pitch

7600, 7700

16	40	.050	60	EX16-50	EX16-50PA		EX16-50SG			
18	45	.050	66	EX18-50	EX18-50PA		EX18-50SG			
20	50	.050	72	EX20-50	EX20-50PA		EX20-50SG			
24	60	.050	84	EX24-50	EX24-50PA					

HITACHI

3/8" LP Pitch .043" GAUGE

CS280A, CS350A

12	30	.043	45						PO12-43SW	
14	35	.043	52						PO14-43SW	
16	40	.043	57						PO16-43SW	

HOMELITE

.325" Pitch

180, SUPER 2, VI SUPER 2, 20, 200, 205, 240, 245, EL12, EL16, LX30, SL, XL, XLT, XL2, XL10, XEL14, BANDIT, SABRE 31, 33, 35

10	25	.050	43	HX10-50						
12	30	.050	54	HX12-50						
14	35	.050	60	HX14-50				HX14-50SF		
16	40	.050	66	HX16-50				HX16-50SF		

3/8" LP Pitch

180, SUPER 2, VI SUPER 2, 20, 200, 205, 240, 245, EL12, EL16, LX30, SL, XL, XLT, XL2, XL10, XEL14, BANDIT, SABRE 31, 33, 35

12	30	.050	48	HX12-50				HX12-50SR		HX12-50CR
14	35	.050	53	HX14-50				HX14-50SR		HX14-50CR
16	40	.050	59	HX16-50				HX16-50SR		HX16-50CR
18	45	.050	64	HX18-50				HX18-50SR		

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8"LP x 7 Teeth Nose







CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALLLED LENGTH IN CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
------------------------------	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

HOMELITE continued

3/8" Pitch

330, 350, 360, 400, 410, 410SL, 450, 460, 540, 550, 650, 700, 750, 800, 850, 900, 922, 923, 925, 955, XL12, XL125, XL-AO, XL400, SUPER XL AUTO, 8800, SXL

12	30	.050	47	HN12-50	HN12-50PA					
16	40	.050	59	HN16-50	HN16-50PA		HN16-50SG			
18	45	.050	64	HN18-50	HN18-50PA					
20	50	.050	70	HN20-50	HN20-50PA		HN20-50SG			
24	60	.050	81	HN24-50	HN24-50PA					
30	75	.050	98	HN30-50	HN30-50PA					

.404" Pitch

330, 350, 360, 400, 410, 410SL, 450, 460, 540, 550, 650, 700, 750, 800, 850, 900, 922, 923, 925, 955, XL12, XL125, XL-AO, XL400, SUPER XL AUTO, 8800, SXL

36	90	.063	105	HN36-63						
----	----	------	-----	---------	--	--	--	--	--	--

3/8" Pitch

C SERIES, 1000, 1020, 1050, S1050 AUTO, 2000, 2100, ZIP, WIZ, 700D, XP-SERIES GEAR DRIVES

17	43	.063	62	H17-63	H17-63PA					
21	53	.063	71	H21-63						
25	63	.063	82	H25-63						

HUSQVARNA

3/8" LP Pitch

33, 38, 40, 42, 44, 45, 50, 51, 55, 133, 136, 140, 141, 154, 234, 238, 240, 242, 246, 254, 257, 262, 340, 345, 346XP, 350, 351, 444, EL16, EL 1200, EL1400, EL1500, EL1600, 335XPT, 36, 41, 333, 334, 315E, 316E, 318E,

12	30	.050	45					UHLX12-50SR	UHL12-50SW	
14	33	.050	54	UHL14-50				UHL14-50SR	UHL14-50SW	
15	38	.050	56	UHL15-50				UHL15-50SR	UHL16-50SW	

Please Note: All Husqvarna bars are available in .050, .058, .063 gauge.

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8"LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

HUSQVARNA continued

.325" Pitch Also available in .050" gauge

33, 38, 40, 42, 44, 45, 50, 51, 55, 133, 136, 140, 141, 154, 234, 238, 240, 242, 246, 254, 257, 262, 335, 340, 345, 346XP, 350, 351, 444, EL16, EL 1200, EL1400, EL1500, EL1600, 261, 259, 362, 357, 359

11	27	.058	52					UHL11-58SF		
13	30	.058	56					UHL13-58SF		
14	33	.058	60	UHL14-58	UHL14-58PJ		UHL14-58SH	UHL14-58SF		
15	37	.058	64	UHL15-58	UHL15-58PJ		UHL15-58SH	UHL15-58SF		
16	40	.058	66	UHL16-58	UHL16-58PJ		UHL16-58SH			
16	43	.058	68	UHLX16-58	UHLX16-58PJ		UHLX16-58SH			
18	45	.058	72	UHL18-58	UHL18-58PJ		UHL18-58SH			
20	50	.058	78	UHL20-58	UHL20-58PJ		UHL20-58SH			
20	50	.058	80	UHLX20-58	UHLX20-58PJ		UHLX20-58SH			
24	60	.058	90	UHLX24-58	UHLX24-58PA					

3/8" Pitch Also available in .050" gauge

33, 38, 40, 42, 44, 45, 50, 51, 55, 133, 136, 140, 141, 154, 234, 238, 240, 242, 246, 254, 257, 261, 262, 335, 340, 345, 346XP, 350, 351, 444, EL16, EL 1200, EL1400, EL1500, EL1600, 259, 362, 357, 359

15	37	.058	56	UHL15-58	UHL15-58PA					
16	40	.058	60	UHLX16-58	UHLX16-58PA		UHLX16-58SG			
18	45	.058	64	UHL18-58	UHL18-58PA		UHL18-58SG			
18	45	.058	68	UHLX18-58	UHLX18-58PA		UHLX18-58SG			
20	50	.058	70	UHL20-58	UHL20-58PA		UHL20-58SG			
20	50	.058	72	UHLX20-58	UHLX20-58PA					

3/8" LP Pitch

34, 35, 37

12	30	.050	45	F12-50						
14	35	.050	50	F14-50				F14-50SR		
16	40	.050	56	F16-50				F16-50SR		

3/8" LP Pitch

23, 36, 41, 136, 141, 243

12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR

Please Note: All Husqvarna bars are available in .050, .058, .063 gauge.

PRO SPROCKET BARS	POWER TECH BARS	POWER TECH ARBOR PRO	LAMINATED BARS
PA = 3/8" x 11 Teeth - Pro Nose PJ = .325" 12 Teeth - Pro Nose VQ = .404" x 11 Teeth - Pro Nose	SG = 3/8" x 10 Teeth Nose SH = .325" x 11 Teeth Nose	SF = .325" x 10 Teeth Nose SR = 3/8" x 9 Teeth Nose	CR = 3/8" LP x 9 Teeth Non Replacement Nose POWER TECH MINI SW = 3/8" LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

HUSQVARNA continued

3/8" LP Pitch .043" GAUGE

23, 36, 41, 136, 141, 243

12	30	.043	45						PO12-43SW	
14	35	.043	52						PO14-43SW	
16	40	.043	57						PO16-43SW	

3/8" Pitch Also available in .063" & .050"

61, 62, 65, 66, 70, 77, 160, 162, 163, 180, 181, 185, 260, 263, 266, 268, 272, 280, 281, 285, 288XP, 298, 362XP, 365, 371, 372XP, 380, 394, 395XP, 480, 1100, 2100, 2101, 3120XP, 372XP, 385XP

13	35	.058	52	HV13-58	HV13-58PA					
15	38	.058	56	HV15-58	HV15-58PA		HV15-58SG			
16	40	.058	60	HV16-58	HV16-58PA		HV16-58SG			
17	43	.058	64	HV17-58	HV17-58PA					
18	45	.058	68	HV18-58	HV18-58PA	HVT18-58PA				
20	50	.058	72	HV20-58	HV20-58PA	HVT20-58PA				
22	55	.058	76	HV22-58	HV22-58PA	HVT22-58PA				
24	60	.058	84	HV24-58	HV24-58PA	HVT24-58PA				
28	70	.058	93	HV28-58	HV28-58PA	HVT28-58PA				
30	75	.058	98	HV30-58	HV30-58PA	HVT30-58PA				
36	90	.058	119	HV36-58	HV36-58PA	HVT36-58PA				
36	90	.058	115	HVX36-58	HVX36-58PA	HVXT36-58PA				

.404" Pitch

61, 62, 65, 66, 70, 77, 160, 162, 163, 180, 181, 185, 260, 261, 263, 266, 268, 272, 280, 285, 288XP, 298, 362XP, 365, 371, 372XP, 380, 394, 395XP, 480, 1100, 2100, 2101, 3120XP

24	60	.063	76	HV24-63	HV24-63VQ	HVT24-63VQ				
28	70	.063	84	HV28-63	HV28-63VQ	HVT28-63VQ				
30	75	.063	89		HV30-63VQ	HVT30-63VQ				
32	80	.063	95		HV32-63VQ	HVT32-63VQ				
34	85	.063	100	HV34-63	HV34-63VQ	HVT34-63VQ				
36	90	.063	104	HVX36-63	HVX36-63VQ	HVXT36-63VQ				
36	90	.063	108		HV36-63VQ	HVT36-63VQ				
42	105	.063	124	HV42-63	HV42-63VQ	HVT42-63VQ				

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

HUSQVARNA continued

3/8" Pitch Also available in .063" gauge

WIDE NOSE RADIUS BARS FOR ABOVE

18	45	.058	68	HW18-58						
20	50	.058	72	HW20-58						
22	55	.058	76	HW22-58						
24	60	.058	84	HW24-58						
28	70	.058	93	HW28-58						
30	75	.058	98	HW30-58						

.404" Pitch

WIDE NOSE RADIUS BARS FOR ABOVE

28	70	.063	84	HW28-63						
30	75	.063	89	HW30-63						

.325" Pitch

33, 36, 40, 41, 42, 45, 49, 50, 51, 55, EL400, E1600, EL16, 242XP, EL1200, 136, 141, 340, 345, 346XP, 246, 350, 351

13	33	.050	56					UHL13-50SF		
15	38	.050	64				UHL15-50SH	UHL15-50SF		
18	45	.050	72				UHL18-50SH	UHL18-50SF		

3/8" LP Pitch

32, 38

12	30	.050	47	SOA12-50					SOA12-50SW	
16	40	.050	58	SOA16-50					SOA14-50SW	

IKRA

3/8" LP Pitch

KS1400-T/30, 35, 40, KS1500-T/35, 40 KS1600-TS/40, 45 EKS1600-35/40 EKS1700/1800-40DL KS2000-TF/S-40/45 EKS1800-40KS
KS1200-13/30, 35 KS1400-13/40

12	30	.050	45					PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52					PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57					PO16-50SR	PO16-50SW	PO16-50CR
18	45	.050	68					PO18-50SR	PO18-50SW	

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALLLED LENGTH IN CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
---------------------------	--------------	------------	--------------	----------------------	-----------------------	-----------	-----------------	-------------------------	-------------------

JOHN DEERE

3/8" LP Pitch

25, 28, 30, 35, 45, 46, 450, 200, 230, 3300, 3350, 3800, 3850, 4150, 4550

12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR
18	50	.050	62	POX18-50				POX18-50SR	POX18-50SW	
18	50	.050	68	PO18-50				PO18-50SR	PO18-50SW	

3/8" LP Pitch

CS36, CS40

12	30	.050	48					POJ12-50SR		
14	35	.050	52					PO14-50SR		
16	40	.050	58					POJ16-50SR		
18	45	.050	64					POJ18-50SR		

.325" Pitch

CS56, CS62, CS46, CS52

16	40	.050	66		UHLJ16-50PJ		UHLJ16-50SH			
18	45	.050	72		UHLJ18-50PJ		UHLJ18-50SH			
20	50	.050	78		UHLXJ20-50PJ		UHLXJ20-50SH			

3/8" Pitch

CS62, CS52

16	40	.050	60		UHLJ16-50PA		UHLJ16-50SG			
20	50	.050	70		UHLJ20-50PA		UHLJ20-50SG			
24	60	.050	80		UHLJ24-50PA					

3/8" Pitch Also available in .063 gauge

CS71, CS81

20	50	.050	72		JOJ20-50PA					
24	60	.050	83		JOJ24-50PA					
28	70	.050	94		JOJ28-50PA					
32	80	.063	104		JOJ32-63PA					
36	90	.063	116		JOJ36-63PA					

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALLLED LENGTH IN CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
---------------------------	--------------	------------	--------------	----------------------	-----------------------	-----------	-----------------	-------------------------	-------------------

JONSERED

3/8" LP Pitch

35, M36, LJ36, M361, 365, 370, 380

12	30	.050	45	F12-50					
14	35	.050	50	F14-50			F14-50SR		
16	40	.050	56	F16-50			F16-50SR		

3/8" LP Pitch

2033

12	30	.050	45	PO12-50			PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52	PO14-50			PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	56	PO16-50			PO16-50SR	PO16-50SW	PO16-50CR

.325" Pitch

EL14, 45, 49SP, 50, 51, 52E, 370, 380, 410, 420, 425, 435, 450, 451, 452, 455, 490, 510, 520, 521, 525, 535, 590, E2012, E2014, E2015, E2016, 2035, 2036, 2041, 2044, 2045, 2050, 2051, 2054, 2055, 2145, 2149, 2150, 2163, 2159, 2141, 2059, 2063, EL1200

13	33	.058	56	UHL13-58	UHL13-58PJ		UHL13-58SH	UHL13-58SF	
14	35	.058	60	UHL14-58	UHL14-58PJ		UHL14-58SH	UHL14-58SF	
15	38	.058	64	UHL15-58	UHL15-58PJ		UHL15-58SH	UHL15-58SF	
16	40	.058	66	UHL16-58	UHL16-58PJ		UHL16-58SH		
16	40	.058	68	UHLX16-58	UHLX16-58PJ		UHLX16-58SH		
18	45	.058	72	UHL18-58	UHL18-58PJ		UHL18-58SH		
20	50	.058	78	UHL20-58	UHL20-58PJ		UHL20-58SH		

3/8" Pitch

2163, 2159, 2059, 2063

13	33	.058	50	UHL13-58	UHL13-58PA				
14	35	.058	54	UHL14-58	UHL14-58PA		UHL14-58SG		
15	38	.058	56	UHL15-58	UHL15-58PA				
16	40	.058	60	UHLX16-58	UHLX16-58PA		UHLX16-58SG		

PRO SPROCKET BARS	POWER TECH BARS	POWER TECH ARBOR PRO	LAMINATED BARS
PA = 3/8" x 11 Teeth - Pro Nose PJ = .325" 12 Teeth - Pro Nose VQ = .404" x 11 Teeth - Pro Nose	SG = 3/8" x 10 Teeth Nose SH = .325" x 11 Teeth Nose	SF = .325" x 10 Teeth Nose SR = 3/8" x 9 Teeth Nose	CR = 3/8" LP x 9 Teeth Non Replacement Nose POWER TECH MINI SW = 3/8"LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALLLED LENGTH IN CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
---------------------------	--------------	------------	--------------	----------------------	-----------------------	-----------	-----------------	-------------------------	-------------------

JONSERED continued

3/8" Pitch

60, 61, 62, 66, 70, 75, 77, 80, 81, 90, 110, 111, 601, 621, 751, 801, 820, 830, 910, 920, 930, 1020

16	40	.058	60	JO16-58	JO16-58PA		JO16-58SG		
18	45	.058	68	JO18-58	JO18-58PA		JO18-58SG		
20	50	.058	70	JOX20-58	JOX20-58PA				
20	50	.058	72	JO20-58	JO20-58PA		JO20-58SG		
22	55	.058	76	JO22-58	JO22-58PA				
24	60	.058	81	JOX24-58					
24	60	.058	84	JO24-58	JO24-58PA				
25	35	.058	88	JO25-58	JO25-58PA				
28	70	.058	93	JO28-58	JO28-58PA				
30	75	.058		JO30-58	JO30-58PA				

3/8" Pitch Also available in .063 gauge

625, 630, 670 WEST COAST, 2063, 2065, 2071, 2077, 2083, 2094, 2095, 2163, 2165, 2171

16	40	.058	60	HV16-58	HV16-58PA		HV16-58SG		
17	43	.058	64	HV17-58	HV17-58PA				
18	45	.058	68	HV18-58	HV18-58PA				
20	50	.058	72	HV20-58	HV20-58PA	HVT20-58PA			
22	55	.058	76	HV22-58	HV22-58PA	HVT22-58PA			
24	60	.058	84	HV24-58	HV24-58PA	HVT24-58PA			
28	70	.058	93	HV28-58	HV28-58PA	HVT28-58PA			
30	75	.058	102	HV30-58	HV30-58PA	HVT30-58PA			
36	90	.058	119	HV36-58	HV36-58PA	HVT36-58PA			
36	90	.058	115	HVX36-58	HVX36-58PA	HVTX36-58PA			

3/8" LP Pitch

2118EL, 2115EL, 2035

12	30	.050	45					UHL12-50SR	UHL12-50SW
14	35	.050	52					UHL14-50SR	UHL14-50SW
16	40	.050	59					UHL16-50SR	UHL16-50SW

.325" Pitch

EL14, 2014/5/6, 2050, 2040, 2016, 2054, 2036, 2040/1/5, EL1200, 2055

13	33	.050	56					UHL13-50SF	
15	38	.050	64					UHL15-50SF	
18	45	.050	72					UHL18-50SF	

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8"LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED	

JONSERED continued

.404" Pitch Also available in .063" gauge

625, 630, 670 WEST COAST, 2063, 2065, 2071, 2077, 2083, 2094, 2095

28	70	.058	83		HV28-58VQ	HVT28-58VQ				
30	75	.058	91	HV30-58	HV30-58VQ	HVT30-58VQ				
36	90	.058	104	HV36-58	HVX36-58VQ	HVXT36-58VQ				
42		.058		HV42-58	HV42-58VQ	HVT42-58VQ				

LOMBARD

3/8" LP Pitch

AP22, AP24, AP240, CS2500, CS2600, CS2700, PONY, LT LIGHTNING

12	30	.050	45	F12-50						
14	35	.050	50	F14-50				F14-50SR		
16	40	.050	56	F16-50				F16-50SR		

3/8" Pitch

AL SERIES, AP42, CLP500, COMANGO SERIES, CS3500, CS3501, CS3502, LIGHTNING

16	40	.050	60	HN16-50	HN16-50PA		HN16-50SG			
20	50	.050	70	HN20-50	HN20-50PA		HN20-50SG			
24	60	.050	81	HN24-50	HN24-50PA					

McCULLOCH

3/8" LP Pitch

MINI MAC SERIES, POWER MAC 6, TITAN 7, 35, 40, 41, 46, WILDCAT, MACCAT 16, EAGER BEAVER, 10, 14, 16, 12E, 14E, 16E, 6A, 400, 440, 380, EMB, 10, 12, 12ES, 14ES, 16, E150, E200, E250, E300, PM3200, PM3500, PM3505, PM3805, PM3800-16, PM5700-20, MAC 1100, 18, 115, 120, 130, 140, 155, 160S, 165, 175, 310, 320, 330, 340, 35, 365, 375, 430, 435, 440, 445, 510, 2010, 2012, 2014, 2016, 2116, 2316, 2318, 3210, 3500, 3818, 3205, 3214, 3216, 3505, 400, 730, 394, 494, 930, 935, EB21

12	30	.050	44	M12-50				M12-50SR	M12-50SW	M12-50CR
14	35	.050	49	M14-50				M14-50SR	M14-50SW	M14-50CR
16	40	.050	54	M16-50				M16-50SR	M16-50SW	M16-50CR
18	45	.050	60					M18-50SR	M18-50SW	M18-50CR

.325" Pitch

4600, 4700, 4900, 5000, 40, 46, 54, 61, 72

16	40	.050	66	UHL16-50	UHL16-50PJ		UHL16-50SH			
18	45	.050	72	UHL18-50	UHL18-50PJ		UHL18-50SH			
20	50	.050	78	UHL20-50	UHL20-50PJ					

PRO SPROCKET BARS PA = 3/8" x 11 Teeth - Pro Nose PJ = .325" 12 Teeth - Pro Nose VQ = .404" x 11 Teeth - Pro Nose	POWER TECH BARS SG = 3/8" x 10 Teeth Nose SH = .325" x 11 Teeth Nose	POWER TECH ARBOR PRO SF = .325" x 10 Teeth Nose SR = 3/8" x 9 Teeth Nose	LAMINATED BARS CR = 3/8" LP x 9 Teeth Non Replacement Nose POWER TECH MINI SW = 3/8" LP x 7 Teeth Nose
---	---	---	---

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

McCULLOCH continued

3/8" Pitch

MAC 10 SERIES, 1-10 TP 10-10, 55, 555, TITAN 50, 57, 70, 560, 600, 610, 620, 650, 655, 700, 800, 805, 1000, DOUBLE EAGLE 50 & 80, PM605, PM610, PM700, PM1010, PM5700, PM8200, SP60, SP70, SP80, SP81, CP55, CP70, CP60, 3420, 3720, EAGER BEAVER 3.7, TIMBER BEAR, SILVER EAGLE 3720

16	40	.050	60	MA16-50	MA16-50PA		MA16-50SG			
20	50	.050	70	MA20-50	MA20-50PA		MA20-50SG			
24	60	.050	81	MA24-50	MA24-50PA					
28	70	.050	92	MA28-50	MA28-50PA					

3/8" Pitch

MAC950, 960, 970, DAYTONA 3000, 5000, 6000, PROMAC 51/55/60/72

16	40	.058	60	JO16-58	JO16-58PA		JO16-58SG			
18	45	.058	68	JO18-58	JO18-58PA		JO18-58SG			
20	50	.058	72	JO20-58	JO20-58PA		JO20-58SG			

MAKITA

3/8" LP Pitch

5011B, 5012B, 5014B, 5016B, DCS34, DCS330, DCS330S, DCS340, DCS341, DCS400, DCS401, DES330S, DES390, DES400, DCS33, DCS344, DC410, DCS411, DCS350, DCS390, DCS300

12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR
18	45	.050	68	PO18-50				PO18-50SR		

.325" Pitch

DCS430, DCS4300, DCS520i, DCS5200i, DCS520, DES6800i, DS431, DCS52, DCS43

13	33	.058	56	UHL13-58	UHL13-58PJ		UHL13-58SH	UHL13-58SF		
15	38	.058	64	UHL15-58	UHL15-58PJ		UHL15-58SH	UHL15-58SF		
16	40	.058	66	UHL16-58	UHL16-58PJ		UHL16-58SH			
16	40	.058	68	UHLX16-58	UHLX16-58PJ		UHLX16-58SH			
18	45	.058	72	UHL18-58	UHL18-58PJ		UHL18-58SH			
20	50	.058	78	UHL20-58	UHL20-58PJ		UHL20-58SH			

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8"LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

MAKITA continued

3/8" Pitch

DCS60000i, DCS5200i, DCS6800i, DCS5430, DCS5431, DCS520, DCS540, DS431

15	38	.058	56	DS15-58	DS15-58PA					
18	45	.058	64	DS18-58	DS18-58PA		DS18-50SG			
21	50	.058	72	DS21-58	DS21-58PA					

3/8" Pitch

DCS9010, DCS9900

17	43	.058	64	DOL17-58	DOL17-58PA		DOL17-58SG			
20	50	.058	72	DOL20-58	DOL20-58PA					
24	60	.058	80	DOL24-58	DOL24-58PA					
29	72	.058	96	DOL29-58						

3/8" Pitch

DCS6400, DCS7300, DCS7900, DCS6401, DCS7301, DCS7901

16	40	.058	60	HV16-58	HV16-58PA		HV16-58SG			
18	45	.058	68	HV18-58	HV18-58PA		HV18-58SG			
20	50	.058	72	HV20-58	HV20-58PA		HV20-58SG			
24	60	.058	84	HV24-58	HV24-58PA					
28	70	.058	92	HV28-58	HV28-58PA					

.325" Pitch

DCS410, DCS411

13	33	.050	56					PO13-50SF		
15	38	.050	64					PO15-50SF		

MTD

3/8" LP

3414, 3616, 3818

12	30	.050	44					M12-50SR		M12-50CR
14	35	.050	49					M14-50SR		M14-50CR
16	40	.050	54					M16-50SR		M16-50CR
18	45	.050	60					M18-50SR		M18-50CR


PRO SPROCKET BARS	POWER TECH BARS	POWER TECH ARBOR PRO	LAMINATED BARS
PA = 3/8" x 11 Teeth - Pro Nose PJ = .325" 12 Teeth - Pro Nose VQ = .404" x 11 Teeth - Pro Nose	SG = 3/8" x 10 Teeth Nose SH = .325" x 11 Teeth Nose	SF = .325" x 10 Teeth Nose SR = 3/8" x 9 Teeth Nose	CR = 3/8" LP x 9 Teeth Non Replacement Nose POWER TECH MINI SW = 3/8" LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



CALLLED LENGTH IN CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
---------------------------	--------------	------------	--------------	----------------------	-----------------------	-----------	-----------------	-------------------------	-------------------

MONTGOMERY WARD

3/8" LP Pitch

TM24062, 24064, 24066, 24068

12	30	.050	44	M12-50				M12-50SR		M12-50CR
14	35	.050	49	M14-50				M14-50SR		M14-50CR
16	40	.050	55	M16-50				M16-50SR		M16-50CR

OLEO MAC & OLYMPYK

3/8" LP Pitch

240, OM-E200

12	30	.050	45	SW12-50				SW12-50SR	SW12-50SW	SW12-50CR
14	35	.050	50	SW14-50				SW14-50SR	SW14-50SW	SW14-50CR
16	40	.050	55	SW16-50				SW16-50SR	SW16-50SW	SW16-50CR

3/8" LP Pitch

931, 932, 936, 940, 935

12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR

.325" Pitch

935DF, 938, 941, 942, 945, 946, 947, 950, 951, 952, 956, 962

13	33	.058	56	UHL13-58	UHL13-58PJ		UHL13-58SH	UHL13-58SF		
14	35	.058	60	UHL14-58	UHL14-58PJ		UHL14-58SH	UHL14-58SF		
15	38	.058	64	UHL15-58	UHL15-58PJ		UHL15-58SH	UHL15-58SF		
16	40	.058	66	UHL16-58	UHL16-58PJ		UHL16-58SH			
16	40	.058	68	UHLX16-58	UHLX16-58PJ		UHLX16-58SH			
18	45	.058	72	UHL18-58	UHL18-58PJ		UHL18-58SH			
20	50	.058	78	UHL20-58	UHL20-58PJ		UHL20-58SH			

3/8" Pitch

956, 962

16	40	.058	60	UHLJ16-58	UHLJ16-58PA		UHLJ16-58SG			
20	50	.058	70	UHLJ20-58	UHLJ20-58PA		UHLJ20-58SG			

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8"LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALLLED LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
-------------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

OLEO MAC & OLYMPYK continued

3/8" Pitch

250, 251, 252, 254, 260, 261, 264, 271, 272, 280, 284, 300, 350, 355, 364, 460, 480, 481, 482, 484, 486, 970, 971, 980, 981, AGRISTAR

16	40	.058	60	JO16-58	JO16-58PA		JO16-58SG			
18	45	.058	68	JO18-58	JO18-58PA		JO18-58SG			
20	50	.058	70	JOX20-58	JOX20-58PA					
20	50	.058	72	JOJ20-58	JO20-58PA		JO20-58SG			
22	55	.058	76	JO22-58	JO22-58PA					
24	60	.058	81	JOX24-58						
24	60	.058	83	JO24-58	JO24-58PA					
25	63	.058	88	JO25-58						
30	75	.058	98	JO30-58						

.404" Pitch

999F

21	53	.063	72	SL21-63	SLD21-63VQ	SLDT21-63VQ				
25	63	.063	84	SLD25-63	SLD25-63VQ	SLDT25-63VQ				
30	75	.063	92	SLD30-63	SLD30-63VQ	SLDT30-63VQ				
33	83	.063	100	SLD33-63	SLD33-63VQ	SLDT33-63VQ				
36	90	.063	104	SLD36-63	SLD36-63VQ	SLDT36-63VQ				
42	105	.063	123	SLD42-63	SLD42-63VQ	SLDT42-63VQ				

3/8" LP Pitch

233, 234, 244, 240, 335, 340, 930, 935, E140, E160, E1700, E1900

12	30	.050	44						OL12-50SW	
14	35	.050	49						OL14-50SW	
16	40	.050	56						OL16-50SW	

.325" Pitch

938, 941

13	33	.050	56					UHL13-50SF		
15	33	.050	64					UHL15-50SF		
16	40	.050	66				UHL16-50SH	UHL16-50SF		
18	45	.050	72				UHL18-50SH	UHL18-50SF		

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose

Sprocket
Nose
Code





CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALLLED LENGTH IN CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
---------------------------	--------------	------------	--------------	----------------------	-----------------------	-----------	-----------------	-------------------------	-------------------

OLEO MAC & OLYMPYK continued

3/8" Pitch

956, 962

16	40	.058	60	UHLX16-58	UHLX16-58PA		UHLX16-58SG			
18	45	.058	68	UHLX18-58	UHLX18-58PA		UHL18-58SG			
20	50	.058	72	UHLX20-58	UHLX20-58PA		UHLX20-58SG			
22	55	.058	77	UHL22-58	UHL22-58PA		UHL22-58SG			

3/8" Pitch

E1500

12	30	.050	44						OL12-50SW	
14	35	.050	49						OL14-50SW	

OPEM

3/8" LP Pitch

130Z, 140Z, 142Z

12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR

.325" Pitch

K1, K2, K2 SUPER, K3

13	33	.058	56	UHL13-58	UHL13-58PJ		UHL13-58SH	UHL13-58SF		
14	35	.058	60	UHL14-58	UHL14-58PJ		UHL14-58SH	UHL14-58SF		
15	38	.058	64	UHL15-58	UHL15-58PJ		UHL15-58SH	UHL15-58SF		
16	40	.058	66	UHL16-58	UHL16-58PJ		UHL16-58SH			
16	40	.058	68	UHLX16-58	UHLX16-58PJ		UHLX16-58SH			
18	45	.058	72	UHL18-58	UHL18-58PJ		UHL18-58SH			
20	50	.058	78	UHL20-58	UHL20-58PJ		UHL20-58SH			

3/8" Pitch

145, 150, 155, 157, 165

16	40	.050	60	SN16-50	SN16-50PA		SN16-50SG			
18	45	.050	66		SN18-50PA					
20	50	.050	72	SN20-50	SN20-50PA					

**Sprocket
Nose
Code**

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8"LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

PARTNER

3/8" LP Pitch

1601, 1602, 1610, 1611, 1613 1614, 1616, 1618, 330, 340, 350, MINI P, SPARTAN

12	30	.050	45	F12-50						
14	35	.050	50	F14-50				F14-50SR		
16	40	.050	56	F16-50				F16-50SR		

3/8" LP Pitch

335, 345, 385, 395, 405, 330, 340, 360, 365, 351, 370, 390, 420, 350

12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	56	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR

.325" Pitch

1200EL, 1400EL, 1450, 1500EL, 1650, 360, 365, 370, 390, P48, P49, P400, 400, 405, 450, 420, 465, 470, 495, P500, 510, 545, 550, 5000, P5500, MINI FARMER SAW, 605, 540, 500, 410, 460, 510

13	33	.058	56	UHL13-58	UHL13-58PJ		UHL13-58SH	UHL13-58SF		
14	35	.058	60	UHL14-58	UHL14-58PJ		UHL14-58SH	UHL14-58SF		
15	38	.058	64	UHL15-58	UHL15-58PJ		UHL15-58SH	UHL15-58SF		
16	40	.058	66	UHL16-58	UHL16-58PJ		UHL16-58SH			
16	40	.058	68	UHLX16-58	UHLX16-58PJ		UHLX16-58SH			
18	45	.058	72	UHL18-58	UHL18-58PJ		UHL18-58SH			
20	50	.058	78	UHL20-58	UHL20-58PJ		UHL20-58SH			

3/8" Pitch

R11, R12, R14, R16, R17, R18, R19, R20, R21, R22, R23, R30, R35, R40, R416, R417, R420, R421, R422, R435, R44, R517, R522, R523, P50, P51, F55, P55, 550, F65, P65, 650, P70, 85, P100, P7000, 7700, 1655, 2055, 716, 660

15	38	.058	56	HV15-58	HV15-58PA		HV15-58SG			
16	40	.058	60	HV16-58	HV16-58PA		HV16-58SG			
17	43	.058	64	HV17-58	HV17-58PA					
18	45	.058	68	HV18-58	HV18-58PA					
20	50	.058	72	HV20-58	HV20-58PA	HVT20-58PA				
22	55	.058	76	HV22-58	HV22-58PA	HVT22-58PA				
18	45	.058	64	PA18-58	PA18-58PA					
20	50	.058	70		PA20-58PA					

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8"LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALLLED LENGTH IN CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
---------------------------	--------------	------------	--------------	----------------------	-----------------------	-----------	-----------------	-------------------------	-------------------

PARTNER continued

.325" Pitch

EL1450, EL1650, 400, 410, 460, 405, 450, 470, 510, 540

13	33	.050	56				UHL13-50SH	UHL15-50SF		
15	33	.050	64				UHL15-50SH	UHL15-50SF		
18	45	.050	72				UHL18-50SH	UHL18-50SF		

3/8" Pitch

550, 605

13	33	.058	50				UHL13-58SG			
15	38	.058	56				UHL15-58SG			

PIONEER

3/8" LP Pitch

P10, P12, PARTNER-PIONEER 330, 350

12	30	.050	45	F12-50						
14	15	.050	50	F14-50				F14-50SR		
16	40	.050	56	F16-50				F16-50SR		

.325" Pitch

P11, P21, P25, P26, P28, P28S, P400, P450, 673, 970, P400, P450, P500, PARTNER/PIONEER 360, 1072, 1073, 1074

16	40	.058	66	UHL16-58	UHL16-58PJ		UHL16-58SH			
16	43	.058	68	UHLX16-58	UHLX16-58PJ		UHLX16-58SH			
18	45	.058	72	UHL18-58	UHL18-58PJ		UHL18-58SH			
20	50	.058	79	UHL20-58	UHL20-58PJ		UHL20-58SH			

3/8" Pitch

P11, P21, P25, P26, P28, P28S, P400, P450, 673, 970, P400, P450, P500, PARTNER/PIONEER 360, 1072, 1073, 1074

16	43	.058	60	UHLX16-58	UHLX16-58PA					
18	45	.058	64	UHL18-58	UHL18-58PA		UHL18-58SG			
18	45	.058	68	UHLX18-58	UHLX18-58PA		UHLX18-58SG			
20	50	.058	70	UHL20-58	UHL20-58PA		UHL20-58SG			

3/8" Pitch

P20, P25, P38, P39, P40, P41, P42, P45, P50, P51, P52, P60, P61, P62, P65, 515, 615, 970 FARMSAW, FARMLITE

16	40	.058	62	P16-58	P16-58PA					
18	45	.058	64	P18-58	P18-58PA					
20	50	.058	70	P20-58	P20-58PA					
24	60	.058	79	P24-58	P24-58PA					

**Sprocket
Nose
Code**

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" x 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS


CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8"LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



										
CALLED LENGTH IN CM		GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED

PIONEER continued

.404" Pitch

P20, P25, P38, P39, P40, P41, P42, P45, P50, P51, P52, P60, P61, P62, P65, 515, 615, 970 FARMSAW, FARMLITE

16	40	.063	56	P16-63	P16-63VQ					
18	45	.063	58	P18-63	P18-63VQ					
20	50	.063	64	P20-63	P20-63VQ					
24	60	.063	73	P24-63	P24-63VQ					
24	60	.063	76	PX24-63	PX24-63VQ					

POULAN & POULAN PRO

3/8" LP Pitch

20, 25 SERIES, 180, 190, 200, 205, PP210, 225, 235, 250, 255, 260, PP260, 285, 295, PP295, PP300E, 305, 306, 310, PP310, 325, 335, PP335, 336, PP380, 523, 1220, 1425, 1625, 1800, 2000, 2050, 2100, 2150, 2250, 2300, 2350, 2375, 2400, 2450, 2500, 2550, 2600,

12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	56	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR
18	45	.050	68	PO18-50				PO18-50SR		
18	45	.050	62	POX18-50					POX18-50SW	

3/8" LP Pitch .043 GAUGE

20, 25 SERIES, 180, 190, 200, 205, PP210, 225, 235, 250, 255, 260, PP260, 285, 295, PP295, PP300E, 305, 306, 310, PP310, 325, 335, PP335, 336, PP380, 523, 1220, 1425, 1625, 1800, 2000, 2050, 2100, 2150, 2250, 2300, 2350, 2375, 2400, 2450, 2500, 2550, 2600,

12	30	.043	45						PO12-43SW	
14	35	.043	52						PO14-43SW	
16	40	.043	56						PO16-43SW	

.325" Pitch

20, 25 SERIES, 180, 190, 200, 205, PP210, 225, 235, 250, 255, 260, PP260, 285, 295, PP295, PP300E, 305, 306, 310, PP310, 325, 335, PP335, 336, PP380, 523, 1220, 1425, 1625, 1800, 2000, 2050, 2100, 2150, 2250, 2300, 2350, 2375, 2400, 2450, 2500, 2550, 2600,

16	40	.050	64	PO16-50	PO16-50PJ		PO16-50SH	PO16-50SF		
16	40	.050	66	POX16-50	POX16-50PJ			POX16-50SF		
18	45	.050	72				POH18-50SH	POH18-50SF		
20	50	.050	78				PO20-50SH	PO20-50SF		

PRO SPROCKET BARS	POWER TECH BARS	POWER TECH ARBOR PRO	LAMINATED BARS
PA = 3/8" x 11 Teeth - Pro Nose PJ = .325" 12 Teeth - Pro Nose VQ = .404" x 11 Teeth - Pro Nose	SG = 3/8" x 10 Teeth Nose SH = .325" x 11 Teeth Nose	SF = .325" x 10 Teeth Nose SR = 3/8" x 9 Teeth Nose	CR = 3/8" LP x 9 Teeth Non Replacement Nose POWER TECH MINI SW = 3/8" LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

POULAN & POULAN PRO continued

3/8" Pitch

20, 25 SERIES, 180, 190, 200, 205, PP210, 225, 235, 250, 255, 260, PP260, 285, 295, PP295, PP300E, 305, 306, 310, PP310, 325, 335, PP335, 336, PP380, 523, 1220, 1425, 1625, 1800, 2000, 2050, 2100, 2150, 2250, 2300, 2350, 2400, 2450, 2500, 2550, 2600, 2175

16	40	.050	60	PO16-50	PO16-50PA					
18	45	.050	68	PO18-50	PO18-50PA		PO18-50SG			
20	50	.050	70		PO20-50PA		PO20-50SG			

.325" Pitch

325

13	33	.058	56	UHL13-58	UHL13-58PJ		UHL13-58SH	UHL13-58SF		
14	35	.058	60	UHL14-58	UHL14-58PJ		UHL14-58SH	UHL14-58SF		
15	38	.058	64	UHL15-58	UHL15-58PJ		UHL15-58SH	UHL15-58SF		
16	40	.058	66	UHL16-58	UHL16-58PJ		UHL16-58SH			
16	43	.058	68	UHLX16-58	UHLX16-58PJ		UHLX16-58SH			
18	45	.058	72	UHL18-58	UHL18-58PJ		UHL18-58SH			
20	50	.058	78	UHL20-58	UHL20-58PJ		UHL20-58SH			

.325" Pitch

255, 285, 295, 305, 306, 310, 315, 335, 336, 2700, 2750, 2775, 2800, 2900, 3000, 3050, 3100, 3300

13	33	.050	56					PO13-50SF		
15	38	.050	64					PO15-50SF		
16	40	.050	66					POX16-50SF		
18	45	.050	72					POH18-50SF		

3/8" Pitch

203, 245, 306, 360, 361, 365, 375, 380, 395, 400, 450, 3400, 3600, 3700, 3800, 3900, 4000, 4200, 4400, 4900, 5200, 5400, 5500, 670, 380

16	40	.050	60	EX16-50	EX16-50PA		EX16-50SG			
18	45	.050	64	E18-50						
18	45	.050	66	EX18-50	EX18-50PA		EX18-50SG			
20	50	.050	72	EX20-50	EX20-50PA		EX20-50SG			
24	60	.050	81	E24-50	E24-50PA					

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



										
CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED

POULAN & POULAN PRO continued

3/8" Pitch

6900, 7700, 8500

16	40	.050	60	HN16-50	HN16-50PA		HN16-50SG			
18	45	.050	66	HN18-50	HN18-50PA					
20	50	.050	70	HN20-50	HN20-50PA		HN20-50SG			
24	60	.050	81	HN24-50	HN24-50PA					

3/8" Pitch

415, 475, PP445, PP655, PP505

13	35	.058	52	HV13-58	HV13-58PA					
15	38	.058	56	HV15-58	HV15-58PA		HV15-58SG			
16	40	.058	60	HV16-58	HV16-58PA		HV16-58SG			
17	43	.058	64	HV17-58	HV17-58PA					
18	45	.058	68	HV18-58	HV18-58PA					
20	50	.058	72	HV20-58	HV20-58PA	HVT20-58PA				
22	55	.058	76	HV22-58	HV22-58PA	HVT22-58PA				
24	60	.058	84	HV24-58	HV24-58PA	HVT24-58PA				
28	70	.058	93		HV28-58PA	HVT28-58PA				
30	75	.058	98	HV30-58	HV30-58PA	HVT30-58PA				
32	80	.058	105		HV32-58PA	HVT32-58PA				
36	90	.058	119	HV36-58	HV36-58PA	HVT36-58PA				

.404" Pitch

415, 475, PP445, PP655, PP505

24	60	.058	76	HV24-58	HV24-58VQ	HVT24-58VQ				
28	70	.058	84		HV28-58VQ	HVT28-58VQ				
30	75	.058	89	HV30-58	HV30-58VQ	HVT30-58VQ				
36	90	.058	104	HV36-58	HV36-58VQ	HVT36-58VQ				

3/8" Pitch

405, 455, 525, 655

16	40	.058	62	P16-58	P16-58PA					
18	45	.058	64	P18-58	P18-58PA					
20	50	.058	70	P20-58	P20-58PA					

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDE BARS



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

REDMAX - ZENOAH

3/8" LP Pitch

G250B, G300TS, G320AVS, G310TS, 3400,361, 3700, 375, G380AVS, G38, 3800, G46, 400, 450, 4000, 4200, 4400, 4900, 5200, G2500, G310TS, G3800, G250TS, G3100

10	25	.050	40					PO10-50SR		
12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
12	30	.050	47	EC12-50				EC12-50SR		
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR
18	45	.050	62	POX18-50				POX18-50SR		

3/8" Pitch

G250B, G300TS, G320AVS, G310TS, 3400,361, 3700, 375, G380AVS, G38, 3800, G46, 400, 450, 4000, 4200, 4400, 4900, 5200

18	45	.050	62	POX18-50	POX18-50PA			POX18-50SR	POX18-50SW	
----	----	------	----	----------	------------	--	--	------------	------------	--

.325" Pitch

G400AVS, G410, G450AVS, G455AVS, G500, G561AVS, G390, G415

13	33	.058	56	UHL13-58	UHL13-58PJ		UHL13-58SH	UHL13-58SF		
14	35	.058	60	UHL14-58	UHL14-58PJ		UHL14-58SH	UHL14-58SF		
15	38	.058	64	UHL15-58	UHL15-58PJ		UHL15-58SH	UHL15-58SF		
16	40	.058	66	UHL16-58	UHL16-58PJ		UHL16-58SH			
18	45	.058	72	UHL18-58	UHL18-58PJ		UHL18-58SH			
20	50	.058	78	UHL20-58	UHL20-58PJ		UHL20-58SH			

3/8" Pitch Available in .058 gauge

G621AVS, G56AVS

16	40	.050	60	EX16-50	EX16-50PA		EX16-50SG			
18	45	.050	66	EX18-50	EX18-50PA		EX18-50SG			
20	50	.050	72	EX20-50	EX20-50PA		EX20-50SG			
24	60	.050	84	EX24-50	EX24-50PA					

.325" Pitch

G380AVS

13	33	.058	56				PO13-58SH	PO13-58SF		
14	35	.058	60				PO14-58SH	PO14-58SF		
16	38	.058	64				PO16-58SH	PO16-58SF		
16	40	.058	66				POX16-58SH	POX16-58SF		

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8"LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

REDMAX - ZENOAH continued

.325" Pitch

G415AVS

13	33	.050	66							
18	45	.050	72					ET18-50SF		

.325" Pitch

G561AVS

16	40	.058	66		EX16-58PJ		EX16-58SH			
18	45	.058	72		EX18-58PJ		EX18-58SH			
20	50	.058	81		E20-58PJ		E20-58SH			

RYOBI

3/8" LP Pitch

TX12, TX14, TX16, CS260, 290, 300, 31, RGS3214, 3330, 35B, 36C, 360, RYS3816, 385, 41, CS1530, CS1535, CS1540, HC31, HC36, HC41

12	30	.050	44	M12-50				M12-50SR		M12-50CR
14	35	.050	49	M14-50				M14-50SR		M14-50CR
16	40	.050	55	M16-50				M16-50SR		M16-50CR

3/8" LP Pitch

GT28, 32, 38, RFS4518, RB5418, CSE5145, CSE5650

12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR

3/8" Pitch

GTS 56, 62

16	40	.050	60	EX16-50	EX16-50PA		EX16-50SG			
18	45	.050	66	EX18-50	EX18-50PA					
20	50	.050	72	EX20-50	EX20-50PA		EX20-50SG			

SEARS

3/8" LP Pitch

3401, 3402, 3403, 3407, 3414, 3417, 3455, 3470, 3471, 3476, 3481, 35025, 35082, 35084, 35085, 35086, 35088, 35085, 35086, 35091, 35093, 35095, 35096, 35021, 35203, 35205, 35206, 35209, 35215, 35219, 35224, 35232, 35238, 35255, 35363, 35504, 35505, 35

12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR

PRO SPROCKET BARS	POWER TECH BARS	POWER TECH ARBOR PRO	LAMINATED BARS
PA = 3/8" x 11 Teeth - Pro Nose PJ = .325" 12 Teeth - Pro Nose VQ = .404" x 11 Teeth - Pro Nose	SG = 3/8" x 10 Teeth Nose SH = .325" x 11 Teeth Nose	SF = .325" x 10 Teeth Nose SR = 3/8" x 9 Teeth Nose	CR = 3/8" LP x 9 Teeth Non Replacement Nose POWER TECH MINI SW = 3/8" LP x 7 Teeth Nose

Sprocket
Nose
Code


GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

SEARS continued

3/8" Pitch

3401, 3402, 3403, 3407, 3414, 3417, 3455, 3470, 3471, 3476, 3481, 35025, 35082, 35084, 35085, 35086, 35088, 35085, 35086, 35091, 35093, 35095, 35096, 35021, 35203, 35205, 35206, 35209, 35215, 35219, 35224, 35232, 35238, 35255, 35363, 35504, 35505, 35

18	45	.050	68	PO18-50	PO18-50PA			PO18-50SR	PO18-50SW	PO18-50CR
----	----	------	----	---------	-----------	--	--	-----------	-----------	-----------

3/8" Pitch

35608, 35609, 35721, 35727, 35728, 35826, 35829, 32851, 35881, 35884, 35885, ELECTRICS, 35610PS

16	40	.050	60	EX16-50	EX16-50PA		EX16-50SG			
18	45	.050	66	EX18-50	EX18-50PA		EX18-50SG			
20	50	.050	70	EX20-50	EX20-50PA		EX20-50SG			
24	60	.050	84	EX24-50	EX24-50PA					

SHINDAIWA (SDK)

3/8" LP Pitch

100, 102, 103, 104, 105, 107, 110, 113, 117 E120, 140, E150, 160 E180, 291, 300, 301, 305, 340, 345, 346, 350, 355, 357, 360, 377, 391, 401, 415, 416, 450, 451, 488, 500, EYB120, EYB150, EYB180, YB291, YB301, YB391, YB395, YB401, YB491

12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR
18	45	.050	68	PO18-50				PO18-50SR	PO18-50SW	

3/8" Pitch

100, 102, 103, 104, 105, 107, 110, 113, 117 E120, 140, E150, 160 E180, 291, 300, 301, 305, 340, 345, 346, 350, 355, 357, 360, 377, 391, 401, 415, 416, 450, 451, 488, 500, EYB120, EYB150, EYB180, YB291, YB301, YB391, YB395, YB401, YB491

16	40	.050	60	POX16-50	POX16-50PA		POX16-50SG			
18	45	.050	68	PO18-50	PO18-50PA		PO18-50SG			
20	50	.050	70	PO20-50	PO20-50PA		PO20-50SG			

.325" Pitch

100, 102, 103, 104, 105, 107, 110, 113, 117 E120, 140, E150, 160 E180, 291, 300, 301, 305, 340, 345, 346, 350, 355, 357, 360, 366, 377, 391, 394, 400, 401, 415, 416, 420, 440, 450, 451, 488, 500, 510, 560, EYB120, EYB150, EYB180, YB291, YB301, YB391, YB39

13	33	.058	56				PO13-58SH	PO13-58SF		
14	35	.058	60				PO14-50SH	PO14-58SF		
16	45	.050	64	POX16-50	POX16-50PJ		PO16-50SH			
18	45	.050	72	POH18-50	POH18-50PJ		POH18-50SH			
20	50	.050	78	PO20-50			PO20-50SH			

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS


CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8"LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



									
CALLLED LENGTH IN CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED

SHINDAIWA (SDK) continued

3/8" Pitch

550, 575, 577, 680, 695, 757, 801, 901, 1091

16	40	.058	60	HV16-58	HV16-58PA		HV16-58SG			
18	45	.058	68	HV18-58	HV18-58PA		HV18-58SG			
20	50	.058	72	HV20-58	HV20-58PA	HVT20-58PA	HV20-58SG			
24	60	.058	84	HV24-58	HV24-58PA	HVT24-58PA				
28	70	.058	93		HV28-58PA	HVT28-58PA				
30	75	.058	98	HV30-58						

SOLO

3/8" LP Pitch

FARMER 31, 32, 38, 600, 605, 606, 631, 632, 634, 638, 641

12	30	.050	47	SOA12-50						
16	40	.050	58	SOA16-50						

.325" Pitch

FARMER 11, 16, 610, 611, 615, 616

14	35	.050	57	SOL14-50						
16	40	.050	66	SOL16-50						

3/8" Pitch

FARMER 11, 16, 610, 611, 615, 616

14	35	.050	52	SOL14-50						
16	40	.050	59	SOL16-50						

.325" Pitch

634, 636, 639, 641, 644, 645, 647, 650, 651, 654

13	33	.058	57	UHL13-58	UHL13-58PJ		UHL13-58SH	UHL13-58SF		
15	38	.058	64	UHL15-58	UHL15-58PJ		UHL15-58SH	UHL15-58SF		
18	45	.058	73	UHL18-58	UHL18-58PJ		UHL18-58SH			

PRO SPROCKET BARS	POWER TECH BARS	POWER TECH ARBOR PRO	LAMINATED BARS
PA = 3/8" x 11 Teeth - Pro Nose PJ = .325" 12 Teeth - Pro Nose VQ = .404" x 11 Teeth - Pro Nose	SG = 3/8" x 10 Teeth Nose SH = .325" x 11 Teeth Nose	SF = .325" x 10 Teeth Nose SR = 3/8" x 9 Teeth Nose	CR = 3/8" LP x 9 Teeth Non Replacement Nose POWER TECH MINI SW = 3/8"LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALLLED LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
-------------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

SOLO continued

3/8" Pitch

603, 662, 667, 670, 680, 690, 694

16	40	.058	60	HV16-58	HV16-58PA		HV16-58SG			
18	45	.058	68	HV18-58	HV18-58PA		HV18-58SG			
20	50	.058	72	HV20-58	HV20-58PA	HVT20-58PA				
22	55	.058	76	HV22-58	HV22-58PA	HVT22-58PA				
24	60	.058	84	HV24-58	HV24-58PA	HVT24-58PA				
28	70	.058	93	HV28-58	HV28-58PA	HVT28-58PA				
32	80	.058	105	HV32-58	HV32-58PA	HVT32-58PA				
36	90	.063		HV36-63	HV36-63PA	HVT36-63PA				
42	105	.063		HV42-63						

.404" Pitch

603, 662, 667, 670, 680, 690, 694

24	60	.063	76	HV24-63	HV24-63VQ	HVT24-63VQ				
28	70	.063	84	HV28-63	HV28-63VQ	HVT28-63VQ				
36	90	.063	104		HV36-63VQ	HVT36-63VQ				
42	105	.063	123	HV42-63	HV42-63VQ	HVT42-63VQ				

3/8" Pitch

620, 650, 655, 660, 640, 645

16	40	.050	60	SOD16-50						
20	50	.050	71	SOD20-50						
24	60	.050	82	SOD24-50						

.404" Pitch

REX, TWIN, 70, 125, 604, 626, 630, 642, 635

17	43	.063	63	SO17-63						
21	53	.063	72	SO21-63						
25	63	.063	82	SO25-63						
30	75	.063	95	SO30-63						
32	80	.063	103	SO32-63						
36	90	.063	110	SO36-63						
42	110	.063	130	SO42-63						

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8" LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

SOLO continued

3/8" LP Pitch

613, 614, 633, 635, 636

12	30	.050						UHL12-50SR		
14	35	.050	54					UHL14-50SR		
16	40	.050	60					UHLX16-50SR		

3/8" LP Pitch

363

12	30	.043	45						UHL12-43SW	
14	35	.043	52						UHL14-43SW	

STIGA

3/8" LP Pitch

930, 935, 1400

12	30	.050	44						M12-50SW	M12-50CR
14	35	.050	50						M14-50SW	M14-50CR

.325" Pitch

940

14	35	.050	55					M14-50SF		
----	----	------	----	--	--	--	--	----------	--	--

3/8" Pitch

955

16	40	.058	60	MA16-58	MA16-58PA					
----	----	------	----	---------	-----------	--	--	--	--	--

3/8" LP Pitch

SE1.6, SE1.8, SP340

12	30	.050	44					SW12-50SR	SW12-50SW	SW12-50CR
14	35	.050	50					SW14-50SR	SW14-50SW	SW14-50CR
16	40	.050	55					SW16-50SR	SW16-50SW	SW16-50CR

.325" Pitch

SP370, SP410

13	33	.050	56					SW13-50SF		
16	40	.050	64					SW16-50SF		

PRO SPROCKET BARS	POWER TECH BARS	POWER TECH ARBOR PRO	LAMINATED BARS
PA = 3/8" x 11 Teeth - Pro Nose PJ = .325" 12 Teeth - Pro Nose VQ = .404" x 11 Teeth - Pro Nose	SG = 3/8" x 10 Teeth Nose SH = .325" x 11 Teeth Nose	SF = .325" x 10 Teeth Nose SR = 3/8" x 9 Teeth Nose	CR = 3/8" LP x 9 Teeth Non Replacement Nose POWER TECH MINI SW = 3/8" LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDE BARS



CALLLED LENGTH IN CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
---------------------------	--------------	------------	--------------	----------------------	-----------------------	-----------	-----------------	-------------------------	-------------------

STIHL

3/8" LP Pitch

009, 010, 011, 012, 015, 017, 020, 021, 023, 025, E10, E14, 019, 018, E160, E180, MST190T, MS170, MS190T, MS180, MS250, MS191, MS200, MS210, E160, E180

12	30	.050	44	SW12-50				SW12-50SR	SW12-50SW	SW12-50CR
14	35	.050	50	SW14-50				SW14-50SR	SW14-50SW	SW14-50CR
16	40	.050	55	SW16-50				SW16-50SR	SW16-50SW	SW16-50CR

3/8" LP Pitch .043 GAUGE

009, 010, 011, 012, 015, 017, 020, 021, 023, 025, E10, E14, 019, 018, E160, E180, MST190T, MS170, MS180, MS190, MS191, MS200, MS210, MS250, HT70, HT75

12	30	.043	44						SW12-43SW	
14	35	.043	50						SW14-43SW	
16	40	.043	55						SW16-43SW	

.325" Pitch

009, 010, 011, 012, 015, 017, 020, 021, 023, 025, E10, E14, 019, 018, E160, E180, MST190T

14	35	.063	56		SW14-63EH		SW14-63SH			
16	40	.063	62		SW16-63EH		SW16-63SH			

.325" Pitch Also available in .063 gauge

E15, E20, 024, 026, 028, 029, 031, 032, 034, 036, 038, 039, 040, 041, 042, 044, 045, 046, 048, 056, 064, 066, FARMBOSS, MS260, MS270, MS280, MS290, MS310, MS360, MS390, MS440, MS460

13	33	.063	56	SN13-63	SN13-63PJ					
14	35	.063	60	SN14-63	SN14-63PJ					
15	37	.063	63	SN15-63	SN15-63PJ		SN15-63SH			
16	40	.063	67	SN16-63	SN16-63PJ		SN16-63SH			
18	45	.063	74	SN18-63	SN18-63PJ		SN18-63SH			
20	50	.063	81	SN20-63	SN20-63PJ		SN20-63SH			

Please Note: All Stihl bars are available in .050, .058, .063 gauge.

**Sprocket
Nose
Code**

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8"LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

STIHL continued

3/8" Pitch Also available in .063 gauge

E15, E20, 024, 026, 028, 029, 031, 032, 034, 036, 038, 039, 040, 041, 042, 044, 045, 046, 048, 056, 064, 066, FARMBOSS, MS260, MS270, MS280, MS290, MS310, MS360, MS390, MS440, MS460, E220, E220C

14	35	.063	54	SN14-63	SN14-63PA					
15	37	.063	56	SN15-63	SN15-63PA		SN15-63SG			
16	40	.063	60	SN16-63	SN16-63PA	SNT16-63PA	SN16-63SG			
18	45	.063	66	SN18-63	SN18-63PA	SNT18-63PA	SN18-63SG			
20	50	.063	72	SN20-63	SN20-63PA	SNT20-63PA	SN20-63SG			
25	63	.063	84	SN25-63	SN25-63PA	SNT25-63PA				
28	70	.063	91	SN28-63	SN28-63PA	SNT28-63PA				
30	75	.063	97	SN30-63	SN30-63PA	SNT30-63PA				
32	80	.063	105	SN32-63	SN32-63PA	SNT32-63PA				
36	90	.063	114	SN36-63	SN36-63PA	SNT36-63PA				
42	105	.063		SN42-63	SN42-63PA	SNT42-63PA				

3/8" Pitch .050 gauge

E15, E20, 024, 026, 028, 029, 031, 032, 034, 036, 038, 039, 040, 041, 042, 044, 045, 046, 048, 056, 064, 066, FARMBOSS

14	35	.050	54	SN14-50	SN14-50PA					
15	37	.050	56	SN15-50	SN15-50PA		SN15-50SG			
16	40	.050	60	SN16-50	SN16-50PA	SNT16-50PA	SN16-50SG			
18	45	.050	66	SN18-50	SN18-50PA	SNT18-50PA	SN18-50SG			
20	50	.050	72	SN20-50	SN20-50PA	SNT20-50PA	SN20-50SG			
25	63	.050	84	SN25-50	SN25-50PA	SNT25-50PA				
28	70	.050	91	SN28-50	SN28-50PA	SNT28-50PA				
30	75	.050	97	SN30-50	SN30-50PA	SNT30-50PA				

.325" Pitch

E15, E20, 024, 026, 028, 029, 031, 032, 034, 036, 038, 039, 040, 041, 042, 044, 045, 046, 048, 056, 064, 066, FARMBOSS, MS260, MS290, MS310, MS360, MS390, MS440, MS460

13	33	.050	56	SN13-50	SN13-50PJ					
14	35	.050	60	SN14-50	SN14-50PJ					
15	37	.050	63	SN15-50	SN15-50PJ		SN15-50SH			
16	40	.050	67	SN16-50	SN16-50PJ	SNT16-50PJ	SN16-50SH			
18	45	.050	74	SN18-50	SN18-50PJ	SNT18-50PJ	SN18-50SH			
20	50	.050	81	SN20-50	SN20-50PJ	SNT20-50PJ	SN20-50SH			

Please Note: All Stihl bars are available in .050, .058, .063 gauge.

PRO SPROCKET BARS	POWER TECH BARS	POWER TECH ARBOR PRO	LAMINATED BARS
PA = 3/8" x 11 Teeth - Pro Nose PJ = .325" 12 Teeth - Pro Nose VQ = .404" x 11 Teeth - Pro Nose	SG = 3/8" x 10 Teeth Nose SH = .325" x 11 Teeth Nose	SF = .325" x 10 Teeth Nose SR = 3/8" x 9 Teeth Nose	CR = 3/8" LP x 9 Teeth Non Replacement Nose POWER TECH MINI SW = 3/8" LP x 7 Teeth Nose

Sprocket
Nose
Code

GUIDE
BARS



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

STIHL continued

.404" Pitch

E15, E20, 024, 026, 028, 029, 031, 032, 034, 036, 038, 039, 040, 041, 042, 044, 045, 046, 048, 056, 064, 066, FARMBOSS, MS260, MS290, MS310, MS340, MS360, MS390, MS440, MS460

20	50	.063	66	SN20-63	SN20-63VQ	SNT20-63VQ				
25	63	.063	78	SN25-63	SN25-63VQ	SNT25-63VQ				
28	70	.063	83	SN28-63						
30	75	.063	88	SN30-63	SN30-63VQ	SNT30-63VQ				
32	80	.063	95	SN32-63						
36	90	.063	104	SN36-63	SN36-63VQ	SNT36-63VQ				
42	105	.063	124	SN42-63	SN42-63VQ	SNT42-63VQ				

3/8" Pitch

WIDE NOSE RADIUS

20	50	.063	72	SNW20-63						
25	63	.063	84	SNW25-63						

3/8" Pitch

050, 051, 075, 076, 084, 088

16	40	.050	62		S16-50PA	ST16-50PA				
17	43	.063	66	S17-63	S17-63PA	ST17-63PA				
21	53	.063	75	S21-63	S21-63PA	ST21-63PA				
25	63	.063	88	S25-63	S25-63PA	ST25-63PA				
25	63	.063	88	SLDX25-63						
25	63	.063	90	SLD25-63	SLD25-63PA	SLDT25-63PA				
30	75	.063	100	SLD30-63	SLD30-63PA	SLDT30-63PA				
36	90	.063	114	SLD36-63	SLD36-63PA	SLDT36-63PA				

3/8" Pitch

08S

17	43	.063	66	S17-63	S17-63VQ					
21	53	.063	75	S21-63	S21-63VQ					
25	63	.063	88	S25-63	S25-63VQ					

Please Note: All Stihl bars are available in .050, .058, .063 gauge.

**Sprocket
Nose
Code**

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8"LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED

STIHL continued

.404" Pitch

050, 051, 075, 076, 08S, 084, 088

17	43	.063	60	S17-63	S17-63VQ					
21	53	.063	68	S21-63	S21-63VQ					
25	63	.063	80	S25-63	S25-63VQ					
25	63	.063	80	SLDX25-63						
25	63	.063	84	SLD25-63	SLD25-63VQ	SLDT25-63VQ				
30	75	.063	92	SLD30-63	SLD30-63VQ	SLDT30-63VQ				
33	83	.063	100	SLD33-63	SLD33-63VQ	SLDT33-63VQ				
36	90	.063	104	SLD36-63	SLD36-63VQ	SLDT36-63VQ				
42	105	.063	123	SLD42-63	SLD42-63VQ	SLDT42-63VQ				

3/8" Pitch

070, 090

25	63	.063	92	SLD25-63	SLD25-63PA					
30	75	.063	100	SLD30-63	SLD30-63PA					
33	83	.063	107	SLD33-63	SLD33-63PA					

.404" Pitch

070, 090

25	63	.063	84	SLD25-63		SLDT25-63VQ				
30	75	.063	92	SLD30-63		SLDT30-63VQ				
33	83	.063	100	SLD33-63		SLDT33-63VQ				
36	90	.063	104	SLD36-63		SLDT36-63VQ				
42	105	.063	123	SLD42-63		SLDT42-63VQ				

Please Note: All Stihl bars are available in .050, .058, .063 gauge.

GUIDEBARS

PRO SPROCKET BARS	POWER TECH BARS	POWER TECH ARBOR PRO	LAMINATED BARS
PA = 3/8" x 11 Teeth - Pro Nose PJ = .325" 12 Teeth - Pro Nose VQ = .404" x 11 Teeth - Pro Nose	SG = 3/8" x 10 Teeth Nose SH = .325" x 11 Teeth Nose	SF = .325" x 10 Teeth Nose SR = 3/8" x 9 Teeth Nose	CR = 3/8" LP x 9 Teeth Non Replacement Nose POWER TECH MINI SW = 3/8"LP x 7 Teeth Nose

Sprocket
Nose
Code



CHAINSAW APPLICATION GUIDE



GUIDEBARS



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

TALON

3/8" LP Pitch

1600E, 1800E

14	35	.050						M14-50SR	M14-50SW	M14-50CR
18	45	.050						M18-50SR	M16-50SW	M18-50CR

3/8" LP Pitch

35cc, 55cc

14	35	.050						M14-50SR	M14-50SW	M14-50CR
16	40	.050						M16-50SR	M16-50SW	M16-50CR

TAS-TANAKA

3/8" LP Pitch

35, 290, 300, 320, 330, 350, 351, 355, 356, 370, 375, 405, 415, 3500, 4000, TPS200, TCS3401, ECS3301, ECS3351, ECS3500, 2510

12	30	.050	45	PO12-50				PO12-50SR	PO12-50SW	PO12-50CR
14	35	.050	52	PO14-50				PO14-50SR	PO14-50SW	PO14-50CR
16	40	.050	57	PO16-50				PO16-50SR	PO16-50SW	PO16-50CR
16	40	.050	60	POX16-50				POX16-50SR	POX16-50SW	POX16-50CR

.325" Pitch

35, 290, 300, 320, 330, 350, 351, 355, 356, 370, 375, 405, 415, 3500, 3801, 4000, TPS200, ECV4501

16	40	.050	64	PO16-50			PO16-50SH	PO16-50SF		
16	40	.050	70	POX16-50	POX16-50PJ		POX16-50SH	POX16-50SF		
18	45	.050	76	PO18-50	PO18-50PJ		PO18-50SH			
20	50	.050	78	PO20-50			PO20-50SH			

3/8" Pitch

505, 506, 650, 655

16	40	.050	60	EX16-50	EX16-50PA		EX16-50SG			
18	45	.050	64	E18-50						
18	45	.050	66	EX18-50	EX18-50PA		EX18-50SG			
20	50	.050	72	EX20-50	EX20-50PA		EX20-50SG			
24	60	.050	84	EX24-50	EX24-50PA					

Sprocket
Nose
Code

PRO SPROCKET BARS

PA = 3/8" x 11 Teeth - Pro Nose
PJ = .325" 12 Teeth - Pro Nose
VQ = .404" x 11 Teeth - Pro Nose

POWER TECH BARS

SG = 3/8" x 10 Teeth Nose
SH = .325" x 11 Teeth Nose

POWER TECH ARBOR PRO

SF = .325" x 10 Teeth Nose
SR = 3/8" x 9 Teeth Nose

LAMINATED BARS

CR = 3/8" LP x 9 Teeth Non Replacement Nose
POWER TECH MINI
SW = 3/8"LP x 7 Teeth Nose





CHAINSAW APPLICATION GUIDE



CALL LENGTH IN	CM	GROOVE GAUGE	DRIVE LINK	PRO HARD TOP	PRO SPROCKET PRO TOP	TITANIUM CN40 POR TOP	POWERTECH	POWERTECH ARBOR	POWER TECH MINI 7 TOOTH	MINICUT LAMINATED
----------------------	----	-----------------	---------------	-----------------	-------------------------	-----------------------------	-----------	--------------------	-------------------------------	----------------------

TOPSO

3/8" Pitch

500, 510, 511, 600, 601, 610, 611, 700, 710


16	40	.058	60	JO16-58	JO16-58PA		JO16-58SG			
18	45	.058	68	JO18-58	JO18-58PA		JO18-58SG			
20	50	.058	72	JO20-58	JO20-58PA		JO20-58SG			

URAL

.404" Pitch

ALL MODELS

20	50	.063	64	UR20-63	UR20-63VQ					
----	----	------	----	---------	-----------	--	--	--	--	--



Premium Engineered
Forestry Equipment

PRO SPROCKET BARS	POWER TECH BARS	POWER TECH ARBOR PRO	LAMINATED BARS
PA = 3/8" x 11 Teeth - Pro Nose PJ = .325" 12 Teeth - Pro Nose VQ = .404" x 11 Teeth - Pro Nose	SG = 3/8" x 10 Teeth Nose SH = .325" x 11 Teeth Nose	SF = .325" x 10 Teeth Nose SR = 3/8" x 9 Teeth Nose	CR = 3/8" LP x 9 Teeth Non Replacement Nose POWER TECH MINI SW = 3/8"LP x 7 Teeth Nose

Sprocket
Nose
Code



CARVING BARS



GUIDEBARS



CALLED LENGTH		GROOVE GAUGE	DRIVE LINK		NOSE DIAMETER	PART NUMBER
IN	CM		3/8"	.404"		

MULTI MOUNT

DIME TIP, HARD NOSE

8	20	.050"				CV8-50
10	25	.050"				CV10-50
12	30	.050"				CV12-50
14	35	.050"				CV14-50
16	40	.050"				CV16-50
18	45	.050"				CV18-50

QUARTER TIP, HARD NOSE

8	20	.050"				CVY8-50
10	25	.050"				CVY10-50
12	30	.050"				CVY12-50
14	35	.050"				CVY14-50
16	40	.050"				CVY16-50
18	45	.050"				CVY18-50

SPROCKET TIP, 1/4" x 9T

8	20	.050"				CV8-50SK
10	25	.050"				CV10-50SK
12	30	.050"				CVY12-50SK
14	35	.050"				CVY14-50SK
16	40	.050"				CVY16-50SK
18	45	.050"				CVY18-50SK

UNIVERSAL MOUNT

12	30	.050"	45	62	DIME 17mm	CV12-50
12	30	.050"	45	62	QTR. 25mm	CVY12-50
12	30	.050"	45	62	7T SPROCKET	CV12-50SW
18	45	.050"	68	91	DIME 17mm	CV18-50
18	45	.050"	68	91	QTR. 25mm	CVY18-50

STIHL

024, 026, 034

14	35	.050"				SNCY14-50
18	45	.050"	68	91	QTR. 25mm	SNCY18-50





DOUBLE ENDER MILL BARS



CALLLED LENGTH IN CM	GROOVE GAUGE	DRIVE LINK 3/8" .404"	PART NUMBER	ACTUALL OVERALL LENGTH

GB LUMBER MILL BARS



DOUBLE ENDED LUMBER MILL

44	110	.063"	124	HSD44-63D	1120
50	125	.063"	138	HSD50-63D	1270
56	140	.063"	154	HSD56-63D	1422
66	165	.063"	180	HSD66-63D	1676
72	180	.063"	202	HSD72-63D	1828
84	210	.063"	235	HSD84-63D	2134
87	220	.063"	1978	HSD88-63D	2210

GRANBERG




ALASKAN DOUBLE ENDED MKII

44	110	.063"	124	HSD44-63D	1120
50	125	.063"	138	HSD50-63D	1270
56	140	.063"	154	HSD56-63D	1422
66	165	.063"	180	HSD66-63D	1676
72	180	.063"	202	HSD72-63D	1828
84		.063"	235	HSD84-63D	

Please note: Special double ender mill bars are made on request.

Available lengths: 44" - 84"

Available gauge: .063" + .080"



GUIDE
BARS



EXTRA LONG CHAINSAW BARS



GUIDEBARS



CALLED LENGTH		GROOVE GAUGE	DRIVE LINK		HARD TIP	ROLLER REPLACEMENT	ACTUALL OVERALL LENGTH
IN	CM		3/8"	.404"			

STIHL & ECHO

STIHL 070, 076, 084, 088, 090 & ECHO 1200

44	110	.063"	142	128	HS44-63FX	1223
50	125	.063"	157	140	HS50-63FX	1341
56	140	.063"	176	160	HS56-63FX	1552
60	150	.063"	191	172	HS60-63FX	1675
64	160	.063"	200	180	HS64-63FX	1757
72	180	.063"	220	190	HS72-63FX	1859
84	210	.063"	246	206	HS84-63FX	2188

HUSQVARNA & JONSERED

HUSQVARNA 2100, 2101, 3120, JONSERED 2077, 2094, 2095

44	110	.063"	142	128	HV44-63FX	1223
50	125	.063"	157	140	HV50-63FX	1346
56	140	.063"	176	160	HV56-63FX	1552
60	150	.063"	191	172	HV60-63FX	1675
72	180	.063"	220	190	HV72-63FX	1859
84	210	.063"	246	206	HV84-63FX	2188

HOMELITE


S1050, 2000, 1020

50	125	.063"	157	140	H50-63	1338
60	150	.063"	191	172	H60-63	1660





PRUNING BARS



CALLED LENGTH		GROOVE GAUGE	DRIVE LINK		HARD TIP	SPROCKET NOSE	NARROW SPROCKET NOSE REDUCE KICKBACK
IN	CM		3/8"	.404"			

CASTROMANE

12	30	.050"	44		M12-50CR	M12-50SW
----	----	-------	----	--	----------	----------

DOLMAR

AS1212 LGE 1/4"

FAIRMONT LIMB LOPPER

LLCS

9	23	.050"	41	LL9-50	
12	30	.050"	49	LL12-50	LL12-50WR

FAIRMONT LIMB LOPPER

H6220B, H6310C1, H6311C1

12	30	.050"	49	TL12-50	TL12-50WR
----	----	-------	----	---------	-----------

H6310C1, H6311C1, H6220B

9	22	.050"	41	AFK9-50	
12	30	.050"	49	AFK12-50	AFK12-50WR

H6200B

16	40	.050"	60	EX16-50	EX16-50PA
----	----	-------	----	---------	-----------

HCS513, HCS516, HCS520 (.325" PITCH)

11	28	.050"	52	UHL11-50	UHL11-50SF
13	33	.050"	56	UHL13-50	UHL13-50SF
15	38	.050"	64	UHL15-50	UHL15-50SF
16	40	.050"	66	UHL16-50	UHL16-50SH
18	45	.050"	72	UHL18-50	UHL18-50SH
20	50	.050"	78	UHL20-50	UHL20-50SH

GUIDE BARS





PRUNING BARS



GUIDEBARS



CALLED LENGTH		GROOVE GAUGE	DRIVE LINK		HARD TIP	SPROCKET NOSE	NARROW SPROCKET NOSE REDUCE KICKBACK
IN	CM		3/8"	.404"			

FIAC

8	20	.050"	33			OL8-50SW
10	25	.050"	39			OL10-50SW

GREENLY POLE PRUNER

13	30	.058	56	UHL13-58	UHL13-58SH	
----	----	------	----	----------	------------	--

HUSQVARNA

325, P4

12	30	.050"	45		UHLX12-50SR	UHLX12-50SW
----	----	-------	----	--	-------------	-------------

IDEAL

8		.050"				
10		.050"				

JOHN DEERE

PS2383

10	25	.043	40			PO10-43SW
----	----	------	----	--	--	-----------

LISAN


3/8 LP

11	28	.050"	43			
----	----	-------	----	--	--	--





PRUNING BARS



CALLED LENGTH		GROOVE GAUGE	DRIVE LINK		HARD TIP	SPROCKET NOSE	NARROW SPROCKET NOSE REDUCE KICKBACK
IN	CM		3/8"	.404"			

MAIBO ZANON

RS181 1/4" PITCH

8	20	.050"	48			LF8-50SK
10	25	.050"	60			LF10-50SK

POWER PRUNER

PP600, PP800, PP1000, PP1250, PP1400

8	20	.050"	33			OL8-50SW
10	25	.050"	39	M10-50	M10-50CR	OL10-50SW
12	30	.050"	44	M12-50	M12-50CR	OL12-50SW
8	20	.043	33			OL8-43SW
10	25	.050"	39			OL10-43SW
12	30	.050"	44			OL12-43SW

SHINDAIWA

8	20	.050"	33			
10	25	.050"	39			
12	30	.050"	44			

STANLEY

CS23, CS04

9	22	.050"	41	AK9-50		
12	30	.050"	49	AK12-50		
15	38	.050"	60	AK15-50		

CS05, CS06

13	38	.050"	56		UHL13-50	UHL13-50PJ	UHL13-50SF
15	45	.050"	64		UHL15-50	UHL15-50PJ	UHL15-50SF
16	40	.050"	66	59	UHL16-50	UHL16-50PA	UHL16-50SF
18	45	.050"	72	64	UHL18-50	UHL18-50PA	UHL18-50SF
20	50	.050"	78	70	UHL20-50	UHL20-50PA	UHL20-50SF

GUIDE BARS





PRUNING BARS



GUIDEBARS



CALLED LENGTH		GROOVE GAUGE	DRIVE LINK		HARD TIP	SPROCKET NOSE	NARROW SPROCKET NOSE REDUCE KICKBACK
IN	CM		3/8"	.404"			

STANLEY continued

CS11

20	50	.050"	70	HN20-50	HN20-50PA
24	60	.050"	82	HN24-50	HN24-50PA
27	68	.050"	93	HN27-50	HN27-50PA

STIHL


HT 70, HT 75

12	30	.050"	44	SW12-50	SW12-50CR
14	35	.050"	50		SW14-50SW
16	40	.050"	55		SW16-50SW
12	30	.043	44	SW12-43	SW12-43SW
14	35	.050"	50		SW12-43SW
16	40	.050"	55		SW16-43SW





SPROCKET DESCRIPTIONS



SPROCKETS

GB manufacture the widest range of **Pro-Spur** and **Centre Drive** Rim and Spline Sprockets for chainsaws in the WORLD. GB sprockets are made to exacting tolerances and extreme quality standards. GB use unique manufacturing methods to bring the industry the best quality sprocket available at very competitive prices.

SPROCKETS




SPROCKET BEARINGS

GB has a precision needle roller bearing to suit any sprocket. All GB sprockets now come with bearings unlike any of our competitors'. It is important to replace sprocket bearings each time a sprocket is changed.

WARNING

Regardless of the design, a worn drive sprocket will cause saw chain to fail prematurely.

PROFESSIONAL SPUR SPROCKET



Sprockets feature an exclusive three way joining system that makes our sprocket the strongest in the world. The use of special carburised treatment hardens the spur and provides superior wear resistance and performance. All sprockets are machined on the edge of the drum the bore enabling perfect concentricity between the spur and the ensuring both accuracy and peak performance.

DO 151 A 8 N


SAW
BRAND

SPROCKET
NUMBER

PITCH
A = 3/8"
B = .404"
J = .325"
R = 3/8" EXT.
K = 1/4"

CENTER
DRIVE
SYSTEM


O = BUSH
N = BEARING
X = NO BUSH
OR BEARING




SPROCKET TYPES




PROFESSIONAL SPUR SPROCKET SPLINES




Suits: 7 tooth, .325"
Type: J7




Suits: 7 tooth, 3/8" LP
Type: R7




Suits: 7 tooth, .404"
Type: B7




Suits: 7 tooth, 3/8"
Type: A7




Suits: 8 tooth, .325"
Type: J8




Suits: 8 tooth, .404"
Type: B8



Suits: 8 tooth, 1/4"
Type: K8



Suits: 8 tooth, 3/8"
Type: A8




Suits: 6 tooth, 3/8" LP
Type: R6

SPROCKETS






SPROCKET TYPES



GB CENTRE DRIVE SPLINE & RIM SPROCKETS

The GB Centre Drive Sprocket System was introduced after intensive research and testing. The GB Centre Drive replaceable rim type sprocket is the ultimate in design and strength. This system gives the professional smoother performance, faster cutting and economical use. Sprockets are fitted with the first drum and spline system manufactured from 100% steel for superior durability and come complete with an investment cast rim. In addition, GB spline hubs are a double riveted to the sprocket drum thus giving a much stronger connection than copper brazing used by our competitors. The Centre Drive system allows the user to change the rim sprockets when they become worn and also the chain pitch with out having to change the entire system.



SPROCKETS

ST 316 L C A 7 X

SAW
BRAND

SPROCKET
NUMBER

SPLINE SIZE
L = STANDARD
S = SMALL

CENTER
DRIVE
SYSTEM


PITCH
A = 3/8"
B = .404"
J = .325"
K = 1/4"

NUMBER
OF TEETH


O = BUSH
N = BEARING
X = NO BUSH
OR BEARING

RIM SPROCKETS (Actual Size)


MINI



GBJ7M7
.325" Mini 7-7 tooth



GBA7M7
3/8" Mini 7-7 tooth




SPROCKET TYPES



RIM SPROCKETS (Actual Size) Continued


SMALL

7 SPLINE




GBJ7S7

.325" Small 7-7 tooth




GBJ8S7

.325" Small 7-8 tooth



GBK9S7

1/4" Mini 7-9 tooth





GBA7S7

3/8" Small 7-7 tooth


STANDARD

7 SPLINE



GBA7L7

3/8" Standard 7-7 tooth




GBA8L7

3/8" Standard 7-8 tooth




GBB7L7

.404" Standard 7-7 tooth



GBB8L7

.404" Standard 7-8 tooth




GBJ9L7

.325" Standard 7-7 tooth





SPROCKET TYPES



GB REPLACEMENT RIMS

GB Replacement Rims are preferred by professional chainsaw operators for their long wear life and excellent performance. Saw chain is aligned perfectly with the bar groove using a floating rim that slides on a spline on a splined hub. The standard multiple for purchasing GB Rims is in packages of 10.



RIM SPROCKETS PART NUMBERING SYSTEM

GB A 7 S 7


BRAND

PITCH
A = 3/8"
B = .404"
J = .325"
K = 1/4"

NUMBER
OF TEETH


SPLINE SIZE
S = SMALL
L = STANDARD
M = MINI

SPLINE
TEETH



PART NUMBER	OREGON NUMBER	DESCRIPTION	SPLINE	PITCH	TEETH
GBA7L7	68210	REPLACEABLE RIM	STANDARD 7	3/8"	7
GBA8L7	22273	REPLACEABLE RIM	STANDARD 7	3/8"	8
GBA7S7	18720	REPLACEABLE RIM	SMALL 7	3/8"	7
GBB7L7	22270	REPLACEABLE RIM	STANDARD 7	.404"	7
GBJ8S7	11892	REPLACEABLE RIM	SMALL 7	.325"	8
GBJ7S7	11892	REPLACEABLE RIM	SMALL 7	.325"	7
GBJ7M7	-	REPLACEABLE RIM	MINI 7	.325"	7
GBA7M7	-	REPLACEABLE RIM	MINI 7	3/8" LP	7
GBB8L7	13313	REPLACEABLE RIM	STANDARD 7	.404"	9
GBJ9L7	-	REPLACEABLE RIM	STANDARD 7	.325"	9
GBK9S7	-	REPLACEMENT RIM	STANDARD 7	1/4"	9

SPROCKETS



SPROCKET APPLICATION GUIDE



SPROCKETS

Chainsaw Make & Model	Pitch	Teeth	Bearing Supplied	Pro Spur No.	Spline	Rim	Centre Drive No.	Bearing No.	Crankshaft INCH & MM	Price Code

ALPINA

330, 380, 35, 40	3/8"LP	6	YES	AL602-R6N			-	BA66		C
A40E, A40Y, P40, P41, P45	.325"	7	YES	HU411-J7N			HU411SCJ7N			D
400, 450, 500	.325"	7	YES	-			AL601SCJ7N			C
P360, P390	3/8"LP	6	YES	AL603-R6N						C
				AL604-R6N						C
				AL605-J7N						C


DOLMAR

112, 113, 114, 116, 117, 119, 120	3/8"	8	YES	DO158-A8N	SD7	GBA8L7	DO158LCA8N	141815	.5512	C
116, 120, 120SUPER	3/8"	7	YES	DO158-A7N	SD7	GBA7L7	DO158LCA7N	141815	.5512	C
CA, 122, 122SL, 123, 133, PS9010	3/8"	8	YES	DO151-A8N	SD7	GBA8L7	DO151LCA8N	151815	.590	B
143, CA113	.404"	7	YES	DO151-B7N	SD7	GBB8L7	DO151LCB7N	151815	.590	B
CC, SUPERCC, CX, 144CC, 116	3/8"	8	YES	DO153-A8N	SD7	GBA8L7	DO153LCA8N	141815	.5512	D
	.404"	8	YES	DO153-B8N	SD7	GBB8L7	DO153LCB7N	141815	.5512	D
152, 153, 166	3/8"	8	YES	DO160-A8N			DO160LCA8N	151817	.5512	C
	.404"	7	YES	DO160-B7N			DO160LCB7N	151817	.5512	C
33, 100, 102, PS400, 340, 401, 341, 410, PS411, 344, 342, PS34	3/8"LP	6	YES	DO157-R6N				101412		C
	.325"	7	YES	DO157-J7N				101412		C
104	3/8"LP	6	YES	PO530-R6O				C1418-1		A
290E	3/8"LP	6	YES	FR181-R6N			-	101310	.3937	A
6000, 6400, 6800	3/8"	7	YES	-			DO164LCA7N		.5512	C
	.404"	7	YES				DO164LCB7N		.5512	C
101	3/8"LP	6	YES	PO529-R6N					.407	B
111, 110, 115, 109	3/8"LP	6	YES	-	SM7	GBA7S7	DO162SCA7N		.4724	D
	.325"	8	YES		SM7	GBJ7S7	DO162SCJ8N		.4724	D
ES162, ES172				-			-			
9000, 9010	.325"	7	YES	-			-			
PS7300, PS7900, PS6400				-			-			
103, 105, 108	3/8"LP	7	YES	DO152-R7N			-			
	.325"	8	YES	DO152-J8N			-			





SPROCKET APPLICATION GUIDE



Chainsaw Make & Model 	Pitch 	Teeth 	Bearing Supplied 	Pro Spur No. 	Spline 	Rim 	Centre Drive No. 	Bearing No. 	Crankshaft INCH & MM	Price Code
--	--	--	---	---	---	---	---	--	----------------------	------------


ECHO

CS1100, CS1200	.404"	7	YES	EC219-B7N			-	151917		C
C100, CS100	.404"	7	YES	EC200-B7N			-	151917		C
CS280, CS280E, CS290, CS300, CS328	3/8"LP	6	YES	EC201-R6N	SM7	GBA7S7	EC201SCA7N	081110	.315	A
	1/4"	8	YES		SM7	GBK9S7	EC201SCK8N	081110	.315	G
CS301	3/8"LP	6	YES	EC203-R6N	SM7	GBA7S7	EC203SCA7N	101310	.315	A
	1/4"	9	YES		SM7	GBK9S7	EC203SCK9N	101310	.315	A
CS302, CS315, CS330, CS351, CS360	3/8"LP	6	YES	EC204-R6N	SM7	GBA7S7	EC204SCA7N	081110	.315	A
	.325"	7	YES	EC204-J7N	SM7	GBJ7S7	EC204SCJ7N	081110	.315	A
	1/4"	8	YES	EC204-K8N	SM7	GBK9S7	EC204SCK9N	081110	.315	G
3900, CS4100, 3600, 4510, CS440, CS3700, CS400, CS4200, CS4400, CS4500	.325"	7	YES	EC206-J7N	SM7	GBJ7S7	EC206SCJ7N	101410	.3937	B
	3/8"	7	YES	EC206-A7N	SM7	GBA7S7	EC206SCA7N	101410	.3937	B
CS451, CS451VL, 550, CS500, CS452, FARMA, CS510, CS600 EVL, TWIN, 610, CS650, CS660	3/8"	7	YES	EC208-A7N	SM7	GBA7S7	EC208SCA7N	101413	.3937	B
	.404"	7	YES	EC208-B7N				101413	.3937	B
	.325"	7	YES	EC208-J7N	SM7	GBJ7S7	EC208SCJ7N	101413	.3937	B
CS601, CS601VL	3/8"	7	YES	EC210-A7N				N/A		F
	.404"	7	YES	EC210-B7N						F
CS60, CS60S	3/8"	7	YES	EC212-A7N	SD7	GBA7L7	EC212LCA7N	141713	.5512	C
CS602VL, CS702VL, CS750VL	3/8"	7	YES	EC215-A7N	SD7	GBA7L7	EC215LCA7N	101413	.3937	D
	.404"	7	YES	EC215-B7N	SD7	GBB7L7	EC215LCB7N	101413	.3937	C
CS701, CS701SVL	3/8"	7	YES	EC213-A7N				N/A		F
	.404"	7	YES	EC213-B7N						F
CS900, CS1001	.404"	7	YES	EC218-B7N				141713		B
CS4500, CS5500, CS4600, 4000, 4010, 5000, 5200, CS4601	.325"	7	YES	EC220-J7N	SM7	GBJ7S7	EC220SCJ7N	121510	.4724	B
CS6700, CS6701	3/8"	7	YES	EC221-A7N	SM7	GBA7L7	EC221LCA7N	121812		C
CS8000, CS8001	3/8"	7	YES	EC222-A7X	SD7	GBA7L7	EC222LCA7X			C
3000, 3400, 3450, 3500	3/8"LP	6	YES	EC202-R6N				101312	.3937	A
	1/4"	9	YES		SM7	GBK9S7	EC202SCK9N	101312	.3937	G
CS801, CS802, CS901, CS8021	.404"	7	YES	EC217-B7N				N/A		C
2600	3/8"LP	6	YES	-	SM7	GBA7S7	EC205SCR6N			D
CS1201	.404"	7	YES	ST322-B7N	SD7	GBB7L7	ST322LCB7N			B
CS5000, CS5501	.325"	7	YES	-	SM7	GBJ7S7				

FRONTIER

MARK1, MARK11, F3335, F35VIP, VIP, FB35	3/8"LP	6	YES	FR181-R6N				101310	.3937	A
	.325"	7	YES	FR181-J7N				101310	.3937	B

SPROCKETS



SPROCKET APPLICATION GUIDE



SPROCKETS


Chainsaw Make & Model 	Pitch 	Teeth 	Bearing Supplied 	Pro Spur No. 	Spline 	Rim 	Centre Drive No. 	Bearing No. 	Crankshaft INCH & MM 	Price Code
--	--	--	---	---	--	--	---	--	---	------------


HOMELITE

XLMINI, SLX MINI AO, 190, 5240, 200 XL-101 XL, XL2, 180, SUPER 2, VI SUPER 2, 192	3/8"LP	6	YES	HO100-R6N				B68	.375	A
150AO, EZ-250AO, XL-101, VI-123, EZ, EZAO, SEZ-AO, *350, *350HG, *350SL *units with S clutch	3/8"	7	YES	HO112-A7N	SD7	GBA7L7	HO112LCA7N	101208	.625	C
330, 360, 410, XL76, XL100, XL102, XL103, XL104, XL112, XL114, XL122, XL123, VI123, VI125, *350, *350HG *units with 2 5/8" clutch & 5/8" shaft. unit with shoe clutch	3/8"	7	YES	HO118-A7N	SD7	GBA7L7	HO118LCA7N	101208	.625	C
EZ, 101, 150 AUTO, SUPER EZ 240, 245, XL1, MINI EZ, SUPER EZ 200	.325" 3/8"LP	8 6	YES YES	HO110-J8N HO110-R6N	SM7 SM7		HO110SCJ8N	B68 B68	.375 .325	C C
750	.404"	7	YES	HO120-B7N				101208	.625	D
XL-12 BEFORE SERIAL #1735838	3/8" .404"	7 7	YES YES	HO102-A7N HO102-B7N	SD7 SD7	GBA7L7 GBB7L7	HO102LCA7N HO102LCB7N	B88 B88	.500 .500	C C
XL-12 AFTER SERIAL #1735838, SUPERXL, XLAO, XL400, XL500, XL800, SXL952, VI944, VI955, 450, 550, 923	3/8" 3/8" .404"	7 8 7	YES YES YES	HO113-A7N HO113-A8N HO113-B7N	SD7 SD7 SD7	GBA7L7 GBA8L7 GBB7L7	HO113LCA7N HO113LCA8N HO113LCB7N	101208 101208 101208	.625 .625 .625	C C C
600, 650, C-72, ZIP, XP1000, XP1100, XP1020, C5, C7, C9, C51, C71, C91	3/8" .404"	7 7	YES YES	HO108-A7N HO108-B7N	SD7 SD7	GBA7L7 GBB7L7	HO108LCA7N HO108LCB7N	B910 B910	.5625 .5625	D D
EZ6, 700D, 707D, 770D, 755D	.404"	8	YES	HO108-B8N	SD7	GBB8L7	HO108LCB8N	B910	.5625	D
2100, 1050, 1020, 2000	.404"	8	YES	HO109-B8N			HO109LCB7N	131110		D
290, 340	.325" 3/8"	8 7	YES YES	SO351-J8N SO351-A7N	SM7 SM7	GBJ8S7 GBA7S7	SO351SCJ7N SO351SCA7N	121510 121510	.6693 .6693	C C
3300, 3350, 3800, 3850, 3014, 23, 25	3/8"LP	6	YES	HO121-R6N	SM7	GBA7S7	HO121SCR6N	B57		B
4150, 4550, 27AV, 4100, 4500	.325"	7	YES	HO122-J7N				B57		C
XL100, XL104, XL113, XL102, 410, XL103, XX122, XX123, (3" Drum + 11/16" Bore)	3/8"	7	YES	HO106-A7N						C
350, 360, 380	3/8"	7	YES	HO111-A7N						C
XL103, XL104, XL112, XL114, XL122,	3/8"	7	YES	HO116-A7N						C
250, 252, CS40	.325"	8	YES	HO124-J8N						C



SPROCKET APPLICATION GUIDE




Chainsaw Make & Model 	Pitch 	Teeth 	Bearing Supplied 	Pro Spur No. 	Spline 	Rim 	Centre Drive No. 	Bearing No. 	Crankshaft INCH & MM	Price Code
--	--	--	---	---	---	---	---	--	----------------------	------------

HUSQVARNA

33, 34, 35, 37, 38	3/8"LP	6	YES	FR181-R6N				101310	.3937	A
	.325"	7	YES	FR181-J7N				101310	.3937	B
40, 45	1/4"	9	YES		SM7	GBK9S7	HU407SCK9N	081008	.500	G
	.325"	7	YES	HU407-J7N	SM7	GBJ7S7	HU407SCJ7N	081008	.500	D
154, 254, 262, 50, 51, 55, 257	.325"	7	YES	HU411-J7N	SM7	GBJ7S7	HU411SCJ7N	081008	.500	D
44, 140, 240P, 444, 40P	.325"	7	YES	HU405-J7N	SM7	GBJ7S7	HU405SCJ7N	B78	.4375	D
	.325"	8	YES	HU405-J8N	SM7	GBJ8S7	HU405SCJ8N	B78	.4375	D
61, 66, 162, 222, 266, 268, 272, RANCHER 61	3/8"	7	YES	HU400-A7N	SD7	GBA7L7	HU400LCA7N	89502	.500	E
	3/8"	8	YES	HU400-A8N	SD7	GBA8L7	HU400LCA8N	89502	.500	E
	.404"	7	YES	HU400-B7N	SD7	GBB7L7	HU400LCB7N	89502	.500	E
77, 160, 163, 180, 263, 260, 280, 380, 480	3/8"	7	YES	HU402-A7N	SD7	GBA7L7	HU402LCA7N	810	.500	D
	3/8"	8	YES	HU402-A8N	SD7	GBA8L7	HU402LCA8N	810	.500	D
	.404"	7	YES	HU402-B7N	SD7	GBB7L7	HU402LCB7N	810	.500	D
181, 185, 281, 285, 288, 298, 1100, 2100, 2101, 394, 395, 395XP	3/8"	7	YES	HU406-A7N	SD7	GBA7L7	HU406LCA7N	091110	.5625	E
	3/8"	8	YES	HU406-A8N	SD7	GBA8L7	HU406LCA8N	091110	.5625	E
	.404"	7	YES	HU406-B7N	SD7	GBB7L7	HU406LCB7N	091110	.5625	E
36, 41, 136, 141	.325"	7	YES	PA475-J7N	SM7	GBJ7S7	PA475SCJ7N	101412	.3937	C
	3/8"LP	6	YES	PA475-R6N	SM7	GBA7S7	PA475SCA7N	101412	.3937	C
42, 133, 234, 238, 242	.325"	7	YES	HU408-J7N	SM7	GBJ7S7	HU408SCJ7N	B78	.4375	C
246, 335	3/8"LP	6	YES	HU409-R6N				101412		C
	1/4"	9	YES		SM7	GBA7S7	HU409SCK9N			G
371, 365, 372, 362	3/8"	7	YES	JO265-A7N	SD7	GBA7L7	JO265LCA7N	131512	.4724	C
42, 242 (after serial no. 3441001)	.325"	7	YES	HU412-J7N	SM7	GBJ7S7	HU412SCJ7N	B78	.4375	C
254 (after serial no. 3450001),	.325"	7	YES	-	SM7	GBJ7S7	HU413SCJ7N	081008	.500	C
257 (after serial no. 3140001),	.325"	8	YES		SM7	GBJ8S7	HU413SCJ8N	081008	.500	C
262 (after serial no. 3450001)	3/8"	7	YES		SM7	GBA7S7	HU413SCA7N	081008	.500	C
350, 351, 345, 340, 346XP	.325"	7	YES	HU414-J7N	SM7	GBJ7S7	HU414SCJ7N	081008	.500	C
357, 359, 359EP, 355	3/8"	7	YES	-	SD7	GBA7L7	HU415LCA7N	081008	.500	C
385, 385XP	3/8"	7	YES	-	SD7	GBA7L7	-		.4724	C
50, 51, 154, 254, 262	.325"	7	YES	HU411-J7N	SM7	GBJ7S7	HU411SCJ7N	081008	.500	D
55, 257	.325"	8	YES		SM7	GBJ7S7	HU411SCJ8N	081008	.500	D
	3/8"	7	YES		SM7	GBJ7S7	HU411SCA7N	081008	.500	D
3120, JUNGLE 3120	3/8"	7	YES	-	SD7	GBA7L7		091110	.5625	D
	.404"	7	YES		SD7	GBB7L7		091110	.5625	D

SPROCKETS



SPROCKET APPLICATION GUIDE



Chainsaw Make & Model 	Pitch 	Teeth 	Bearing Supplied 	Pro Spur No. 	Spline 	Rim 	Centre Drive No. 	Bearing No. 	Crankshaft INCH & MM	Price Code
--	--	--	---	---	--	--	---	--	----------------------	------------

JOHN DEERE


56, 62	3/8"	7	YES	HU413-A7N	SM7	GBJ7S7	HU413SCJ7N	081008	.500	D
	.325	7	YES	HU413-J7N				081008	.500	D
36, 40	3/8"LP	6	YES	OL558-R6N				N/A	.3125	B
71, 81	3/8"	7	YES	OL556-A7N				151816	.5512	C
	.404"	7	YES	OL556-B7N				151816	.5512	C
46, 52	.325"	7	YES	OL554-J7N	SM7	GBJ7S7	OL554SCJ7N	121513	.4724	C
	3/8"	7	YES	OL554-A7N	SM7	GBA7S7	OL554SCA7N	121513	.4724	C

JONSERED



36, 361, 365, 370, 380	3/8"LP	6	YES	FR181-R6N				101310	.3937	A
	.325"	7	YES	FR181-J7N				101310	.3937	B
45, 49, 50, 51, 52, 451, 452, 521	.325"	7	YES	JO253-J7N	SM7	GBJ7S7	JO253SCJ7N	081008	.500	C
	.325"	8	YES		SM7	GBJ7S7	JO253SCJ7N	081008	.500	C
	3/8"	7	YES	JO253-A7N	SM7	GBA7S7	JO253SCA7N	081008	.500	C
410, 420, 425, 435	.325"	7	YES	JO251-J7N	SM7	GBJ7S7	JO251SCJ7N	081008	.500	B
	.325"	8	YES	JO251-J8N	SM7	GBJ8S7	JO251SCJ8N	081008	.500	B
450, 455, 510, 520, 525, 535, 540, 2044, 2051, 2055520, 2054, 2055	.325"	8	YES	JO260-J8N	SM7	GBJ8S7	JO260SCJ8N	121613	.4724	C
	3/8"	7	YES	JO260-A7N	SM7	GBA7S7	JO260SCA7N	121613	.4724	C
	.325"	7	YES	JO260-J7N	SM7	GBJ7S7	JO260SCJ7N	121613	.4724	C
60, 62, 66, 70, 601, 621	3/8"	8	YES	JO256-A8N				N/A	.500	C
625, 630, 630 SUPER, 630 WESTCOAST, 670	3/8"	7	YES	HU400-A7N	SD7	GBA7L7	HU400LCA7N	89502	.500	E
	3/8"	8	YES	HU400-A8N	SD7	GBA8L7	HU400LCA8N	89502	.500	E
	.404"	7	YES	HU400-B7N	SD7	GBB7L7	HU400LCB7N	89502	.500	E
75, 80, 81, 90, 751, 801,	3/8"	8	YES	JO257-A8N	SD7	GBA8L7	JO257LCA8N	151917	.5512	D
	3/8"	7	YES		SD7	GBA7L7	JO257LCA7N	151917	.5512	D
	.404"	8	YES	JO257-B8N	SD7	GBB8L7	JO257LCB8N	151917	.5512	D
820, 830, 910, 920, 930	.325"	7	YES	JO259-J7N				141912	.5512	C
	3/8"	8	YES	JO259-A8N	SD7	GBA8L7	JO259LCA8N	141912	.5512	C
	.404"	8	YES	JO259-B8N	SD7	GBB8L7	JO259LCB7N	141912	.5512	C
2035, 2036, 2040, 2041	.325"	7	YES	PA475-J7N	SM7	GBJ7L7	PA475SCJ7N	101412	.3937	C
	3/8"LP	6	YES	PA475-R6N	SM7	GBA7S7	PA475SCA7N	101412	.3937	C
2045, 2050, 2150, 2145, 2149, 2063	.325"	7	YES	HU407-J7N	SM7	GBJ7S7	HU407SCJ7N	081008	.500	D
490, 590	.325"	7	YES	HU411-J7N	SM7	GBJ7S7	HU411SCJ7N	081008	.500	D
2095 TURBO	3/8"	7	YES	JO262-A7N				091110	.5625	C
2063*, 2071*, 2065 * NEEDS SPACER	3/8"	7	YES	JO265-A7N	SD7	GBA7L7	JO265LCA7N	131512	.4724	C
2083, 2077	3/8"	7	YES	JO264-A7N	SD7	GBA7L7	JO264LCA7N	131512	.4724	C
2033	3/8"LP	6	YES	HU409-R6N				101412	.3937	C
2145, 2149, 2151, 2159	3/8"	7	YES	-	SM7	GBA7S7	-		.4724	C
	.325"	7	YES	-	SM7	GBJ7S7	-		.4724	C
2094					SD7	GBA7L7	JO266LCA7N		.5625	C



SPROCKET APPLICATION GUIDE



SPROCKETS


Chainsaw Make & Model 	Pitch 	Teeth 	Bearing Supplied 	Pro Spur No. 	Spline 	Rim 	Centre Drive No. 	Bearing No. 	Crankshaft INCH & MM	Price Code
1020	3/8"	7	YES	PA474-A7N					.5512	D

MAKITA

DCS34, DCS341, DCS401, DCS4300	3/8"LP	6	YES	DO157-R6N				101412	.4724	C
DCS340, DCS5201, DCS5200	.325	7	YES	DO157-J7N				101412	.4724	C
DCS6000, DCS6800	3/8"	7	YES	-	SD7	GBA7L7	DO164LCA7N		.5512	C
DCS9010, DCS9000	.325"	7	YES	AL605-J7N						C
DCS5200	3/8"LP	6	YES	-	SM7	GBA7S7	DO162SCA7N			D

McCULLOCH

D44, 1.70-1.76, 200, 250, 380, 450550, 740, 795, CP125, S550, S797	.404"	7	YES	MC441-B7N	SD7	GBB7L7	MC441LCB7N	B910	.5625	C
DOUBLE EAGLE, 50, 57 TITAN 50, 57, 70	3/8"	7	YES	MC450-A7N				081008	.500	C
	.325"	8	YES	MC450-J8N	SM7	GBJ7S7	MC450SCJ7N	081008	.500	C
SP105, SP125	.404"	7	YES	MC445-B7N						C
MAC15	.404"	7	YES	MC442-B7O				BUSH		C
MM-3AS, MAC6, PM6A, SUPER PRO 40, 3200, 365, ALL MINI MAC MODELS, TITAN 35-40, PROMAC 3205, 2000-2016, 2316, 2318, 3000, 3210-3216, MAC 110-140, POWER MAC 310-340, PM 480, 120, EAGER BEAVER	3/8"LP	6	YES	MC446-R6N				101412	.3937	B
PM-55, PM-60, SP-60, CP-60, CP-70, 1-10, 2-10, MAC3-10, MAC4-10, MAC5-10, MAC6-10, MAC7-10, 10-10, 610, 650, PM750, PM655, PM700, PM800, 850, CP-80, SP-81, SP-81E	3/8"	7	YES	MC443-A7N	SD7	GBA7L7	MC443LCA7N	081008	.500	C
	.404"	7	YES	MC443-B7N	SD7	GBB7L7	MC443LCB7N	081008	.500	C
PM350, PM4000	.325"	7	YES	MC451-J7N				101412	.3937	C
PM46	.325"	8/9	YES	MC452-J8N	SD7	GBJ9L7	MC452LCJ9N	N/A		C
PM36, 40	.325"	7	YES	MC453-J7N	SM7		MC453SCJ7N			C
PROMAC 4700	.325"	8	YES	MC444-J8N						C
PROMAC 6800	3/8"	7	YES	DO151-A7N				151815	.5512	B
PM5000	.325"	7	YES	HU414-J7N				081008	.500	C



SPROCKET APPLICATION GUIDE



SPROCKETS

Chainsaw Make & Model 	Pitch 	Teeth 	Bearing Supplied 	Pro Spur No. 	Spline 	Rim 	Centre Drive No. 	Bearing No. 	Crankshaft INCH & MM	Price Code
--	--	--	---	---	--	--	---	--	----------------------	------------

OLYMPYK/OLEO MAC

233, 234, 240, 241, 244, 335, 340	.325"	7	YES	OL551-J7N				N/A		C
	3/8"LP	6	YES	OL551-R6N				N/A		C
250, 50A, 251, 350 (OLD), 355, SUPER	.325"	8	YES	OL552-J8N				N/A	.4724	C
250, BLITZ	3/8"	7	YES	OL552-A7N				N/A	.5906	C
260, 261, 271, 272, 280, 281, 284, 400,	3/8"	8	YES	JO257-A8N	SD7	GBA8L7	JO257LCA8N	151917	.5906	D
460, 461, 480, 481, 482	.404"	7	YES	JO257-B7N			JO257LCB7N	151917	.5906	D
350 AGRISTAR, 264 DELUXE	3/8"	7	YES	OL553-A7N	SD7	GBA7L7	OL553LCA7N	101413	14mm	C
935 HANDY 30-35	3/8"LP	6	YES	OL555-R6N				081110	.315	C
950, 951, 942, 945, 946, 938, 941, 944	.325"	7	YES	OL554-J7N	SM7	GBJ7S7	OL554SCJ7N	121513	.4724	C
947, 952	3/8"	7	YES	OL554-A7N				121513	.4724	C
999F	.404"	7	YES	ST323-B7N	SD7	GBB7L7	ST323LCB7N	141814	14mm	C
956, 962	.325"	7	YES	-	SM7	GBJ7S7	HU413SCJ7N	081008	.500	D
	3/8"	7	YES	-	SM7	GBA7S7	HU413SCA7N	081008	.500	D
970, 971, 980, 981	3/8"	7	YES			GBA7L7	OL556LCA7N	151816	.5512	C
	.404"	7	YES			GBB7L7	OL556LCB7N	151816	.5512	C
931, 932	3/8"LP	6	YES	RM551-R6N					.3937	B
936, 940	3/8"LP	6	YES	OL558-R6N				101313		B

PARTNER

R16, R17, R18, R19, R20, F65, P70,	3/8"	7	YES	PA474-A7N				N/A	.5512	D
S50, R21, R22, R429, 421, F55, S55,	.404"	7	YES	PA474-B7N				N/A	.5512	D
P100	.404"	7	YES	PA471-B7N				N/A	.5512	D
P500, P5000, 400	.325"	7	YES	HU411-J7N			HU411SCJ7N	081008	.500	D
MINIP3, P, P2, PA, 22, 1613, 1614,	3/8"LP	6	YES	FR181-R6N				101310	.3937	A
1616, 1618	.325"	7	YES	FR181-J7N				101310	.3937	B
365, 405, 350	.325"	7	YES	PA475-J7N	SM7	GBJ7S7	PA475SCJ7N	101412	.3937	C
	3/8"LP	6	YES	PA475-R6N	SM7	GBA7S7	PA475SCA7N	101412	.3937	C
351	3/8"LP	6	YES	PO532-R6N				101310	.3937	B
R14	.404"	7	YES	PA473B7N						D


PIONEER


P-10, P-12	3/8"LP	6	YES	FR181-R6N				101310	.3937	A
P-20, P-21, P-25, P-26, P-28, P-40, 970,	.325"	8	YES	PI500-J8N				081008	.500	D
1072, 1073, 1074,										
P-38, P-41, P-42, P-51, 68210P-52,	3/8"	7	YES	PI502-A7N	SD7	GBA7L7	PI502LCA7N	B810	.500	E
P-60, P-61, P-62, 22270,	.404"	7	YES	PI502-B7N	SD7	GBB7L7	PI502LCB7N	B810	.500	E
NU17, 400, 410, 420, 450, 540, 550, 600,	.404"	7	YES	PI504-B7N				B810	.500	E
610, 620	3/8"	7	YES	PI504-A7N				B810	.500	E





SPROCKET APPLICATION GUIDE



Chainsaw Make & Model 	Pitch 	Teeth 	Bearing Supplied 	Pro Spur No. 	Spline 	Rim 	Centre Drive No. 	Bearing No. 	Crank-shaft INCH & MM	Price Code
--	--	--	---	---	---	--	---	--	-----------------------	------------

POULAN/POULAN PRO

20, MICRO 25, 1800, 2000, MICRO S25, 180, 205, 225, 235, 2100, 2300, 2400	3/8"LP 1/4"	6 8	YES YES	PO529-R6N PO529-K8N				58000 58000	.407 .407	B G
25, 25DA, S25DA	3/8"LP 1/4" .325"	6 8 7	YES YES YES	PO530-R6O PO530-K8N PO530-J7O	SM7	GBAK9S7 GBA7S7 GBK9S7 GBJ7S7	PO529SCK9N PO530SCR6N PO530SCK9N PO530SCJ7N	C1418-1 C1418-1 C1418-1	.4375 .4375 .4375	A G A
285, 305, 335, 336, 2800, 3000, 3300	.325"	7	YES	PO527-J7N	SM7	GBJ7S7	PO527SCJ7N	131512	.500	C
360, 361, 400, 401, 450, 451, 3350	3/8"	7	YES	PO528-A7N	SD7	GBA7L7	PO528LCA7N	B88	.500	C
375, 395, 3400, 3800, 4000, 3700	3/8" .404"	7 7	YES YES	PO531-A7X PO531-B7X	SD7	GBA7L7 GBB7L7	PO531LCA7X PO531LCB7X	- -	.500 .500	C C
201, 202, 203, 204, 221, 345, 222, 245A	3/8"	7	YES	PO526-A7N	SD7	GBA7L7	PO526LCA7N	111413	.5625	C
306A, 4200, 4400, 4900, 5200, 5400	.404"	7	YES	PO526-B7N	SD7	GBB7L7	PO526LCB7N	111413	.5625	C
5500, 6000	3/8" .404"	8 8	YES YES	DO153-A8N DO153-B8N	SD7	GBA8L7 GBB7L7	DO153LCA8N DO153LCB7N	141814 141814	.5512 .5512	D D
SUPER 6000	3/8" .404"	8 7	YES YES	DO160-A8N DO160-B7N				151817 151817	.5512 .5512	C C
6900, 7700, 8500, 8510	3/8" .404"	7 7	YES YES	PO534-A7N PO534-B7N				161913 161913		D
325	.325"	7	YES	HU411-J7N			HU411SCJ7N	081008	.500	E
405, 455, 525, 655	3/8"	7	YES	PI502-A7N				B810	.500	C
255, 2500, 2600, P600, 2750, 2900, 3050, PP210, PP295	.325" 3/8"LP	7 6	YES YES	PA475-J7N PA475-R6N	SM7 SM7	GBJ7S7 GBA7S7	PA475SCJ7N PA475SCA7N	101412 101412	10 10	C B
230, 260, 2050, 2075, 2150, 2175, 2250	3/8"LP	6	YES	PO532-R6N				101310	10	B


REDMAX - ZENOAH

G2500, G320AVS, G380AVS, G310T, G3800	3/8"LP	6	YES	RM551-R6N				N/A		C
G400AVS, G410AVS, G450AVS, G561AVS, G621AVS, GT556	.325" .325" 3/8"	7 7 7	YES YES YES	RM552-J7N EC208-J7N EC208-A7N				N/A		C
					SM7	GBJ7S7	EC208SCJ7N	101412	.3937	B
					SM7	GBA7S7	EC208SCA7N	101412	.3937	B

RYOBI

GTS3	3/8"LP	6	YES	RM551-R6X				N/A		C
------	--------	---	-----	-----------	--	--	--	-----	--	---

SPROCKETS



SPROCKET APPLICATION GUIDE



SPROCKETS

Chainsaw Make & Model 	Pitch 	Teeth 	Bearing Supplied 	Pro Spur No. 	Spline 	Rim 	Centre Drive No. 	Bearing No. 	Crankshaft INCH & MM	Price Code
--	--	--	---	---	--	--	---	--	----------------------	------------

SHINDAIWA

305, 340, 350, 451	.325"	7	YES	SH381-J7N				101316	10	D
	1/4"	8	YES	SH381-K8N				101316	10	G
	3/8"	7	YES	SH381-A7N				101316	10	D
	3/8"LP	6	YES	SH381-R6N				101316	10	D
415, 440, 450	.325"	7	YES	SH382-J7N				N/A		D
	3/8"	7	YES	SH382-A7N				N/A		D
680	3/8"	7	YES	SH383-A7N	SM7	GBA7L7	SH383SCA7N	N/A		D
577	3/8"	7	YES	-	SD7	GBA7L7	SH386LCA7N	131714	13	D
757	3/8"	7	YES				SH387LCA7N	131714	13	D
488	.325"	7	YES	-	SM7	GBJ7S7	SH385SCA7N	101313	10	D
357, 377, 300S, 360, 300, 394	3/8"LP	6	YES	SH388-R6N	SM7	GBA7S7	SH388SCA7N			D
	.325"	7	YES	SH388-J7N	SM7	GBJ7S7	SH388SCJ7N			D
	3/8"	7	YES	SH388-A7N	SM7	GBA7S7	SH388SCA7N			D
ELECTRIC SPUR ONLY	1/4"	9	NO	9KS						D


SOLO

626, 642, 70 (with 88mm drum), 611	.404"	7	YES	SO357-B7X					14	C
647, 654, 616	.325"	8	YES	SO351-J8N	SM7	GBJ8S7	SO351SCJ8N	121510	12	D
	3/8"	7	YES	SO351-A7N	SM7	GBA7S7	SO351SCA7N	121510	12	D
620, 650, 655, 660	3/8"	7	YES	SO359-A7X					14	C
603, 670, 680, 690	3/8"	7	YES	SO360-A7N				141814	14	C
	.404"	7	YES	SO360-B7N				141814	14	C
600, 605, 606 (with 60mm clutch), 631	3/8"LP	6	YES	SO361-R6N				101412	10	C
644, 651, 651SP, 639, 645, 650	.325"	7	YES	SO366-J7N	SM7	GBJ7S7	SO366SCJ7N	101312	10	D
662, 667	3/8"	7	YES	SO364-A7X					14	C
	.404"	7	YES	SO364-B7X					14	C
605, 606 (with 58mm clutch), 632, 634, 638, 641	3/8"LP	6	YES	SO362-R6N				101412	10	C
	.325"	7	YES	SO362-J7N				101412	10	C
70, 50 REX	.404"	7	YES	SO363-B7N				N/A		C
610, 615	.325"	7	YES	SO367-J7N				101310	10	C
635, 636	3/8"LP	6	YES	SO368-R6N				K0810		C
	.325"	7	YES	SO368-J7N				K0810		C
630, 633, 640	3/8"LP	6	YES	SO369-R6N				K0810		C
341	.325"	7	YES	SO365-J7N				101412	10	C





SPROCKET APPLICATION GUIDE




Chainsaw Make & Model 	Pitch 	Teeth 	Bearing Supplied 	Pro Spur No. 	Spline 	Rim 	Centre Drive No. 	Bearing No. 	Crank-shaft INCH & MM	Price Code
--	--	--	---	---	---	---	---	--	-----------------------	------------

STIHL

009, 009Q, 010, 010AVEQ, 010AVQ, 110AV, 011AVEQ	3/8"LP 1/4"	6 8	YES YES	ST303-R6N ST303-K8N	SM7 SM7	GBA7S7 GBK9S7	ST303SCA7N ST303SCK9N	101313 101313	10 10	A G
012	.325" 3/8"LP	7 6	YES YES	ST306-J7N ST306-R6N				101313 101313	10 10	C A
015, 015AV, 105EL	3/8"LP 1/4"	6 9	YES YES	ST304-R6N ST304-K8N				101316 101316	10 10	A G
020, 020AV, MS200	3/8"LP 1/4"	6 9	YES YES	ST307-R6N ST307-K8N				101316 101316	10 10	A G
024, 026 (prior to X25809074)	.325" 3/8"	7 7	YES YES	ST308-J7N ST308-A7N	SM7 SM7	GBJ7S7 GBA7S7	ST308SCJ7N ST308SCA7N	101310 101310	10 10	B B
026 (adjustable oiler), MS260	.325" 3/8"	7 7	YES YES	ST310-J7N ST310-A7N	SM7 SM7	GBJ7S7 GBA7S7	ST310SCJ7N ST310SCA7N	101310 101310	10 10	B B
028	.325"	7	YES	ST315-J7N	SM7	GBJ7S7	ST315SCJ7N	101323	10	C
038	3/8"	7	YES	ST311-A7N				121624	12	D
034, 036, 029, 039, MS290, MS360, MS390	3/8" .325"	7 7	YES YES	ST316-A7N ST316-J7N	SM7 SM7	GBA7S7 GBJ7S7	ST316SCA7N ST316SCJ7N	101310 101310	10 10	C C
045AV, 045AVE, 045AVEQ, 056, PIN DRIVE OIL PUMP	3/8" 3/8" .404"	7 8 7	YES YES YES	ST317-A7N ST317-A8N ST317-B7N	SD7 SD7 SD7	GBA7L7 GBA8L7 GBB7L7	ST317LCA7N ST317LCA8N ST317LCB7N	141717 141717 141717	12 12 12	C C C
030, 031, 032, 040, 041, FARM BOSS MS310 (spacer provided)	3/8" .404"	7 7	YES YES	ST309-A7N ST309-B7N	SD7 SD7	GBA7L7 GBB7L7	ST309LCA7N ST309LCB7N	121513 121513	12 12	B C
042, 048 SPUR ONLY	3/8"	7	YES	ST314-A7N				121624	15	C
050, 051, 075, 076	3/8" 3/8" .404"	7 9 7	YES YES YES	ST323-A7N ST323-A8N ST323-B7N	SD7 SD7 SD7	GBA7L7 GBA8L7 GBB7L7	ST323LCA7N ST323LCA9N ST323LCB7N	141814 141814 141814	14 14 14	C C C
08, 08S, S10	3/8" .404"	7 7	YES YES	ST301-A7N ST301-B7N	SD7 SD7	GBA7L7 GBB7L7	ST301LCA7N ST301LCB7N	151817 151817	15 15	C C
070	.404"	7	YES	ST322-B7N	SD7	GBB7L7	ST322LCB7N	151822	15	B
090	.404" 3/8"	7 7	YES YES	ST326-B7N ST326-A7N				151822 151822	15 15	C C
021, 023, 025, 017, 018, MS210, MS250, MS170, MS180	3/8"LP .325" 1/4"	6 7 9	YES YES YES	ST305-R6N ST305-J7N				101310	15	C
044, 046, MS440, MS460	3/8" .325"	7 7	YES YES	ST320-A7N ST320-J7N	SD7	GBA7L7	ST320LCA7N	101612 101612	10 10	C C
064, 066	3/8" .404"	7 7	YES YES	ST328-A7N ST328-B7N	SD7 SD7	GBA7L7 GBB7L7	ST328LCA7N ST328LCB7N	101612 101612	10 10	C C
084, 088	.404"	7	YES	ST321-B7N	SD7	GBB7L7	ST321LCB7N	121713	12	D
07	.404"	7	YES	ST300-B7N						D
ELECTRIC SPUR ONLY	1/4"	9	NO	9KS						D

SPROCKETS



SPROCKET APPLICATION GUIDE



SPROCKETS

Chainsaw Make & Model 	Pitch 	Teeth 	Bearing Supplied 	Pro Spur No. 	Spline 	Rim 	Centre Drive No. 	Bearing No. 	Crankshaft INCH & MM	Price Code
--	--	--	---	---	--	--	---	--	----------------------	------------

TALON

1600E, 1800E	3/8"LP	6	YES							
35cc, 55cc	3/8"LP	6	YES							

TAS TANAKA


ECS35, ECS355, ECS405, 356, 350, 351	3/8"LP	6	YES	TA281-R6N				N/A		A
ECS415, ECS4000	.325"	7	YES	TA282-J7N				N/A		B
ECS505, ECS650, ECS655	3/8"	7	YES	TA283-A7N				N/A		C
EC290, 300, 320, 330, 3301	3/8"LP	6	YES	TA284-R6N				N/A		A
ECV3801, 4501	3/8"LP	6	YES	TA285-R6N				N/A		A
	.325"	7	YES	TA285-J7N						A

ZENOAH, KOMATSU

"SEE REDMAX LISTING"



CHAINSAW ACCESSORIES



ACCESSORIES



GB 12 VOLT GRINDER

PART NO.	DESCRIPTION	PACK QTY
GB411	12 Volt grinder- display pack	1
GB411P	12 Volt grinder- box pack	1

Features

- Designed by GB
- Direct Drive
- 20,000 RPM
- Suits all stones
- 3 grinding stones included



COMPLETE CHAINSAW SHARPENING KIT

PART NO.	DESCRIPTION	PACK QTY
GB16	5/32" Chainsaw Kit	1
GB17	3/16" Chainsaw Kit	1
GB18	7/32" Chainsaw Kit	1

Features

- This complete kit consists all parts required for bar & chain maintenance
- Blister packed
- Available in all sizes




SUPER PRO SHARPENER

PART NO.	DESCRIPTION	PACK QTY
GB117	5/32" Sharpener Kit	1
GB118	3/16" Sharpener Kit	1
GB119	7/32" Sharpener Kit	1
GB120	5/32" Sharpener Kit- bulk	
GB121	3/16" Sharpener Kit- bulk	
GB122	7/32" Sharpener Kit- bulk	

Features

- Excellent for fast & accurate sharpening
- Kit comprises: File, Handle in Display Pack
- Available in all sizes





CHAINSAW ACCESSORIES



ACCESSORIES



FLAT FILE HOLDER

PART NO.	DESCRIPTION	PACK QTY
GB107	5/32" Flat file holder	1
GB108	3/16" Flat file holder	1
GB109	7/32" Flat file holder	1
GB232	5/32" Flat file holder- bulk	
GB233	3/16" Flat file holder- bulk	
GB234	7/32" Flat file holder- bulk	

Features

- Designed to hold file in place
- No moving parts
- Includes file handle in display pack



GB GRINDING STONES

PART NO.	DESCRIPTION	PACK QTY
GB420	5/32" 1 Pack of 2 Stones	1
GB421	3/16" 1 Pack of 2 Stones	1
GB422	7/32" 1 Pack of 2 Stones	1
GB417	5/32" Stones Bulk	
GB418	3/16" Stones Bulk	
GB419	7/32" Stones Bulk	
GB407	5/32" Display Box- 25 Stones	25
GB408	3/16" Display Box- 25 Stones	25
GB409	7/32" Display Box- 25 Stones	25

Features

- To suit 12 Volt Grinders

FILEMATE

PART NO.	DESCRIPTION	PACK QTY
GB230	4 in 1 tool	1
GB228	Display Pack	1


Features

- Simple inexpensive tool
- Sharpens chains and sets depth gauges
- Suits 1/4", .325", 3/8" and .404" pitch chains
- Offers correct depth gauge setting, angles, cleaning & sharpening process





CHAINSAW ACCESSORIES




"HANDI GRIP" FILE HANDLE

PART NO.	DESCRIPTION	PACK QTY
GB452	5" Plastic File Handle	1
GB229	Display Box of 50	50

Features

- Designed by GB engineers
- Takes all file sizes
- Easy to use angles
- Comfortable handle
- Long handle for easy grip
- Available in boxes of 50



BAR MAINTENANCE TOOL

PART NO.	DESCRIPTION	PACK QTY
GB198	Bar Groove Cleaner	1

Features

- Multiple use Unit for:
- Bar Groove cleaning
- Oil hole cleaner
- Groove depth gauge
- Chain angle tool

ACCESSORIES




GB PREMIUM NYLON STARTER CORD

Part No.	Called Size	Actual Dia. Inch	Actual Dia. mm	Spool Size (ft)	Size (mtr)
GB315X	3 1/2"	7/64"	2.8	300'	100
GB316X	4"	1/8"	3.2	300'	100
GB317X	4 1/2"	9/64"	3.6	300'	100
GB318X	5"	5/32"	4	300'	100
GB319X	5 1/2"	11/64"	4.4	300'	100
GB320X	6"	3/16"	4.8	300'	100
GB321X	7"	7/32"	5.5	300'	100

FEATURES

- Strongest & longest life, break test of 627lbs
- 330" or 100m Reels





CHAINSAW ACCESSORIES



ACCESSORIES



PLASTIC & ALUMINIUM WEDGES

PART NO.	DESCRIPTION	PACK QTY
GB162	5 1/2" Plastic wedge	1
GB163	8" Plastic wedge	1
GB164	10" Plastic wedge	1
GB165	12" Plastic wedge	1
GB161	7" Aluminium wedge	1
GB166	2.5kg Steel Splitting Wedge	1

Features

- High quality and durable
- Sizes available from 6" to 12"



WEDGE HOLSTER

PART NO.	DESCRIPTION	PACK QTY
GB437	Holster Only	1

Features

- Pouch to hold wedge, file and wrench



STUMP VICE


PART NO.	DESCRIPTION	PACK QTY
GB260	Standard- Powder Coated	1
GB960	Deluxe- Cast Alloy	1

Features

- Sturdy and strong tool for supporting saw and bar when sharpening chain
- Strong clamping knobs
- Extended legs for greater stability
- Individually packed



CHAINSAW ACCESSORIES



ACCESSORIES



GRINDING WHEELS PAL SUPERIOR BRAND

Part No.	Description	Size	Pack Qty
GB525	145 x 22 x 4.5- Jolly/ Maxx	325"+3/8"+.404"	1
GB526	145 x 22 x 3.0- Jolly/ Maxx	325"+3/8"+1/4"	1
GB527	100 x 16 x 3.0- Mini Jolly	325"+3/8"+1/4"	1
GB528	100 x 16 x 4.5- Mini Jolly	325"+3/8"+.404"	1
GB529	105 x 22 x 3.0- Mini Nick	3/8"LP+1/4"+.325"	1
GB530	105 x 22 x 4.5- Mini Nick	325"+3/8"+.404"	1
GB531	100 x 16 x 6.0- Depth Gauge		1
GB532	145 x 22 x 6.0- Depth Gauge		1
GB533	145 x 22 x 8.0- 3/4" Pitch Depth		1
GB534	145 x 22 x 8.0- 3/4" Pitch		1

Features

- High quality, durable and true
- Wheels are balanced for perfect performance
- Have correct grit grade for professional sharpening and none glazing
- Gives precision finish



METAL & PLASTIC GREASE GUNS

PART NO.	DESCRIPTION	PACK QTY
GB215	Metal Grease Gun & Grease	1
GB216	Plastic Grease Gun	1
GB217	Plastic Grease Gun & Grease	1
GB392	Deluxe Metal Hand Gun	1


Features

Metal Grease Gun

- German made with rugged metal plunger action
- Red protective cap & push type action

Plastic Grease Gun

- Designed to use with sprocket nose guide bars




GB BAR COVERS

PART NO.	DESCRIPTION	PACK QTY
GB150	16" Slim bar cover	1
GB151	16" Wide bar cover	1
GB152	20" Wide bar cover	1
GB153	24" Wide bar cover	1

Features

- Protects your guide bar. Available from 16" to 24"





CHAINSAW ACCESSORIES



ACCESSORIES



POCKET CHAIN BREAKER KIT

PART NO.	DESCRIPTION	PACK QTY
GB256	Chain Breaker & Punches Display Pack	1
GB240	Chain Breaker	1
GB241	Replacement Punch	1

Features

- Includes punch & anvil



BENCH MOUNTED CHAIN BREAKER & BAR RIVET BREAKER

PART NO.	DESCRIPTION	PACK QTY
GB270	Bench Chain Breaker	1
GB271	Punch to suit Bar Rivets	1
GB272	Punch to suit Chain Rivets	1
GB240	Breaker Anvil	1
GB279	Breaker Handle	1
GB268	Anvil for bar rivets	1



CAST BENCH MOUNTED CHAIN BREAKER & BAR RIVET


PART NO.	DESCRIPTION	PACK QTY
GB990	Bench Chain Breaker	1
GB989	Punch to suit Bar Rivets	1
GB988	Punch to suit Chain Rivets	1
GB240	Breaker Anvil	1
GB987	Breaker Handle	1
GB268	Anvil for bar rivets	1

Features

- Complete workshop unit including punch, handle & anvil



CHAINSAW ACCESSORIES




ACCESSORIES



BENCH MOUNTED RIVET SPINNER

PART NO.	DESCRIPTION	PACK QTY
GB273	Bench Rivet Spinner	1
GB274	Spinner Handle	1
GB275	Spinner Anvil 3/8" + .404"	1
GB276	Spinner Anvil .325" + 3/8" LP	1
GB277	Take up Handle	1



CAST BENCH MOUNTED RIVET SPINNER

PART NO.	DESCRIPTION	PACK QTY
GB991	Bench Rivet Spinner	1
GB992	Spinner Handle	1
GB993	Spinner Anvil 3/8" + .404"	1
GB994	Spinner Anvil .325" + 3/8" LP	1
GB995	Take up Handle	1

Features


- Adaptable for manual or drill use



3/4 BREAKER & SPINNER

PART NO.	DESCRIPTION	PACK QTY
GB2046	3/4 Pitch Chain Breaker	1
GB2047	3/4 Pitch Rivet Spinner	1
GB2048	3/4 Anvil (To suit GB2046)	1
GB2049	3/4 Punch (To suit GB2046)	1
GB2051	Thrust bolts 3/4 pitch	1
GB2052	Spinner inser 3/4 pitch	1
GB2053	Take up handle to suit GB2047	1





CHAINSAW ACCESSORIES



ACCESSORIES



T-WRENCHES

PART NO.	SIZE (INCHES)	LENGTH (MM)	LENGTH	PACK QTY
GB580	21 x 17	2 1/2"	65	1
GB583	19 x 13	2 5/8"	65	1
GB584	16 x 13	2 1/2"	66	1
GB585	19 x 14	3 1/4"	80	1
GB586	21 x 13	2 5/16"	70	1
GB588	16 x 11	3 1/2"	90	1
GB590	19 x 10	2 1/2"	65	1
GB591	19 x 17	2 1/2"	65	1
GB592	21 x 15	2 1/2"	65	1
GB594	19 x 13	.2"	55	1
GB595	19 x 13	.2"	55	1
GB597	.19	TORX		1
GB598	.13 X 16	TORX		1
GB599	.19 X 10	.3"	78	1
GB600	.19 X 13	2 3/4"	68	1

Features

- Made from high quality steel
- Zinc plated
- Full range available



ADJUSTABLE ANVIL

PART NO.	DESCRIPTION	PACK QTY
GB268	Adjustable Anvil	1

Features

- Universal tool for breaking chain

GB PREMIUM FILES

PART NO.	DESCRIPTION	PACK QTY
GB176	5/32" Dozen Files	12
GB177	3/16" Dozen Files	12
GB178	7/32" Dozen Files	12
GB170	6" Flat File	12


Features

- Precision Files





CHAINSAW ACCESSORIES



ACCESSORIES



NICK GRINDER

This bench mounted mini grinder is compact and ideal for professional or home use. Will sharpen all saw chains including .404". Available in 110 volt and 240 volt motors. Uses high tech special super strong plastics.

PART NO.	DESCRIPTION	PACK QTY
GB544	110 Volt Model	1
GB545	220 Volt Model	1


GB GRINDER

This new super professional quality machine is built for the professional dealer in mind for high volume chain sharpeners. It features a powerful motor and extremely easy to use controls. Has the exclusive built-in self-chain tightening as grinding is brought down. It has excellent safety features.

Will sharpen all chains including 3/4" pitch chain (comes complete with 3/4" pitch adaptor). All spare parts are available. Comes in 110 volt and 240 volt motors.

PART NO.	DESCRIPTION	PACK QTY
GB750	110 Volt Model	1
GB751	220 Volt Model	1





CHAINSAW ACCESSORIES



ACCESSORIES



SPROCKET NOSE RIVETS

PART NO.	DESCRIPTION	PACK QTY
GB202	Sprocket Nose Rivets	50

Features

- Hardened Hi Tensile



BAR SPACERS

PART NO.	DESCRIPTION	PACK QTY
GB200	Spacer 9.5mm OD, 8mm ID	10
GB196	Spacer 14mm OD, 10mm ID	10
GB197	Spacer 14mm OD, 12.3mm ID	10
GB199	Spacer 12.3mm OD, 9.5mm ID	10

Features

- Assist in correct bar fit up




BAR NUTS

PART NO.	SIZE	DESCRIPTION	PACK QTY.
BN1	8 x 1.25	STIHL 034, 038, 028, 036, 024, 044, 064	10
BN2	10 x 1.25	STIHL 070, 090	10
BN3	10 x 1.25 FLANGE	DOLMAR 122, 123, STIHL 08S, 050, 051, 075 ALPINA A90, C90	10
BN4	8 X 1.25 FLANGE	HUSQVARNA 50, 44, 61, 65, 77, 162, 181, 234, 260, 266, 280, 380, 480, 55, 394, 3120, 268 DOLMAR 112, 114, 117, 119 STIHL 010, 015, 020, 028OLD, 031, 032, 041, 042, 045, 056 ECHO 452, 500, CS605, 601, 650, 701, 750 PARTNER R16, 550, 555, P55, P70, 5000, P100, 550, 650, 7000	10
BN5	3/8 X 24	McCULLOCH 250, 550	10
BN6	3/8 X 16	HOMELITE	10
BN7	10 X 1	DOLMAR CA, CC, CT, 144, 152, 153	10
BN8	5/16 X 18	HOMELITE	10
BN9	8 X 1	PIONEER	10
BN10	10 X 1LH	STIHL	10
BN11	7/16 X 20	McCULLOCH	10
BN12	10 X 1LH	DOLMAR	10






CHAINSAW ACCESSORIES



ACCESSORIES

LUMBER MILL



PART NO.	DESCRIPTION	PACK QTY.
GB1230	36" Lumber mill and rails	1
GB1231	44" Lumber mill & rails	1
GB1232	Lumber mill	1
GB1233	36" Rails only	1
GB1234	44" Rails only	1

The GB Lumber Mill is bolted to the chain saw for longer bar life, smoother cutting, better security and less vibration. The GB Lumber Mill has adjustable insulation handles for less operator fatigue and better manoeuvrability. The Mill is a solid steel construction which gives much longer life than similar aluminium types.

WIDTH OF CUT FOR LUMBER MILL ONLY

LUMBER MILL RAILS UP TO 36"

25" Bar Length	Width of Cut = 19"
30" Bar Length	Width of Cut = 24"
36" Bar Length	Width of Cut = 30"


LUMBER MILL RAILS UP TO 44"

42" Bar Length	Width of Cut = 34"
44" Bar Length	Width of Cut = 36"



DOUBLE END LUMBER MILL

PART NO.	DESCRIPTION	PACK QTY
GB1240	Double End Lumber Mill only	1
GB1242	Mill & rails to suit up to 50' bar	1
GB1243	Mill & Rail to suit up to 66' bar	1
GB1244	Mill & Rail to suit up to 84' bar	1
GB1236	Guide Rail only to suit up to 50"	1
GB1237	Guide Rail only to suit up to 66"	1
GB1238	Guide Rail only to suit up to 84"	1




VERTICAL MILL

PART NO.	DESCRIPTION	PACK QTY
GB1235	Vertical mill only	1

The GB Vertical Mill fits all chainsaws and is used to reduce the diameter of logs. It can also be used in a number of other applications such as trimming the tops of wooden fences etc.

For further information on any of the above Mills, please
email: gbbars@gbbars.com.au
for a brochure to be mailed out to you



CHAINSAW ACCESSORIES



ACCESSORIES



SPARK PLUGS

GB PART NO.	BOSCH PART NO.	NGK PART NO.	CHAMPION PART NO.
JL5F	WS5F	BPM7A	CJ6Y/CJ7Y
J8DC	W8DC	BP5E	N11YC
JL8E	WS8E	BM6A	CJ8
JL7F	WS7F	BPM6A	CJ7Y
JL06F	WSR6F	BPMR7A	RCJ6Y
KL8E	HS8E	BM6F	DJ8J, DJ8

Features

- Industrial pack of 50.
- 3 Rib Current Leakage barrier.
- Nickel plated rolled thread.
- Copper core improves cold starting.
- Made by quality International Manufacturer.
- Full Spark Plug Catalogue available on request.

CONSUMER BAR & CHAIN COMBINATION PACKS

Bar & chain Combo packs, come complete with bar and chain to suit. Ideal for the consumer user.

Packs to suit McCulloch, Black & Decker, Roybi, Homelite, Stihl, etc.




PART NO. BAR TYPE CHAIN D.L.C. CHAIN TYPE LNTH. SAW MODELS

GB511.....	M12-50CR	44	3/8 LP	12"	McCulloch
GB512.....	HX12-50CR	48	3/8 LP	12"	Homelite
GB513.....	M14-50CR	49	3/8 LP	14"	McCulloch
GB514.....	HX14-50CR	53	3/8 LP	14"	Homelite
GB515.....	M16-50CR	54	3/8 LP	16"	McCulloch
GB516.....	HX16-50CR	59	3/8 LP	16"	Homelite
GB517.....	SW12-50CR	44	3/8 LP	12"	Efco, Oleo Mac, Stihl
GB518.....	PO12-50CR	45	3/8 LP	12"	Alpina, Dolmar, Echo, Homelite, Husqvarna, John Deere, Jonsered, Oleo Mac, Poulan, Redmax, Shindaiwa, Tanaka
GB519.....	SW14-50CR	50	3/8 LP	14"	Efco, Oleo Mac, Stihl
GB520.....	PO14-50CR	52	3/8 LP	14"	Alpina, Dolmar, Echo, Homelite, Husqvarna, John Deere, Jonsered, Oleo Mac, Poulan, Redmax, Shindaiwa, Tanaka
GB521.....	SW16-50CR	55	3/8 LP	16"	Efco, Oleo Mac, Stihl
GB522.....	PO16-50CR	57	3/8 LP	16"	Alpina, Dolmar, Echo, Homelite, Husqvarna, John Deere, Jonsered, Oleo Mac, Poulan, Redmax, Shindaiwa, Tanaka
GB523.....	M18-50CR	60	3/8 LP	18"	McCulloch
GB524.....	F14-50CR	52	3/8 LP	14"	Frontier, Husqvarna, Jonsered, Partner





CHAINSAW ACCESSORIES




POWER TECH BAR & CHAIN COMBINATION PACKS

PART NO.	BAR TYPE	CHAIN D.L.C.	CHAIN TYPE	BAR LNTH.	SAW MODELS
GB483	UHL16-50SH	66	325 X .050	16"	Homelite
GB484	UHL18-50SH	72	325 X .050	18"	Homelite
GB503	UHL16-50SG	59	3/8 X .050	16"	Husqvarna, Homelite
GB504	HN16-50SG	60	3/8 X .050	16"	Homelite
GB507	UHL16-58SH	66	325 X .058	16"	Husqvarna
GB508	PO16-50SH	66	325 X .050	16"	Homelite, Poulan
GB543	UHL18-50SG	64	3/8 X .050	18"	Husqvarna, Homelite
GB546	HN18-50SG	66	3/8 X .050	18"	Homelite
GB549	UHL18-58SH	72	325 X .058	18"	Husqvarna
GB551	HN20-50SG	70	3/8 X .050	20"	Homelite
GB745	EX16-50SG	60	3/8 X .050	16"	Echo, Poulan
GB746	EX18-50SG	66	3/8 X .050	18"	Echo, Poulan
GB747	EX20-50SG	70	3/8 X .050	20"	Echo, Poulan
GB748	HX18-50CR	64	3/8 LP	18"	Homelite
GB749	POX18-50SR	62	3/8 LP	18"	Homelite
GB752	UHL18-50SH	73	325 X .050	18"	Homelite
GB753	UHL20-50SG	79	325 X .050	20"	Homelite
GB755	PO18-50SH	72	325 X .050	18"	Homelite
GB756	PO20-50SH	78	325 X .050	20"	Homelite
GB757	UHL16-50SG	59	3/8 X .050	16"	Homelite
GB758	HN16-50SG	59	3/8 X .050	16"	Homelite
GB759	HN20-50SG	70	3/8 X .050	20"	Homelite
GB762	UHL16-50SH	66	325 X .050	16"	Husqvarna
GB763	UHLX20-50SH	78	325 X .050	20"	Husqvarna
GB764	MA16-50SG	60	3/8 X .050	16"	McCulloch
GB765	MA20-50SG	70	3/8 X .050	20"	McCulloch
GB766	POX16-50SH	66	325 X .050	16"	Poulan
GB767	POX18-50SH	72	325 X .050	18"	Poulan
GB768	POX20-50SH	78	325 X .050	20"	Poulan
GB769	PO18-50CR	68	3/8 LP	18"	Shindaiwa
GB770	UHL14-50SR	54	3/8 LP	14"	Solo
GB771	UHL15-50SR	56	3/8 LP	15"	Solo
GB772	UHL16-50SR	60	3/8 LP	16"	Solo
GB773	SN16-50SG	60	3/8 X .050	16"	Stihl
GB774	SN16-63SG	60	3/8 X .063	16"	Stihl
GB775	SN16-50SH	67	325 X .050	16"	Stihl
GB776	SN18-50SH	74	325 X .050	18"	Stihl
GB777	SN20-50SH	81	325 X .050	20"	Stihl
GB778	PO10-50CR	40	3/8 LP	10"	Zenoah/Komatsu

ACCESSORIES






BRUSHCUTTER ACCESSORIES



ACCESSORIES



EDGER BLADES

PART NO.	DESCRIPTION	PACK QTY
GB901	LITTLE WONDER	1
GB902	KAWASAKI, TORO	1
GB903	ECHO, JETFAST	1
GB904	ROVER	1
GB905	MTD	1
GB906	POULAN, WEEDEATER	1
GB907	BLACK & DECKER	1
GB908		1
GB909	WEEDEATER, McCULLOCH, SEARS	1
GB910	STIHL, ECHO	1
GB911	JONSERED	1
GB912		1
GB913		1
GB914		1
GB915		1
GB916	MTD	1
GB917		1
GB918		1
GB919	ATOM	1
GB920	WEEDEATER, JONSERED	1



PLASTIC FUEL FUNNEL

PART NO.	DESCRIPTION
GB395	Plastic Fuel Funnel

Features

- Flexible nozzle attachment
- Comfortable and sturdy handle
- Anti-splash lip
- Fine mesh filter



NYLON BLADES

PART NO.	DESCRIPTION	PACK QTY
GB35	8 Tooth	1
GB36	2 Tooth	1
GB37	3 Tooth	1
GB38	4 Tooth	1


Features

- Universal plastic blade for use on brushcutters





BRUSHCUTTER ACCESSORIES



ACCESSORIES

BRUSHCUTTER BLADES

PART NO.	TEETH	DESCRIPTION	QTY PACK
GB36424	TRICUT	12" x 1" x 3.0mm	1
GB36241	TRICUT	9" x 20mm x 1.8mm	1
GB36242	TRICUT	9" x 1" x 1.8mm	1
GB36243	TRICUT	10" x 1" x 1.8mm	1
GB36244	TRICUT	10" x 20mm x 1.8mm	1
GB36245	TRICUT	10" x 1" x 3.0mm	1
GB36246	TRICUT	10 x 20mm x 3.0mm	1

GB36201	4.....	8" x 20mm x 1.8mm	1
GB36206	4.....	8" x 1" x 1.8mm	1
GB36210	4.....	9" x 20mm x 1.8mm	1
GB36211	4.....	9" x 1" x 1.8mm	1
GB36221	4.....	10" x 1" x 1.8mm	1

GB36203	8.....	8" x 20mm x 1.8mm	1
GB36208	8.....	8" x 1" x 1.8mm	1
GB36213	8.....	9" x 1" x 1.8mm	1
GB36223	8.....	10" x 1" x 1.8mm	1

GB36204	80.....	8" x 20mm x 1.8mm	1
GB36209	80.....	8" x 1" x 1.8mm	1
GB36214	80.....	9" x 1" x 1.8mm	1
GB36224	80.....	10" x 1" x 1.8mm	1


GB36006	SCALLOPED 4	8" x 1" x 1.8mm	1
GB36011	SCALLOPED 4	9" x 1" x 1.8mm	1
GB36021	SCALLOPED 4	10" x 1" x 1.8mm	1

GB36255	TUNGSTEN TIP 36 ..	9" x 1" x 2.0mm	1
---------	-------------------------	-----------------------	---

Features

- SKS-5 material
- Made to suit 86% of all brushcutters
- Long wearing, strong and light
- Wide range available
- Reducer rings available, Part No. GB505, Set of 5 (see page 115)






BRUSHCUTTER ACCESSORIES



ACCESSORIES



UNIVERSAL ALLOY HEAD

PART NO.	DESCRIPTION	PACK QTY
GB21	Alloy Multi-Fit Head	1

Features

- 14mm & 8mm reducer washer (drilled out for larger size).
- Strong aluminium head



UNIVERSAL LOW PROFILE BRUSHCUTTER HEAD

PART NO.	DESCRIPTION	PACK QTY
GB23	Universal Head- Low Profile	1

Features

- Unit includes 4 arbors & 2 studs
- Made to suit most brushcutters



MANUAL UNIVERSAL BRUSHCUTTER HEAD

PART NO.	DESCRIPTION	PACK QTY
GB25	Universal Head-Manual	1

Features

- Unit includes 4 arbors & 2 studs
- Made to suit most brushcutters



UNIVERSAL BUMP FEED BRUSHCUTTER HEAD


PART NO.	DESCRIPTION	PACK QTY
GB24	Universal Head- Bump Feed	1

Features

- Unit includes 4 arbors & 2 studs
- Made to suit most brushcutters



BRUSHCUTTER ACCESSORIES



ACCESSORIES




MULTI-FIT BRUSHCUTTER HEAD

PART NO.	DESCRIPTION	PACK QTY
GB22	Nylon Multi-fit head	1

Features

- Universal head
- 8mm bore (can be drilled for larger bore)
- Strong glass filled nylon



RAPID BRUSHCUTTER HEAD

PART NO.	DESCRIPTION	PACK QTY
GB898	Brushcutter head	1

Features

- Unique flanged base prevents line breakage
- Can double as a mulcher
- Takes up to 6pc. of .130" gauge line
- Reducer rings included
- Attractive alloy finish
- Durable cast alloy



SUPER CUT BRUSHCUTTER HEAD

PART NO.	DESCRIPTION	PACK QTY
GB900	Brushcutter head	1

Features


- 8mm bore (drilled out for larger size)
- Strong aluminium head


BRUSHCUTTER & CUT-OFF REDUCER WASHERS

PART NO.	DESCRIPTION	PACK QTY
GB505	Reducer Washers	5

Features

- 5 different sizes included -
- | I.D. | O.D. |
|------|------|
| 16mm | 20mm |
| 16mm | 25mm |
| 20mm | 25mm |
| 25mm | 30mm |
| 30mm | 25mm |





BRUSHCUTTER ACCESSORIES



ACCESSORIES



BRUSHCUTTER HANDLES

PART NO.	DESCRIPTION	PACK QTY
GB552	Brushcutter handle	1

Features

-



BRUSHCUTTER GUARDS

PART NO.	DESCRIPTION	PACK QTY
GB553	Large brushcutter guard	1
GB554	Small brushcutter guard	1

Features

-



NYLON LINE- CUT LENGTH

PART NO.	DESCRIPTION	PACK QTY
GB791	50pc. .095" x 500mm	1
GB792	50pc. .105" x 500mm	1
GB793	50pc. .120" x 500mm	1


Features

- Ideal for manual brushcutter heads





BRUSHCUTTER ACCESSORIES



ACCESSORIES



NYLON LINE- 125GM SPOOL

PART NO.	DESCRIPTION	PACK QTY
GB800	.050"	1
GB801	.065"	1
GB802	.080"	1
GB803	.095"	1
GB804	.105"	1
GB805	.120"	1

Features

- Premium quality



NYLON LINE- 250GM DONUT

PART NO.	DESCRIPTION	PACK QTY
GB806	.065", 1.65mm	1
GB807	.080", 2.00mm	1
GB808	.095", 2.40mm	1
GB809	.105", 2.60mm	1
GB810	.120", 3.00mm	1

Features

- Premium quality



NYLON LINE- 500GM DONUT

PART NO.	DESCRIPTION	PACK QTY
GB811	.065", 1.65mm	1
GB812	.080", 2.00mm	1
GB813	.095", 2.40mm	1
GB814	.105", 2.60mm	1
GB815	.120", 3.00mm	1

Features

- Premium quality




NYLON LINE - 3LB REEL

PART NO.	DESCRIPTION	PACK QTY
GB816	.095" 2.4 mm	1
GB817	.105" 2.6 mm	1
GB818	.120" 3 mm	1

NYLON LINE - 5LB REEL

PART NO.	DESCRIPTION	PACK QTY
GB819	.095" 2.4 mm	1
GB820	.105" 2.6 mm	1
GB821	.120" 3 mm	1



SAFETY ACCESSORIES



ACCESSORIES



3 PIECE SAFETY KIT

PART NO.	DESCRIPTION	PACK QTY
GB385	Safety Kit	1

Features

- Kit comprises: Muffs, Gloves & Goggles



GB GLOVES

PART NO.	DESCRIPTION	PACK QTY
GB438	Leather Gloves	
GB439	Rigger Gloves	

Features



SHIN GUARDS

For use with Brushcutters

PART NO.	DESCRIPTION	PACK QTY
GB058	Shin Guards	

Features



VISORS


PART NO.	DESCRIPTION	PACK QTY
GB250	Visor- Mesh/ Clear	1
GB950	Visor- Mesh	1
GB951	Visor- Clear	1
GB952	Visor- Mesh with muffs	1

Features





SAFETY ACCESSORIES



SAFETY PANTS

PART NO.	DESCRIPTION	PACK QTY
GB565	Medium	1
GB566	Large	1
GB567	X-Large	1

Features

- Inner made with 8 layers of kevlar
- Outer 100% Nylon
- CE approval



SAFETY HELMET

PART NO.	DESCRIPTION	PACK QTY
GB670	Safety Helmet	1

Features

- Comes complete with ear muffs, mesh and clear visor
- CE approval



EAR MUFFS

PART NO.	DESCRIPTION	PACK QTY
GB671	Standard	1
GB672	Deluxe	1

Features

- CE approval




SAFETY GLASSES

PART NO.	DESCRIPTION	PACK QTY
GB692	Amber	1
GB695	Clear	1

Features

ACCESSORIES





SAFETY ACCESSORIES



ACCESSORIES



SAFETY VEST

PART NO.	DESCRIPTION	PACK QTY
GB247	Medium	1
GB248	Large	1
GB249	X-Large	1

Features

- Lightweight, highly visible safety vest



OVERBOOTS

PART NO.	DESCRIPTION	PACK QTY
GB698	Overboots (sock protectors)	

Features

- Very simple, yet effective, safety product



SAFETY CHAPS


PART NO.	DESCRIPTION	PACK QTY
GB562	Medium	1
GB563	Large	1
GB564	X-Large	1

Features

- Inner made with 8 layers of kevlar
- Outer 100% Nylon
- CE approval
- Tested



TOOLS & ACCESSORIES



OIL-FUEL MEASURER

PART NO.	DESCRIPTION	PACK QTY
GB538	Small- Up to 12lt / 3 gal.	1
GB539	Large- Up to 25lt/ 6 gal.	1

Features

- Measures EXACT oil to fuel measurement

ACCESSORIES



RATCHET TIE DOWNS

PART NO.	DESCRIPTION	PACK QTY
GB351	1" x 12', 1000LB	1
GB352	2" x 12', 2000LB	1
GB353	1 1/2" x 20', 5000LB	1
GB354	2" x 30', 10000LB	1

Features

- Very strong
- Well packaged




CABLE TIES

PART NO.	DESCRIPTION	PACK QTY
GB466	120mm- Qty 100pc	1
GB467	185mm- Qty 100pc	1
GB468	285mm- Qty 100pc	1
GB469	370mm- Qty 100pc	1
GB470	Assorted Lengths- 500pc	1

Features

- High quality cable ties ideal for workshop use






TOOLS & ACCESSORIES



ACCESSORIES



UNIVERSAL FLYWHEEL PULLER

PART NO.	DESCRIPTION
GB550	Flywheel Puller

PACK QTY
1

Features

- Workshop tool




PISTON LOCKING SCREW

PART NO.	DESCRIPTION
GB126	Locking Screw- Long

PACK QTY
1

Features

- Handy tool



PISTON RING CLAMP SET

PART NO.	DESCRIPTION
GB536	Clamp Set

PACK QTY
1

Features

- Useful for assembling pistons and cylinders



FUEL FUNNELS

PART NO.	DESCRIPTION
GB395	Fuel funnel- detachable nozzle


PACK QTY
1

Features

- Suits all small engines



GARDEN ACCESSORIES



ACCESSORIES



PRUNING SAWS

PART NO.	DESCRIPTION	PACK QTY
GB496	150mm Pruning Saw	1
GB497	300mm Pruning Saw	1
GB498	Long Arm Pruner	1
GB499	Long Arm Pruner	1
GB500	Replacement Blade- 50mm	1
GB501	Replacement Blade- 300mm	1
GB502	Replacement Blade- Extension Saw	1

Features

- Superior quality

SPLITTING MAULS



PART NO.	DESCRIPTION	PACK QTY
GB430	8lb Splitting Maul	1
GB431	6lb Splitting Maul	1
GB432	4lb Axe	1
GB433	1 1/2lb Tomahawk	1
GB265	8lb deluxe Splitting Maul	1
GB415	3lb Sledge Hammer	1
GB416	8lb Sledge Hammer	1

Features

- All units have fiberglass handles
- All units have polished heads




HANDLE SAVERS

PART NO.	DESCRIPTION	PACK QTY
GB1091	Fits Maul	1
GB1093	Fits Axe	1

Features

- Easy to fit unit which protects handle



GARDEN ACCESSORIES



ACCESSORIES



AQUA SPIKES

PART NO.	DESCRIPTION	PACK QTY
GB90	Pack of 6	1
GB89	Individual	1

Features

- The ultimate watering system



HYDRAULIC HOSE/ CABLE CUTTERS

PART NO.	DESCRIPTION	PACK QTY
GB690	Cutters	1

Features

- Heavy duty cutters made in Japan
- Ideal for the cutting of cables or hydraulic hose



DIAMOND CUT OFF BLADES



PART NO.	DESCRIPTION	PACK QTY
GB25001	10" OD x 1" bore	1
GB25002	12" OD x 1" bore	1
GB25003	14" OD x 1" bore	1

Features

- Designed for use on cut off saws
- Designed for wet and dry cutting
- Comes with 20mm reducer ring
- Max RPM 6000
- All diamond segments are laser welded
- Outlasts composite grinding wheels up to 200 times



GB REDSTORM V-BELTS




GB introduce a new range of pressure bonded industrial quality V Belts. These premium rated V Belts are designed for tough industrial lawnmowing in abrasive conditions. Redstorm V Belts are flexible and designed to uniformly distribute stress throughout the belt. A wide range of belts are currently available and this will be expanded as required.

ACCESSORIES

GB Part No.	Size Inches	STD Belt Size	GB Part No.	Size Inches	STD Belt Size	GB Part No.	Size Inches	STD Belt Size
GB48026	1/2 X 26	A24	GB48065	1/2 X 65	A63	GB48101	1/2 X 101	A99
GB48028	1/2 X 28	A26	GB48066	1/2 X 66	A64	GB48102	1/2 X 102	A100
GB48030	1/2 X 30	A28	GB48067	1/2 X 67	A65	GB48104	1/2 X 104	A102
GB48032	1/2 X 32	A30	GB48068	1/2 X 68	A66	GB48105	1/2 X 105	A103
GB48033	1/2 X 33	A31	GB48069	1/2 X 69	A67	GB48112	1/2 X 112	A110
GB48034	1/2 X 34	A32	GB48070	1/2 X 70	A68	GB48117	1/2 X 117	A115
GB48035	1/2 X 35	A33	GB48071	1/2 X 71	A69	GB58029	5/8 X 29	B26
GB48036	1/2 X 36	A34	GB48072	1/2 X 72	A70	GB58030	5/8 X 30	B27
GB48037	1/2 X 37	A35	GB48075	1/2 X 75	A73	GB58035	5/8 X 35	B32
GB48038	1/2 X 38	A36	GB48076	1/2 X 76	A74	GB58038	5/8 X 38	B35
GB48039	1/2 X 39	A37	GB48077	1/2 X 77	A75	GB58042	5/8 X 42	B39
GB48040	1/2 X 40	A38	GB48078	1/2 X 78	A76	GB58043	5/8 X 43	B40
GB48041	1/2 X 41	A39	GB48079	1/2 X 79	A77	GB58045	5/8 X 45	B42
GB48042	1/2 X 42	A40	GB48080	1/2 X 80	A78	GB58054	5/8 X 54	B51
GB48044	1/2 X 44	A42	GB48081	1/2 X 81	A79	GB58058	5/8 X 58	B55
GB48045	1/2 X 45	A43	GB48082	1/2 X 82	A80	GB58059	5/8 X 59	B56
GB48046	1/2 X 46	A44	GB48084	1/2 X 84	A82	GB58061	5/8 X 61	B58
GB48047	1/2 X 47	A45	GB48085	1/2 X 85	A83	GB58062	5/8 X 62	B59
GB48049	1/2 X 49	A47	GB48086	1/2 X 86	A84	GB58065	5/8 X 65	B62
GB48050	1/2 X 50	A48	GB48087	1/2 X 87	A85	GB58066	5/8 X 66	B63
GB48051	1/2 X 51	A49	GB48088	1/2 X 88	A86	GB58067	5/8 X 67	B64
GB48052	1/2 X 52	A50	GB48089	1/2 X 89	A87	GB58069	5/8 X 69	B66
GB48053	1/2 X 53	A51	GB48090	1/2 X 90	A88	GB58070	5/8 X 70	B67
GB48054	1/2 X 54	A52	GB48091	1/2 X 91	A89	GB58071	5/8 X 71	B68
GB48055	1/2 X 55	A53	GB48092	1/2 X 92	A90	GB58072	5/8 X 72	B69
GB48056	1/2 X 56	A54	GB48093	1/2 X 93	A91	GB58077	5/8 X 77	B74
GB48057	1/2 X 57	A55	GB48094	1/2 X 94	A92	GB58078	5/8 X 78	B75
GB48058	1/2 X 58	A56	GB48095	1/2 X 95	A93	GB58082	5/8 X 82	B79
GB48059	1/2 X 59	A57	GB48096	1/2 X 96	A94	GB58084	5/8 X 84	B81
GB48060	1/2 X 60	A58	GB48097	1/2 X 97	A95	GB58085	5/8 X 85	B82
GB48062	1/2 X 62	A60	GB48098	1/2 X 98	A96	GB58086	5/8 X 86	B83
GB48063	1/2 X 63	A61	GB48099	1/2 X 99	A97	GB58110	5/8 X 110	B107
GB48064	1/2 X 64	A62	GB48100	1/2 X 100	A98	GB58113	5/8 X 113	B110






AIR FILTERS

GB now offer a range of high quality replacement Air Filters. All air filters are manufactured to meet or exceed OEM specifications, manufactured with metal screen, specially treated paper and special plastic resin compound. There is high porosity on all foam filters and all filters are poly bagged.

PART NO.	DESCRIPTION	PACK QTY
GB16001	B&S / 491588	1
GB16002	B&S / 493909	1
GB16003	B&S / 491519	1
GB16004	B&S / 272490	1
GB16005	B&S / 272490	1
GB16006	B&S / 270579	1
GB16007	B&S / 491435	1
GB16008	B&S / 491435	1
GB16009	B&S / 390930	1
GB16010	B&S / 390930	1
GB16011	B&S / 271466	1
GB16012	B&S / 491435	1
GB16013	B&S / 271794	1
GB16014	B&S / 27987	1
GB16015	B&S / 393406	1
GB16016	B&S / 497725	1
GB16017	B&S / 492947	1
GB16018	B&S / 499486	1
GB16019	B&S / 272533	1
GB16020	B&S / 270093	1
GB16021	B&S / 393725	1
GB16022	B&S / 399877	1
GB16023	B&S / 394019	1
GB16024	B&S / 397795	1
GB16025	B&S / 270848	1
GB16026	B&S / 396424	1
GB16027	B&S / 494511	1
GB16028	B&S / 392308	1
GB16029	B&S / 270528	1
GB16030	B&S / 399039	1
GB16031	B&S / 710266	1
GB16032	B&S / 270843	1
GB16033	HONDA / 17210-ZE1-822.....	1
GB16034	HONDA / 17218-888-003	1
GB16035	HONDA / 17218-ZE1-821.....	1




AIR FILTERS continued

PART NO.	DESCRIPTION	PACK QTY
GB16036	HONDA / 08170-ZG9-M00	1
GB16037	HONDA / 17211-888-505	1
GB16038	HONDA / 17210-ZE3-010	1
GB16039	HONDA / 17218-ZE3-000	1
GB16040	HONDA / 17211-890-013	1
GB16041	KAWASAKI / 11013-2109	1
GB16042	KAWASAKI / 3144-AA-1312A	1
GB16043	KAWASAKI / 11013-2093	1
GB16044	KAWASAKI / 11013-2120	1
GB16045	KAWASAKI / 11013-2110	1
GB16046	KAWASAKI / 11013-2119	1
GB16047	KOHLER / 12 083 05	1
GB16048	KOHLER / 47 083 03	1
GB16049	KOHLER / 24 083 05	1
GB16050	KOHLER / 237421	1
GB16051	KOHLER / 45 083 02	1
GB16052	KOHLER / 47 083 01	1
GB16053	KOHLER / 45 083 01	1
GB16054	KOHLER / 235116	1
GB16055	KOHLER / 2408303	1
GB16056	KOHLER / 52 083 01	1
GB16057	KUBOTA / 15852-11082	1
GB16058	RYOBI / 610312	1
GB16059	ROBIN / 234-32604-07	1
GB16060	ROBIN / 2263261007	1
GB16061	ROBIN / 261-32601-07	1
GB16062	ROBIN / 227-32610-07	1
GB16063	TECUMSEH / 35066	1
GB16064	TECUMSEH / 33268	1
GB16065	TECUMSEH / 34782	1
GB16066	TECUMSEH / 36356	1
GB16067	TECUMSEH / 35403	1
GB16068	TECUMSEH / 30727	1
GB16069	TECUMSEH / 234869	1
GB16070	TECUMSEH / 35403	1
GB16071	TECUMSEH / 36745	1
GB16072	TECUMSEH / 36356	1
GB16087	VICTA / AFO7282A	1
GB16088	BRIGGS / 272235	1



ACCESSORIES



REWIND SPRINGS



ACCESSORIES




GB PART NO.	SUITS	FITS	OEM
GB34001	HOMELITE	CHAINSAW	65107
GB34002	HOMELITE	CHAINSAW	69217
GB34002	HOMELITE	TRIMMER	69217
GB34003	HOMELITE	CHAINSAW	94842
GB34003	HOMELITE	TRIMMER	94842
GB34004	HOMELITE	CHAINSAW	A-96649A
GB34004	HOMELITE	GENERATOR / PUMP	A-96999-A
GB34005	POULAN	CHAINSAW	42023
GB34005	SEARS	CHAINSAW	42023
GB34006	POULAN	CHAINSAW	42051
GB34006	SEARS	CHAINSAW	42051
GB34007	McCULLOCH	CHAINSAW	68626
GB34008	McCULLOCH	CHAINSAW	83078
GB34009	McCULLOCH	CHAINSAW	87680
GB34010	FRONTIER	CHAINSAW	100073
GB34010	HUSQVARNA	CHAINSAW	50 17 067 01
GB34010	JONSERED	CHAINSAW	507 10 00 73
GB34010	PARTNER	CHAINSAW	504 35 27 05
GB34010	TML	TRIMMER	100073
GB34011	HUSQVARNA	CHAINSAW	50 15 204 01
GB34011	JONSERED	CHAINSAW	501 52 04 01
GB34012	HUSQVARNA	CHAINSAW	50 14 604 01
GB34012	HUSQVARNA	TRIMMER	50 14 604 02
GB34013	HUSQVARNA	CHAINSAW	50 17 631 01
GB34013	JONSERED	CHAINSAW	501 76 31 01
GB34014	HUSQVARNA	CHAINSAW	50 16 302 01
GB34015	JONSERED	CHAINSAW	505 29 51 26
GB34015	PARTNER	CHAINSAW	505-295-126
GB34016	McCULLOCH	CHAINSAW	32107
GB34016	PARTNER	CHAINSAW	295108
GB34016	SKIL	CHAINSAW	295108
GB34017	JONSERED	CHAINSAW	504 21 26 01
GB34018	JONSERED	CHAINSAW	504 21 26 02
GB34018	JONSERED	TRIMMER	504-212602
GB34019	JONSERED	CHAINSAW	504 21 26 06
GB34020	ECHO	CHAINSAW	177220 0283 4
GB34020	JOHN DEERE	CHAINSAW	MG67224
GB34021	ECHO	CHAINSAW	177220 0393 0
GB34021	JOHN DEERE	CHAINSAW	MG7483
GB34021	ECHO	TRIMMER	177220 0393 0
GB34021	ECHO	GENERATOR / PUMP	177220 0393 0
GB34021	JOHN DEERE	TRIMMER	MG7483
GB34021	TORO	TRIMMER	41-3000
GB34021	WEEDEATER/POULAN	TRIMMER	6975-00 (91543)
GB34022	ECHO	CHAINSAW	177220 0023 0
GB34023	ECHO	CHAINSAW	177220 0653 0
GB34023	JOHN DEERE	CHAINSAW	PT5949






REWIND SPRINGS



GB PART NO.	SUITS	FITS	OEM
GB34023	ECHO	TRIMMER	177220 0653 0
GB34023	HOFFCO	TRIMMER	207575
GB34023	McCULLOCH	TRIMMER	213867
GB34023	TORO	TRIMMER	34-7900
GB34023	WEEDEATER/POULAN	TRIMMER	9168-01 (91868)
GB34028	STIHL	CHAINSAW	1116-195-1600
GB34029	STIHL	CHAINSAW	1118-190-0600
GB34029	STIHL	TRIMMER	1118-190-0600
GB34030	STIHL	CHAINSAW	1114-190-0600
GB34030	STIHL	TRIMMER	1114-190-0600
GB34031	STIHL	CHAINSAW	1117-190-0601
GB34031	STIHL	TRIMMER	1117-190-0601
GB34032	STIHL	TRIMMER	4126-195-1600
GB34033	STIHL	CHAINSAW	1129-190-0600
GB34034	SACHS-DOLMAR	CHAINSAW	123 163 010
GB34035	GREEN MACHINE	TRIMMER	300285
GB34035	HOFFCO	TRIMMER	206073
GB34035	KAWASAKI	TRIMMER	717196
GB34035	ROBIN	TRIMMER	A6000 260 0000
GB34035	SACHS DOLMAR	TRIMMER	A6000 260 0000
GB34035	SHINDAIWA	TRIMMER	20000-75140
GB34035	SHINGU	TRIMMER	717196
GB34035	STIHL	TRIMMER	4112-195-1600
GB34036	WEEDEATER/POULAN	TRIMMER	42067
GB34037	TANAKA	TRIMMER	779-06000-200
GB34038	TANAKA	TRIMMER	779-00601-204
GB34039	KAZ	TRIMMER	311501-3452-00
GB34039	KAWASAKI	TRIMMER	311501-3452-00
GB34039	SHINGU	TRIMMER	311501-3452-00
GB34040	BRIGGS	LAWNMOWER	491889
GB34041	LAWN BOY	LAWNMOWER	604257
GB34042	LAWN BOY	LAWNMOWER	602610
GB34043	COSCO	TRIMMER	
GB34043	GREEN MACHINE	TRIMMER	167303
GB34043	K & S	TRIMMER	1917-0012
GB34043	LAWN BOY	TRIMMER	610302
GB34043	RYAN	TRIMMER	2892(OLD)
GB34043	RYAN	TRIMMER	1693(NEW)
GB34043	RYOBI	TRIMMER	613102
GB34043	STIHL	TRIMMER	4130-195-1600
GB34044	TECUMSEH	LAWNMOWER	590433
GB34045	KOHLER	LAWNMOWER	231705
GB34045	TECUMSEH	LAWNMOWER	28289
GB34045	KOHLER	GENERATOR / PUMP	231075
GB34046	KOHLER	LAWNMOWER	38-089-04
GB34046	TECUMSEH	LAWNMOWER	590487
GB34046	KOHLER	GENERATOR / PUMP	38-089-04



ACCESSORIES



REWIND SPRINGS



ACCESSORIES




GB PART NO.	SUITS	FITS	OEM
GB34047	HONDA	LAWNMOWER	28442-896-700
GB34048	HONDA	LAWNMOWER	28442-883-000
GB34048	HONDA	GENERATOR / PUMP	28442-883-000
GB34049	HONDA	LAWNMOWER	28442-896-000
GB34049	HONDA	GENERATOR / PUMP	28442-896-000
GB34050	HONDA	LAWNMOWER	28447-878-810
GB34051	STIHL	CHAINSAW	1111-195-1600
GB34051	STIHL	TRIMMER	1111-195-1600
GB34052	SACHS-DOLMAR	CHAINSAW	144 163 010 /119 163 010
GB34057	STIHL	CHAINSAW	1128-190-0600
GB34058	BRIGGS	LAWNMOWER	294303
GB34059	BRIGGS	LAWNMOWER	390066

Features:



PROMOTIONAL ITEMS



ACCESSORIES



PART NO.	DESCRIPTION	PACK QTY
GB1002	GB Baseball Cap	1




PART NO.	DESCRIPTION	PACK QTY
GB1003	GB Polo Shirt Economy (M,L,XL,XXL)	1
GB1018	GB Polo Shirt Deluxe (M, L, XL, XXL)	1



PART NO.	DESCRIPTION	PACK QTY
GB1004	GB Ski Vest- Large	1
GB1005	GB Ski Vest- X-Large	1
GB1006	GB Ski Vest- XX- Large	1



PART NO.	DESCRIPTION	PACK QTY
GB1016	GB Long Sleeve Business Shirt (M,L,XL,XXL)	1
GB1017	GB Short Sleeve Business Shirt (M,L,XL,XXL)	1



PROMOTIONAL ITEMS




ACCESSORIES



PART NO.	DESCRIPTION	PACK QTY
GB684	GB Jacket (L,XL,XXL)	1



PART NO.	DESCRIPTION	PACK QTY
GB681	GB Pen Set - Single	1
GB680	GB Pen Set - Double	1




PART NO.	DESCRIPTION	PACK QTY
	GB Plastic Pen	1



PART NO.	DESCRIPTION	PACK QTY
GB1007	GB Key Ring	1



PROMOTIONAL ITEMS



ACCESSORIES



PART NO.	DESCRIPTION	PACK QTY
GB1008	GB Stubby Holder (Beer Can)	1



PART NO.	DESCRIPTION	PACK QTY
GB682	GB Coffee Mug	1




PART NO.	DESCRIPTION	PACK QTY
GB1009	GB Travel Mug	1



PART NO.	DESCRIPTION	PACK QTY
GB1011	GB Wall Clock	1





PROMOTIONAL ITEMS




ACCESSORIES



PART NO.	DESCRIPTION	PACK QTY
GB683	GB Outdoor Chair	1



PART NO.	DESCRIPTION	PACK QTY
GB451	GB Dealer Repair Tags	1000




PART NO.	DESCRIPTION	PACK QTY
GB142	GB Wall Mount Bar Rack	1





PROMOTIONAL ITEMS



ACCESSORIES



PART NO.	DESCRIPTION	PACK QTY
GB1014	GB Decal - Autorised Dealer	1



PART NO.	DESCRIPTION	PACK QTY
GB1015	GB Decal - Australia	1




PART NO.	DESCRIPTION	PACK QTY
GB1013	GB Decal - Kangaroo	1



PART NO.	DESCRIPTION	PACK QTY
	GB Maxicore Sign	1





PROMOTIONAL ITEMS



ACCESSORIES



PART NO.	DESCRIPTION	PACK QTY
GB1020	GB Guide Bar Poster	1



PART NO.	DESCRIPTION	PACK QTY
GB148	GB Authorised Dealer Sign	1



PART NO.	DESCRIPTION	PACK QTY
GB143	GB Chainsaw Sign	1



PART NO.	DESCRIPTION	PACK QTY
GB144	GB Bar Mount Chart	1



GUIDE BAR CROSS REFERENCE



GB POWER TECH = OREGON PRO LITE

OREGON PROLITE	GB POWERTECH	PITCH	DLC
118SLBKO95	UHL11-58SH	.325"	52
	UHLX12-50SR	3/8"	45
138SLBKO95	UHL13-58SH	.325"	56
138SLDKO95	UHL13-58SG	3/8"	50
138SLDZO95		3/8"	52
130MLBKO95	UHL13-50SH	.325"	56
	UHL14-58SH	.325"	60
	UHL14-58SG	3/8"	54
150MLBKO95	UHL15-50SH	.325"	64
158SLGKO95		.325"	65
158SLBKO95	UHL15-58SH	.325"	64
158SLHKO95	UHL15-58SG	3/8"	56
160SLGZO95		.325"	65
160SLGKO95	UHL16-50SH	.325"	66
160PXDKO95		3/8"	59
168SLGZO95		.325"	65
168SLGKO95	UHL16-58SH	.325"	66
168SLBKO95	UHL16-58SH	.325"	66
168SLHKO95	UHLX16-58SG	3/8"	60
168SLDZO95	UHL16-58SG	3/8"	59
168SLDKO95	UHL16-58SG	3/8"	59
180SLGKO95	UHL18-50SH	.325"	72
180MLBKO95	UHL18-50SH	.325"	72
188SLGKO95	UHL18-58SH	.325"	72
188SLBKO95	UHL18-58SH	.325"	72
188SLHKO95	UHL18-58SG	3/8"	64
34372	UHLX16-58SH	.325"	68
39450	UHLX18-58SG	3/8"	68
208SLGKO95	UHL20-58SH	.325"	78
200SLGKO95	UHL20-50SH	.325"	78
	UHL20-58SG	3/8"	70
200SLHK095	UHL20-50SG	3/8"	70
160SLHD176	EX16-50SG	3/8"	60
168SLHD176	EX16-58SG	3/8"	60
168SLGD176	EX16-58SH	.325"	67
180SLHD176	E18-50SG	3/8"	64
188SLHD176	E18-58SG	3/8"	64
	EX18-50SG	3/8"	66
188SLGD176		.325"	72
200SLHD176	E20-50SG	3/8"	70
	EX20-50SG	3/8"	72

**CROSS
REFERENCE**



GB POWER TECH = OREGON PRO LITE

CROSS REFERENCE

OREGON PROLITE	GB POWERTECH	PITCH	DLC
138SLHD009	HV13-58SG	3/8"	52
138SLDD009	HV13-58SG	3/8"	52
158SLHD009	HV15-58SG	3/8"	56
168SLHD009	HV16-58SG	3/8"	60
178SLHD009	HV17-58SG	3/8"	64
188SLHD009	HV18-58SG	3/8"	68
200SLHD009	HV20-50SG	3/8"	72
208SLHD009	HV20-58SG	3/8"	72
240SLHD009	HV24-50SG	3/8"	84
248SLHD009	HV24-58SG	3/8"	84
168SLHD024	JO16-58SG	3/8"	60
188SLHD024	JO18-58SG	3/8"	68
208SLHD024	JO20-58SG	3/8"	72
	PO12-50SR	3/8"LP	45
138SLBK041	PO13-58SF	.325"	56
	PO14-50SR	3/8"LP	52
158SLBK041	PO15-58SH	.325"	64
158SLGK041	PO15-58SH	.325"	64
158SLBK041	PO15-58SH	.325"	64
	PO16-50SR	3/8"LP	57
160SLGK041	PO16-50SH	.325"	66
168SLBK041	PO16-58SH	.325"	66
180SLGK041	PO18-50SH	.325"	72
188SLGK041	PO18-58SH	.325"	72
200SLDK041	PO20-50SG	3/8"	70
200SLGK041	PO20-50SH	.325"	78
160GLHD196	N/A	3/8"	60
200GLHD196	N/A	3/8"	70
160SLHD276	MA16-50SG	3/8"	60
200SLHD276	MA20-50SG	3/8"	71
140SLBK218		.325"	56
160SLBK218		.325"	64
138SLBDO25	SN13-58SH	.325"	56
133SLBDO25	SN13-63SH	.325"	56
133SLHDO25	SN13-63SG	3/8"	52
153SLGDO25	SN15-63SH	.325"	62
153SLHDO25	SN15-63SG	3/8"	56
163SLGDO25	SN16-63SH	.325"	67
163SLHDO25	SN16-63SG	3/8"	60
168SLHDO25	SN16-58SG	3/8"	60
178SLHDO25		3/8"	64
183SLGDO25	SN18-63SH	.325"	74



GUIDE BAR CROSS REFERENCE



GB POWER TECH = OREGON PRO LITE

OREGON PROLITE	GB POWERTECH	PITCH	DLC
183SLHDO25	SN18-63SG	3/8"	66
198SLHDO25		3/8"	68
200SLHD025	SN20-50SG	3/8"	81
203SLGDO25	SN20-63SH	.325"	81
203SLHDO25	SN20-63SG	3/8"	72
240SLHDO25	SN25-50SG	3/8"	84
243SLHDO25	SN25-63SG	3/8"	84
	SW12-50SR	3/8LP	45
	SW14-50SR	3/8" LP	50
	SW14-63SH	.325"	56
	SW16-50SR	3/8" LP	55
163SLBA074	SW16-63SF	.325"	62
	SW16-63SH	.325"	62
183SLBA074	SW18-63SH	.325"	68

**CROSS
REFERENCE**



GB PRO TOP SPROCKET NOSE = OREGON POWER MATCH

CROSS REFERENCE

OREGON POWER MATCH	GB PRO TOP SPROCKET NOSE	PITCH	DLC
138RNBK095	UHL13-58PJ	.325"	56
138RNDK095	UHL13-58PA	3/8"	50
148RNBK095	UHL14-58PJ	.325"	61
158RNBK095	UHL15-58PJ	.325"	64
158RNDK095	UHL15-58PA	3/8"	56
168RNBK095	UHL16-58PJ	.325"	66
160RNBK095	UHL16-50PJ	.325"	66
160RNDZ095	UHL16-50PA	3/8"	59
168RNDK095	UHL17-58PA	3/8"	60
178RNDK095	UHL18-58PA	3/8"	64
180RNBK095	UHL18-50PJ	.325"	72
180RNDK095	UHLX20-50PA	3/8"	68
188RNBK095	UHL18-58PJ	.325"	72
188RNDK095	UHLX20-58PA	3/8"	68
188RNDZ095	UHL18-58PA	3/8"	64
200RNDZ095	UHL20-50PA	3/8"	70
200RNDK095	UHL21-50PA	3/8"	72
200RNBK095	UHL21-50PJ	.325"	78
208RNDK095	UHL21-50PA	3/8"	72
208RNBK095	UHL21-58PJ	.325"	78
8782C	UHLX21-58PJ	.325"	
228RNDK095	UHL22-58PA	3/8"	77
240RNDK095	UHL24-50PA	3/8"	84
248RNDK095	UHL24-58PA	3/8"	84
	UHL26-58PJ	.325"	
280RNDK095	UHL28-50PA	3/8"	93
	UHL28-58PJ	.325"	
8755D	E16-50PA	3/8"	59
8784D	E18-50PA	3/8"	64
8873D	EX20-58PA	3/8"	72
160RNDD176	EX16-50PA	3/8"	60
160GNDD176	EX16-50PA	3/8"	60
180RNDD176	EX18-50PA	3/8"	66
200RNDD176	E20-50PA	3/8"	70
200GNDD176	E20-50PA	3/8"	70
208RNDD176	E20-58PA	3/8"	70
240RNDD176	E24-50PA	3/8"	81
240GNDD176	E24-50PA	3/8"	81
248RNDD176	E24-58PA	3/8"	81
	EX24-50PA	3/8"	84
138RNDD009	HV13-58PA	3/8"	52
158RNDD009	HV15-58PA	3/8"	56
168RNDD009	HV16-58PA	3/8"	60



GUIDE BAR CROSS REFERENCE



GB PRO TOP SPROCKET NOSE = OREGON POWER MATCH

OREGON POWER MATCH	GB PRO TOP SPROCKET NOSE	PITCH	DLC
160RNDD009	HV16-50PA	3/8"	60
178RNDD009	HV17-58PA	3/8"	64
188RNDD009	HV18-58PA	3/8"	68
180RNDD009	HV18-50PA	3/8"	68
208RNDD009	HV20-58PA	3/8"	72
200RNDD009	HV20-50PA	3/8"	72
203RNDD009	HV20-63PA	3/8"	72
228RNDD009	HV22-58PA	3/8"	76
240RNDD009	HV24-50PA	3/8"	76
248RNDD009	HV24-58PA	3/8"	84
243RNDD009	HV24-63PA	3/8"	84
268RNDD009	HV26-58PA	3/8"	89
280RNDD009	HV28-50PA	3/8"	92
288RNDD009	HV28-58PA	3/8"	92
283RNDD009	HV28-63PA	3/8"	92
300RNDD009	HV30-50PA	3/8"	98
320RNDD009	HV32-50PA	3/8"	105
323RNDD009	HV32-63PA	3/8"	105
323RNFD009	HV32-63PB	.404"	105
343RNFD009	HV34-63PB	.404"	110
363RNDD009	HV36-63PA	3/8"	115
363RNFD009	HV36-63PB	.404"	104
423RNDD009	H426-63PA	3/8"	135
168RNDD024	JO16-58PA	3/8"	60
188RNDD024	JO18-58PA	3/8"	68
208RNDD024	JO20-58PA	3/8"	72
173RNFE031	S17-63PB	.404"	60
173RNDE031	S17-63PA	3/8"	67
213RNFE031	S21-63PB	.404"	68
213RNDE031	S21-63PA	3/8"	75
158RNDB083	DS15-58PA	3/8"	56
178RNDB083	DS18-58PA	3/8"	64
208RNDB083	DS21-58PA	3/8"	72
178RNDD033	DOL17-58PA	3/8"	64
208RNDD033	DOL20-58PA	3/8"	72
	DOL24-58PA	3/8"	80
	DOL29-58PA	3/8"	96
158RNBK041	PO15-58PJ	.325"	64
160RNBK041	PO16-50PJ	.325"	66
168RNBK041	PO16-58PJ	.325"	66
180RNBK041	PO18-50PJ	.325"	72
208RNBK041	PO20-58PJ	.325"	80
160RNDD196	N/A	3/8"	60

**CROSS
REFERENCE**

GB PRO TOP SPROCKET NOSE = OREGON POWER MATCH

CROSS REFERENCE

OREGON POWER MATCH	GB PRO TOP SPROCKET NOSE	PITCH	DLC
200RNDD196	N/A	3/8"	70
240RNDD196	N/A	3/8"	81
160RNDD276	MA16-50PA	3/8"	60
200RNDD276	MA20-50PA	3/8"	71
240RNDD276	MA24-50PA	3/8"	81
153RNBD025	SN15-63PJ	.325"	62
153RNDD025	SN15-63PA	3/8"	56
160RNBD025	SN16-50PJ	.325"	67
160RNDD025	SN16-50PA	3/8"	60
163RNBD025	SN16-63PJ	.325"	67
163RNDD025	SN16-63PA	3/8"	60
180RNBD025	SN18-50PJ	.325"	74
180RNDD025	SN18-50PA	3/8"	66
183RNBD025	SN18-63PJ	.325"	74
183RNDD025	SN18-63PA	3/8"	66
200RNBD025	SN20-50PJ	.325"	81
200RNDD025	SN20-50PA	3/8"	72
203RNDD025	SN20-63PA	3/8"	72
203RNBD025	SN20-63PJ	.325"	72
240RNDD025	SN25-50PA	3/8"	84
243RNDD025	SN25-63PA	3/8"	84
283RNDD025	SN28-63PA	3/8"	91
280RNDD025	SN28-50PA	3/8"	91
283RNFD025	SN28-63PB	.404"	83
300RNDD025	SN30-50PA	3/8"	98
303RNDD025	SN30-63PA	3/8"	98
320RNDD025	SN32-50PA	3/8"	105
323RNDD025	SN32-63PA	3/8"	105
323RNFD025	SN32-63PB	.404"	95
343RNDD025	SN34-63PA	3/8"	110
363RNDD025	SN36-63PA	3/8"	114
363RNFD025	SN36-63PB	.404"	104
423RNDD025	SN42-63PA	3/8"	135



GUIDE BAR CROSS REFERENCE



GB PROFESSIONAL HARD TOP = OREGON LASER TIP & LASER LITE

OREGON LASERTIP	OREGON LASERLITE	GB HARDTOP	PITCH	DLC
160ATMD009	160LAMD009	HV16-50	3/8"	60
168ATMD009	168LAMD009	HV16-58	3/8"	60
173ATMD009		HV16-63	3/8"	68
180ATMD009	180LAMD009	HV18-50	3/8"	68
188ATMD009	188LAMD009	HV18-58	3/8"	68
200ATMD009	200LAMD009	HV20-50	3/8"	72
203ATMD009	203LAMD009	HV20-63	3/8"	72
208ATMD009	208LAMD009	HV20-58	3/8"	72
240ATMD009	240LAMD009	HV24-50	3/8"	84
243ATMD009	243LAMD009	HV24-63	3/8"	84
248ATMD009	248LAMD009	HV24-58	3/8"	84
160ATMD025	160LAMD025	SN16-50	3/8"	60
163ATMD025	163LAMD025	SN16-63	3/8"	60
180ATMD025	180LAMD025	SN18-50	3/8"	66
183ATMD025	183LAMD025	SN18-63	3/8"	66
200ATMD025	200LAMD025	SN20-50	3/8"	72
203ATMD025	203LAMD025	SN20-63	3/8"	72
240ATMD025	240LAMD025	SN25-50	3/8"	84
243ATMD025	243LAMD025	SN25-63	3/8"	84
160ATMD176	160LAMD176	EX16-50	3/8"	60
		E16-50	3/8"	59
180ATMD176	180LAMD176	EX18-50	3/8"	66
		E18-50	3/8"	64
200ATMD176	200LAMD176	E20-50	3/8"	70
		EX20-50	3/8"	72
		E24-50	3/8"	81
		EX24-50	3/8"	84
		UHL13-58	.325"	56
		UHL14-58	.325"	60
		UHL15-58	.325"	64
160ATMK095		UHL17-50	3/8"	60
160ATMZ095		UHL16-50	.325"	66
160ATMZ095			3/8"	59
168ATMK095		UHL17-58	3/8"	60
		UHL17-58	.325"	68
180ATMK095		UHLX20-50	3/8"	68
180ATMZ095		UHL18-50	.325"	72
188ATMK095			3/8"	68
200ATMK095		UHL21-50	3/8"	72
200ATMZ095		UHL20-50	.325"	78
200ATMZ095			3/8"	70
208ATMK095		UHL21-58	3/8"	72

CROSS REFERENCE



GB PROFESSIONAL HARD TOP
 = OREGON LASER TIP & LASER LITE

OREGON LASERTIP	OREGON LASERLITE	GB HARDTOP	PITCH	DLC
120LAXA041		PO12-50	3/8LP	47
140LAXA041		PO14-50	3/8LP	52
160LAXA041		PO16-50	3/8LP	58
120LAXA061		HX12-50	.325"	53
140LAXA061		HX14-50	.325"	59
160LAXA061		HX16-50	.325"	67
168ATMD024		JO16-58	3/8"	60
188LAMD024	188LAMD024	JO18-58	3/8"	68
208ATMD024		JO20-58	3/8"	72
238ATMD024		JO23-58	3/8"	80
258ATMD024		JO25-58	3/8"	88
308ATMD024		JO30-58	3/8"	98
158ATMB083		DS15-58	3/8"	56
178ATMB083		DS18-58	3/8"	64
218ATMB083		DS21-58	3/8"	72
		DS24-58	3/8"	80
173ATMD033		DO17-63	.404"	61
		DO21-63	.404"	70
		DO25-63	.404"	78
		DO30-63	.404"	92
		DO33-63	.404"	100
		DO37-63	.404"	109
		DO44-63	.404"	126
		DOL17-58	3/8"	64
208ATMD033		DOL20-58	3/8"	72
		DOL24-58	3/8"	80
213ATMF014		H21-63	3/8"	78
253ATMF014		H25-63	3/8"	90
173ATLE031		S17-63	.404"	66
213ATLE031		S21-63	.404"	75
253ATLE031		S25-63	.404"	88
173ATME031		S17-63	.404"	60
173ATME031		S21-63	.404"	75
173ATME031		S25-63	.404"	88
213ATLE086		SL21-63	.404"	72
253ATLE099		SLD25-63	.404"	84
303ATLE099		SLD30-63	.404"	92
		SLD33-63	.404"	100
363ATLE099		SLD36-63	.404"	104
423ATLE099		SLD42-63	.404"	122



GUIDE BAR CROSS REFERENCE




GB MINI CUT = OREGON CONSUMER BAR

(PRO91, 3/8")

OREGON PRO 91	OREGON DOUBLE GUARD 91	GB MINICUT	PITCH	DLC
120GPEA041	120SDEA041	PO12-50CR	3/8LP	45
120SDEZ041			3/8LP	46
140GPEA041	140SDEA041	PO14-50CR	3/8LP	52
160GPEA041	160SDEA041	PO16-50CR	3/8LP	57
160SDEZ041			3/8LP	56
080SDEA218			3/8LP	34
100SDEA218			3/8LP	39
120SPEA218	120SDEA218	M12-50CR	3/8LP	44
140SPEA218	140SDEA218	M14-50CR	3/8LP	49
160SPEA218	160SDEA218	M16-50CR	3/8LP	55
180SXE218		M18-50CR	3/8LP	60
120SDEA074		SW12-50CR	3/8LP	44
140SPEA074	140SDEA074	SW14-50CR	3/8LP	50
160SPEA074	160SDEA074	SW16-50CR	3/8LP	55
120SDEA064		F12-50CR	3/8LP	45
140SPEA064	140SDEA064	F14-50CR	3/8LP	52
160SPEA064	160SDEA064	F16-50CR	3/8LP	56
120GPEA061	120DGEA061	HX12-50CR	3/8LP	48
140GPEA061			3/8LP	52
140DGEA061		HX14-50CR	3/8LP	53
160GPEA061	160DGEA061	HX16-50CR	3/8LP	59
120SPEA095	120SDEA095	UHLX12-50CR	3/8LP	45
140SPEA095	140SDEA095		3/8LP	52
160SPEA095	160SDEA095		3/8LP	56
120SDEA089			3/8LP	45
140SDEA089			3/8LP	50
160SDEA089			3/8LP	56
140SZEB100			3/8LP	52
120SXEB004			3/8LP	47
140SXEB004			3/8LP	53
160SXEB004			3/8LP	58

CROSS REFERENCE





SPROCKETS CROSS REFERENCE




CROSS REFERENCE

Oregon Part No.*	GB Part No.	HERR Part No.	Pitch /Teeth	System	Application
10612X	ST322LCB7X	185-13	.404-7	Rim	Stihl 070, 640, 1106, 2025
10616	H0108LCB7N		.404-7	Rim	Homelite 7-19, 600D, 700D, 707D, 770D, 775D, C5, C7, C9, C51, C71, C72, C91, EZ, EZ6, SUPER ZIP, SXP1020, XP1000, XP1020, XP1100, ZIP
10617	P0528LCA7X	N227-11	3/8-7	Rim	Poulan/Poulan Pro 360, 361, 400, 401, 450, 451
10624	MC441LCB7N	N175-13	.404-7	Rim	McCulloch 1-70 SERIES, 105, 125, 200, 250, 300, 380, 440, 450, 550, 740, 790, 795, 797 (1/2" bearing), CP-125, SP-125
10625X	ST301LCB7X	187-13	.404-7	Rim	Stihl 07S, 08, S-10, 640, 1108, 2025
12667X			3/8-7	Rim	Jonsered 1020 Partner 421, 7000, F55, F65, P70, R16 through R22, R420, 50, S55, S65
13916X	ST309LCB7X	045-11	3/8-7	Rim	OLEO-MAC 251, 252, 254, 254, 350 (before 1988), 355 Stihl 041 (before S/N 5664891)
14026X			.404-8	Rim	Homelite 9-23, 650, 750, 900D, 909D, 990D, 995D, 1050 AUTO, 2000 AUTO, 2000E, 2100 AUTO, BUZ 500, SUPER 1050 AUTO, SUPER 2100 AUTO, XP1020 SUPER, XP2000
16208X	EC212LCA7X	353-11	3/8-7	Rim	Echo CS-60, SC-60S
16372RX	DO151LCA7X		3/8-7	Rim	Dolmar 122, 123, 133, 143, CA
16372AX	DO151LCB7X		.404-7	Rim	Dolmar 122, 123, 133, 143, CA
18200X	ST309LCA7X	183-11	3/8-7	Rim	Stihl 030, 031, 041 (after S/N 5664891), 007, 1040, 1113
18242X	JO253SCA7X	N260-26	3/8-7	Rim	Jonsered 45, 49, 50, 51, 52, 451, 521
19117X	HU405SCJ7N	N303-24	.325-7	Rim	Husqvarna 44, 140, 240, 340, 444
21238X	JO253SCJ8X	N260-25	.325-8	Rim	Jonsered 45, 49, 50, 51, 52, 451, 521
21358X	EC208SCA7X	355-11	3/8-7	Rim	Echo CS-451, CS-452, CS-500, CS-510, CS-550, CS-610 John Deere 50V, 55V, Redmax G-561, G-621 Sears 35826 35829
21426X	MC443LCB7N	N176-13	.404-7	Rim	McCulloch 155, 165, 355, 365, 375, 515, 610, 650, 655, 700, 805, 850, 855, MAC 1-10 through 10-10 PRO MAC 55, SP-70
21932X			.404-7	Rim	Jonsered 1020 Partner 421, 7000, F55, F65, P70, R16 through R22, R420, S50, S55, S65
22132X	HU406LCB7N	N302-13	.404-7	Rim	Husqvarna 181, 185, 281, 285, 288, 298, 394, 1100, 2100, 2101
22209	HU402LCA7N	N302-12	3/8-7	Rim	Husqvarna 77, 160, 163, 180, 260, 263, 280, 380, 480, L-65
22262X	ST323LCB7X	184-13	.404-7	Rim	Stihl 050, 051, 075, 076, 640, 1111, 2025
22271X	ST323LCA8X	184-12	3/8-8	Rim	Stihl 050, 051, 075, 076, 640, 1111, 2026
23136X			.404-7	Rim	Echo CS-900, CS1001
23706X	PO526LCA7X	N228-11	3/8-7	Rim	Poulan/Poulan Pro 245, 306, 4200, 4400, 4900, 5200, 5400 Sears 35881, 35884
24139X	HU411SCJ8N	N110-25	.325-8	Rim	Husqvarna 50, 51, 55, 154, 254, 262, Jonsered 490, 590 Partner P400, P500, P5000 Poulan/Poulan Pro 325






SPROCKETS CROSS REFERENCE



Oregon Part No.*	GB Part No.	HERR Part No.	Pitch /Teeth	System	Application
24256	HU402LCB7N	N301-13	.404-7	Rim	Husqvarna 77, 160, 163, 180, 260, 263, 280, 380, 480, L-65
25842X			3/8-7	Rim	Partner P-85, P-100 (after March 1977)
26098X	EC215LCA7X	356-11	3/8-7	Rim	Echo CS-602, CS-702, CS-750 John Deere 60V, 70V, 80EV, 0, 005, 175, 1023
26580X	JO257LCA7X		3/8-8	Rim	OLEO-MAC 260, 261, 271, 272, 280, 281, 284, 400, 460, 461, 480, 481, 482
26831	HU400LCA7N	N304-11	3/8-7	Rim	Husqvarna 61 (after S/N 0510572), 266 (after S/N 0510000), 268 (after S/N 0510000), 272 (after 0510000) Jonsered 625 (after S/N 0510123), 630 (after S/N 0510000), 630 SUPER (after S/N 0510000), 630 WEST COAST (after S/N 10510000), 670 (after S/N 0510153)
26950X	JO260SCJ8X	N218-25	.325-8	Rim	Jonsered 450, 455, 510, 525, 535; 2051, 2054, 2055 (2051, 2054, and 2055 all use bearing # 37504)
27189X	DO158LCA7X	364-11	3/8-7	Rim	Dolmar 112, 113, 114, 116, 116SI, 117, 119, 120, 120SI, 120 SUPER Makita DCS6000i, DCS6800i
27193X	DO153LCB7X		.404-7	Rim	Dolmar 152, 153, 166 Poulan/Poulan Pro 5500, 6000
27440X	PI502LCA7N		3/8-7	Rim	Pioneer 1160, 1200, 1420, 2270, 2400, 3071, 3200, P-38, P-41, P-42, P-51, P-52, P-60, P-61, P-62, FARM-SAW, Poulan/Poulan Pro 405, 455, 525, 655
27958	HO100R6N	N158-M6	3/8-6LP	Spur	Homelite 190, SUPER 2, SUPER 2CC, VI SUPER 2,
	HO100K8X	N158-K9	1/4-8LP	Spur	XEL, XL XL2, XL MINI
27999	EC201R6X	354-M6	3/8-6LP	Spur	Echo CS-280, CS-290, CS-300 John Deere 25EV, 005, 175, 13931
28000	EC203R6X	354-M6	3/8-6LP	Spur	Echo CS-301, CS-302, CS-315, CS-330, CS-351, CS-360 John Deere 28, 30, 35, 35EV, 40V
28001	FR181R6N FR181-K8X	N217-M6 N217-K8	3/8-6LP 1/4-8T	Spur Spur	Frontier F-35, FB-35, Husqvarna 33, 34, 35, 37, 38 Jonsered 36, 361, 365, 370 Partner 22, 330, 350, 1612, 1613, 1614, 1616, MINI P, P2, P3, PA Pioneer P-12
28004	PO529R6N PO529-K8X	B224-M6 B224-K8	3/8-6LP 1/4-8T	Spur Spur	Poulan/Poulan Pro 180, 205, 225, 235, 1800, 2000, 2100, 2300, 2400, MICRO 25
28006	PO530R6O PO530-K8X	B225-M6 B225-K9	3/8-6LP 1/4-8T	Spur Spur	Poulan/Poulan Pro 25 Series (except MICRO 25), S25 Sears 35235, 35238, 35255, 25256
28016X	ST303R6X	081-M6	3/8-6LP	Spur	Stihl 009, 010, 011, 640, 1120, 2000
28094X	HU406LCA7N	N302-12	3/8-7	Rim	Husqvarna 181, 185, 281, 285, 288, 298, 394, 1100, 2100, 2101
28187X	PO531LCA7X	N230-11	3/8-7	Rim	Poulan/Poulan Pro 375, 395, 3400, 3700, 3800, 4000 Sears 35885
28563X	JO259LCA8X	263-12	3/8-8	Rim	Jonsered 820, 910, 920, 930
28611X			.325-8	Rim	Pioneer 970, 1072, 1073, 1074, 2071, 2073, HOLIDAY II, P-20, P-21, P-25, P-26, P-28
29105		N268-24	.325-7	Rim	Husqvarna 42, 133, 234, 238, 242 (before S/N 3441001)

CROSS REFERENCE



SPROCKETS CROSS REFERENCE




CROSS REFERENCE

Oregon Part No.*	GB Part No.	HERR Part No.	Pitch /Teeth	System	Application
29175X	HU411SCJ7N	N110-24	.325-7	Rim	Husqvarna 50, 51, 55, 154, 254, 262 Jonsered 490, 590 Partner P400, P500, P5000 Poulan/Poulan Pro 325
29243X	EC206SCJ7X		.325-7	Rim	Echo CS-400, CS-440, CS-3900 John Deere 45, 105, 175, 14530
29250	OL554SCJ7X		.325-7	Rim	OLEO-MAC 950, 951, 942, 945, 946, 938, 941
29313X	EC202-R6X	355-11 359M6	3/8-7 3/8-6	Rim Spur	Echo CS-650, CS-660 John Deere 65EV
29496X	JO260SCA7X	N218-26	3/8-7	Rim	Jonsered 450, 455, 510, 525, 535, 2051, 2054, 2055, (2051, 2054, and 2055 all use bearing # 37504)
29888	MC446R6N	N177-M6	3/8-6LP	Spur	McCulloch 365, 2000, 2010, 2012, 2014, 2016, 2116, 2316, 2318, 3000 3210, 3214, 3216, 3505, 3516, 3805, 3818 MAC 110-140, MINI MAC, PM480, POWER MAC 310-340, PRO MAC 3205AV-14, TITAN 35-40
29917X	ST315SCA7X		3/8-7	Rim	Stihl 028, 028 SUPER, 007, 1007, 1118
29972X	ST317LCB7X		3/8-7	Rim	Stihl 056S (after S/N 10963560), 007, 1045, 1115
30384X	ST315SCJ7X		.325-7	Rim	Stihl 028, 028 SUPER, 007, 1004, 1118
30432X	HO112A7N	N157-A7	3/8-7	Spur	Homelite 150 AO, 350, 350HG, 350SL, (with 2-5/8" clutch with 5/8" -dia. shaft), EZ, EZ 250 AO, EZ AUTO, SEZ AO SXL MINI AO, VI 123, XL76 (without brake), XL 101, XL MINI AO
30666X	HO113LCA7N	N148-11	3/8-7	Rim	Homelite 450, 550, SUPER XL 925 (with 6-shoe clutch), SUPER XL AUTO, VI 944, VI 955, XL (800-924), XL-12 (after S/N 1735838), XL AUTO
30672X	HO112LCA7N	N157-11	3/8-7	Rim	Homelite 150AO, 350, 350HG, 350SL (with 2-5/8" clutch with 5/8" dia. shaft), EZ, EZ 250 AO, EZ AUTO, SEZ AO, SXL MINI AO, VI 123, XL76 (without brake), XL 101, XL MINI AO
30681X	HO113-A7N	N148-A7	3/8-7	Spur	Homelite 450, 550, SUPER XL 925 (with 6-shoe clutch), SUPER XL AUTO, VI 944, VI 955, XL (800-924), XL-12 (after S/N 1735838), XL AUTO
30685X	HO118-A7N	N151-A7	3/8-7	Rim	Homelite 330, 350, 350HG, 350SL (with 3" clutch), 360, 410, VI 123, VI 125, XL (76-100 Series)
30688X	HO118-A7N	N151A7	3/8-7	Spur	Homelite 330, 350, 350HG, 350SL (with 3" clutch), 360, 410, VI 123, VI 125, XL (76-100 Series)
30869X	EC206SCA7X		3/8-7	Rim	Echo CS-400, CS-440, CS-3900 John Deere 45, 005, 175, 14530
31071X	JO257LCA7X		3/8-7	Rim	OLEO-MAC 260, 261, 271, 272, 280, 281, 284, 400, 460, 461, 480, 481, 482
32057	HU400A7N	N304-A7	3/8-7	Spur	Husqvarna 61 (after S/N 0510572), 266 (after S/N 0510000), 268 (after S/N 0510000), 272 (after S/N 0510000) Jonsered 625 (after S/N 0510123), 630 (after S/N 0510000), 630 SUPER (after S/N 0510000), 630 WEST COAST (after S/N 10510000), 670 (after S/N 0510153)
		OL552-J8X		3/8-8	030, 031, 032, 041 (after S/N 5664891)






SPROCKETS CROSS REFERENCE



Oregon Part No.*	GB Part No.	HERR Part No.	Pitch /Teeth	System	Application
32058	HU402A7N	N301-A7	3/8-7	Spur	Husqvana 77, 160, 163, 180, 260, 263, 280, 380, 480, L-35
32059X	HU406A7N		3/8-7	Spur	Husqvana 181, 185, 281, 285, 288, 298, 394, 1100, 2100, 2101
32060X	OL552-J7X	045-L8	3/8-7	Spur	OLEO-MAC 251, 252, 254, 350, (before 1988) 355 Stihl
32061X	ST311A7X	192-A7	3/8-7	Spur	Stihl 038, 640, 1119, 2000
32062X	PO526A7X PO526-B7X	N228-A7 N228-B7	3/8-7 .404-7	Spur Spur	Poulan/Poulan Pro 245, 306, 4200, 4400, 4900, 5200, 5400 Sears 35881, 35884
32063X	ST317A7X	180-A7	3/8-7	Spur	Stihl 045, 056S (before S/N 10963560), 640, 115, 2001
32064X	ST314-A7X	194-A7	3/8-7	Spur	Stihl 048, 640, 1117, 2001
32071	HU400-A8N	N304-A8	3/8-8	Spur	Husqvarna 61 (after S/N 0510572), 266 (after S/N 0510000), 268 (after S/N 0510000), 272 (after S/N 0510000) Jonsered 625 (after S/N 0510123), 630 (after S/N 0510000), 630 SUPER (after S/N 0510000), 630 WEST COAST (after S/N 10510000), 670 (after S/N 0510153)
32072X	ST323B7X	184-B7	.404-7	Spur	Stihl 050, 051, 075, 076, 640, 1111, 2002
32125	HU402B7N	N301-B7	3/8-8	Spur	Husqvarna 77, 160, 163, 180, 260, 263, 280, 380, 480, L-65
32162X			.325-8	Rim	Dolmar 109, 110, 111, 115 Makita DCS 340, DCS 520I DCS4300, DCS 5200I
32457X	ST308SCJ7X	191-24	.325-7	Rim	Stihl 024, 026, (before S/N X25809074), 007, 1001, 1121
32669X	ST322B7X	185-B7	.404-7	Spur	Stihl 070, 640, 1106, 2011
32778X	PA474-A7X	185-B7	3/8-7	Spur	Jonsered 1020 Partner 421, 7000, F55, F65, P70, R16 through R22, R420, S50, S55, S65
32782X	EC212A7X	353-A7	3/8-7	Spur	Echo CS-60, CS-60S
32786X	MC443A7N	N176-A7	3/8-7	Spur	McCulloch 155, 165, 355, 365, 375, 515, 610, 655, 700, 805, 850, 855, MAC1-10 through 10-10, PRO MAC 55, SP-70
32790X	PO531A7X	N230-A7	3/8-7	Spur	Poulan/Poulan Pro 375, 395, 3400, 3700, 3800, 4000 Sears 35885
32794X	EC208A7X	355-A7	3/8-7	Spur	Echo CS-451, CS-452, CS-500, CS-510, CS-550, CS-610 John Deere 50V, 55V Redmax G-561, G-621 Sears 35826, 35829, 0, 005, 175, 1103
32798X	EC215A7X	356-A7	3/8-7	Spur	Echo CS-602, CS-702, CS-750 John Deere 60V, 70V, 80EV, 0, 005, 175, 1023
32940X	JO251SCJ7X		.325-7	Rim	Jonsered 410, 420, 425, 435
32943X	JO251SCJ8X		.325-8	Rim	Jonsered 410, 420, 425, 435
33807X	JO260SCJ7X		.325-7	Rim	Jonsered 450, 455, 510, 525, 535, (models 450-535 use bearing #37501), 2051, 2054, 2055 (models 2051-2055 use bearing #37504)
34162X	ST316SCA7X		3/8-7	Rim	Stihl 029, 034, 034 SUPER, 036, 039, 007, 1001, 1125
34254X	PO527SCJ7X	N231-24	.325-7	Rim	Poulan/Poulan Pro 285, 305, 335, 336, 2800, 3000, 3300

CROSS REFERENCE





SPROCKETS CROSS REFERENCE




CROSS REFERENCE

Oregon Part No.*	GB Part No.	HERR Part No.	Pitch /Teeth	System	Application
34474X			.325-7	Rim	Echo CS-4000, CS-4500, CS-4600, CS-5000, CS-5500
35460X	ST328LCB7X	082-13	.404-7	Rim	Stihl 064, 066, 007, 1002, 1122
35464X	ST328LCA7X	082-11	3/8-7	Rim	Stihl 064, 066, 007, 1000, 1122
35641X	HU407SCJ7N	N265-24	.325-7	Rim	Husqvarna 40,45 Jonsered 2045, 2050
35992X	ST301B7X	187-B7	.404-7	Spur	Stihl 07S, 08, S-10, 640, 1108, 2000
36868X	HU411SCA7X	N110-26	3/8-7	Rim	Husqvarna 50, 51, 55, 154, 254, 262 Jonsered 490, 590 Partner P400, P500, P5000
37395X			3/8-7	Rim	Husqvarna 3120 XP, JUNGLE 3120
37458X			3/8-7	Rim	Homelite SUPER XL925 (with 3-shoe clutch)
37969X			.404-7	Rim	Husqvarna 3120 XP, JUNGLE 3120
37990	HO102LCA7N	N147-11	3/8-7	Rim	Homelite XL12 (before S/N 1735838)
38003			.325-7	Rim	Homelite 240, 245
38010			3/8-7	Rim	Homelite 240, 245
38032	EC201SCA7X		3/8-7	Rim	Echo CS-280, CS-290, CS-300
38033	EC204SCA7X		3/8-7	Rim	Echo CS-301, CS-302, CS-315, CS-330, CS-351, CS-360 John Deer 28, 30, 35, 35EV, 40
38065X	EC206J7X	357-L7	.325-7	Spur	Echo CS-400, CS-440, CS-3900 John Deere 45, 105, 175, 14530
38071X	HU411J7N	N110-L7	.325-7	Spur	Husqvarna 50, 51, 55, 154, 254, 262 Jonsered 490, 590 Partner P400, P500, P5000 Poulan/Poulan Pro 325
38075X	DO158A7X	364-A7	3/8-7	Spur	Dolmar 112, 113, 114, 116, 116SI, 117, 119, 120, 120SI, 120 SUPER, Makita DCS 6000i, DCS 6800i
38076X	ST308J7X	191-L7	.325-7	Spur	Stihl 024, 026 (before S/N X25890974), 640, 1121, 2000
38145X	ST316J7X	193-A7	3/8-7	Spur	Stihl 029, 034, 034 SUPER, 36, 039, 640, 1125, 2005
38147X	MC450SCJ8X		.325-7	Rim	McCulloch DOUBLE EAGLE 50, 57, TITAN 50-57, 70
38470X	ST320LCA7X	086-11	3/8-7	Rim	Stihl 044, 046, 007, 1000, 1128, MS440
38471X	ST320A7X	086-A7	3/8-7	Spur	Stihl 044, 046, 640, 1128, 2000, MS460
38824X		366-26	3/8-7	Rim	Dolmar 109, 110, 111, 115, Makita DCS 430, DCS 520i, DCS5200i
39245	HU406B7N	N302-B7	.404-7	Spur	Husqvarna 181, 185, 281, 285, 288, 298, 394, 1100, 2100, 2101
39668X	JO262LCA7X	N302-11	3/8-7	Rim	Jonsered 2094, 2095
40068	HU412SCJ7N	N270-24	.325-7	Rim	Husqvarna 42, 242, (after S/N 3441001), 246
40070X	HU413SCA7N	267-26	3/8-7	Rim	Husqvarna 254 (after S/N 345-0001), 257 (after S/N 314-0001), 262 (after S/N 345-0001)
40071X	HU413SCJ8N	267-25	.325-8	Rim	Husqvarna 254 (after S/N 345-0001), 257 (after S/N 314-0001), 262 (after S/N 345-0001)
40371X		269-11	3/8-7	Rim	Partner 7700 Poulan/Poulan Pro 415, 475 Jonsered 2077
41569X	PA475R6N	266-M6	3/8-6LP	Spur	Husqvarna 36, 41 Jonsered 2036, 2040, 2041 Partner 365, 405 Poulan/Poulan Pro 255, 295, 2500, 2600






SPROCKETS CROSS REFERENCE



Oregon Part No.*	GB Part No.	HERR Part No.	Pitch /Teeth	System	Application
41725X	PA475J7N	266-L7	.325-7	Spur	Husqvarna 36, 41 Jonsered 2036, 2040, 2041 Partner 365, 405 Poulan/Poulan Pro 255, 295, 2500, 2600
41726X	PA475SCJ7N	266-24	.325-7	Rim	Husqvarna 36, 41 Jonsered 2036, 2040, 2041 Partner 365, 405 Poulan/Poulan Pro 255, 295, 2500, 2600
68209X	MC443LCA7N	N176-11	3/8-7	Rim	McCulloch 155, 165, 355, 365, 375, 515, 610, 650, 655, 700, 805, 850, 855, MAC 1-1 thru 10-10, PRO MAC 55, SP-70
100757	HU413SCA7N	267-11	3/8-7	Rim	Husqvarna 254 (after S/N 345-0001), 257 (after S/N 314-0001), 262 (after S/N 345-0001) Oleo Mac 956, 962
100758X	HU413CJ7N	267-24	.325-7	Rim	Husqvarna 254 (after S/N 345-0001), 257 (after S/N 314-0001), 262 (after S/N 345-0001) Oleo Mac 956, 962
100791X	ST310SCJ7X	085-24	.325-7	Rim	Stihl 024, 026 (after S/N X2589074), 007, 1001, 1121
100876X	ST310J7X	085-L7	.325-7	Spur	Stihl 024, 026 (after S/N X2589074), 640, 1121, 2000
100961X	ST305SCJ7X	084-24	.325-7	Rim	Stihl 017, 021, 023, 025, 007, 1003, 1123
100962X	ST305R6X		3/8-6LP	Spur	Stihl 017, 021, 023, 025, 640, 1123, 2005, MS170, MS180, MS210, MS250
102383X	JO264LCA7X	269-11	3/8-7	Rim	Jonsered 2077, 2083
102469	HU400LCA7N		3/8-7	Rim	Husqvarna 61 (before S/N 0510572), 66, 162, 266, (before S/N 0510000), 268 (before S/N 0510000), 272 (before S/N 0510000) Jonsered 625 (after S/N 0510123), 630 (after S/N 0510000), 630 SUPER (after S/N 0510000), 630 WEST COAST (after S/N 0510000), 670 (before S/N 0510153)
103217X	OL555R6X	264-M6	3/8-6LP	Spur	Oleo Mac 935
105232X	JO262-J7X		.325-8	Spur	Jonsered SAWMILL 2095
105772X	JO265LCA7X		3/8-7	Rim	Husqvarna 371
106114	P0532R6N		3/8-6LP	Spur	Poulan/Poulan Pro 230, 260, 2050, 2075, 2150, 2175, 2250, 2450, 2550, Sears 351062, 351142, 351161, 351181, 352161, 352180
108567	HO121A7N		3/8-7	Spur	Homelite 3300, 3350, 3800, 3850
106906X	EC202R6X	359-M6	3/8-6LP	Spur	Echo 3000, 3400, 3450
106656X	PA475J7N	266-L7	.325-7	Spur	Husqvarna 36, 41, 136, 141 Partner 365, 405 Poulan/Poulan Pro 210, P600, 2750, 2900, 3050 Jonsered 2036, 2040, 2041
106658X	HU407J7N	N265-L7	.325-7	Spur	Husqvarna 40, 45 Jonsered 2045, 2050
108564X	JO262LCA7X	N302-11	3/8-7	Rim	Jonsered 2095
105232X	JO262A7X		3/8-7	Spur	Jonsered 2095
106593X	PA475SCA7N		3/8-7	Rim	Husqvarna 36, 41, 136, 141 Partner 365, 405 Poulan/Poulan Pro 210, P600, 2750, 2900, 3050 Jonsered 2036, 2040, 2041
106068X	OL554J7X		.325-7	Spur	Oleo Mac 938, 941, 942, 945, 946, 951
11893	PI502A7N	N206-A7		Spur	Poulan/Poulan Pro 405-655

CROSS REFERENCE



SPROCKETS CROSS REFERENCE



CROSS REFERENCE

Oregon Part No.*	GB Part No.	HERR Part No.	Pitch /Teeth	System	Application
107504X	PO527J7X	N231-L7	.325-7	Spur	Poulan/Poulan Pro 285-3300, 2700
106114			3/8-6LP	Spur	Partner 351
106657X	ST305J7X		.325-7	Spur	Stihl 017, 021, 023, 025
18720	ST316SCA7X		3/8-7	Rim	Stihl 029, 034, 036, 039
29250	OL554SCJ7X		.325-7	Rim	Oleo Mac 942, 946, 951
28005	AL602R6X		3/8-6LP	Spur	Alpina 330, 380, 35, 40





SPROCKET BEARINGS CROSS REFERENCE



GB PART NUMBER	OREGON PART NUMBER
081008	11893
081110	22152
091110	21276
101208	11807
101310	37325
101312	-
101313	37511
101316	-
101323	37517
101410	37509
101412	37507
101413	-
101612	37504
111413	12069
121510	-
121513	31153
121613	37501
121624	37514
121713	-
121812	-
131110	27805
131512	37501
131714	-
141713	16204
141717	25518
141814	20876
141812	-
141912	37486
151814	38799
151816	-
151817	37431
151822	37825
151917	13061
161913	-
58000	35184
810	12733
89502	11893
B68	28034
B78	19535
B88	11999
B910	12067
C1418-1	35184

CROSS REFERENCE

