

*una squadra vincente
per ogni trasporto
a winning team for
all kind of transport*

Grazioli

MACCHINE AGRICOLE



RIMORCHI

DUMPER - TRILATERALI - FISSI

DUMPER TIPPING TRAILERS - THREE-WAY - FIXED

RIMORCHI DUMPER DUMPER

SERIE DOMEX

Gamma completa di rimorchi Dumper caratterizzati dalla forma conica ed arrotondata del cassone.

A wide range of Dumper trailers featured by the conic and round-shaped of the dumper itself.



DOMEX
BS 200

TRAILERS



Prolunga per telone.
Extension part for tarpaulin.

DOMEX
BS 140



DOMEX
BS 60

DOMEX
BS 120/140



BS 200 Tandem



SERIE BS

Caratteristiche costruttive

- Telaio in acciaio scatolato fino al BS60, oltre in acciaio trave HE;
- Cassone in lamiera liscia con imbutiture;
- Portellone posteriore rialzato idraulico;
- Sistema di sospensione con balestre Cantilever o Torpress;
- Freni pneumatici o idraulici;
- Scaletta anteriore;
- Cassetto e parafanghi zincati.

Technical design characteristics:

- Box-type steel frame up to BS60, over in HE beam steel;
 - Body in smooth plate with drawing;
 - Hydraulic raised back door;
- Suspension system by Cantilever or Torpress leaf springs;
- Hydraulic or pneumatic-operated brakes;
- Front ladder;
- Galvanized fenders and box.

BS 120 Tandem INOX



Tipo: Type:	Serie DOMEX	Omologato q.li lordi <i>Approved quintals</i> (gross)	Dimensioni interno cassone m <i>Size of the inside dump body m</i>	Tara kg <i>Tare kg</i>	Portata effettiva kg <i>Real capacity kg</i>	Pneumatici seminuove <i>Almost new tyres</i>	Capacità mc. senza sovrasponde <i>Capacity without over side panels mc.</i>
DOMEX BS 60		60	4,30x2,13x1,40	2.000	7.000	385/65 R22.5	12,00
DOMEX BS 120 TANDEM		120 / 140	4,50x2,13x1,40	4.000	9.000	385/65 R22.5	13,00
DOMEX BS 140 TANDEM		140	5,20x2,30x1,70	5.500	14.000	18 R22.5	20,00
DOMEX BS 140/S TANDEM		140	6,00x2,30x1,70	6.000	15.000	18 R22.5	23,00
DOMEX BS 200 TRE ASSI		200	6,50x2,30x1,90	7.000	20.000	18 R22.5	28,00
DOMEX BS 200 TRE ASSI/P		200	7,50x2,30x1,90	8.000	20.000	18 R22.5	31,50

