

2009



HUNTING OPTICS CATALOG

Whether you're bowhunting in a stand, ranging a long distance shot across a canyon or simply shed hunting for the next big buck, there are dependable Nikon optics to give you the advantage in your pursuit.

Continuing off of the success of last year's award-winning EDG (pronounced "Edge") binocular line, Nikon brought the entire EDG platform to Fieldscopes. The new EDG Fieldscope series delivers the same remarkably bright, clear, high-resolution images thanks to new dielectric coated prisms and a wider field of view with larger 85mm and 65mm objective lenses.



Also new this year is the remarkable Monarch X binocular. Ingeniously engineered for all hunting situations with Nikon's advanced dielectric high reflective multilayer prism coatings for superior optical performance, especially at dawn and dusk when game is really moving. The new Monarch African Series riflescopes give dangerous game hunters everything they need to make fast shots with hard charging game.

Already heralded as one of the most innovative sighting aids in the last 25 years, the Nikon BDC reticle continues to win over professional hunters and weekend warriors alike. For 2009, Nikon continues to bring the BDC to more and more applications—the new patent pending BDC Predator Hunting reticle and Coyote Special riflescope series give predator hunters their very own long distance companion.



Nikon leads the way in sport optics because we continue to get real-time, real-world advice from some of the best hunters in the world. The feedback we get from the Nikon ProStaffers you'll see in this catalog inspires us to build and create the next optical product—whether it needs to be lighter, faster, brighter, stronger or more intuitive. We're always on the hunt for the next big idea.



Whether you're bowhunting in a stand, ranging a long distance shot across a canyon or simply shed hunting for the next big buck, there are dependable Nikon optics to give you the advantage in your pursuit.



Several Nikon Pro Staffers enjoyed a successful whitetail hunt.

New For 2009

No other optics company develops as many pursuit-specific optics choices as Nikon. And 2009 will be no different as we launch our exciting new line of EDG Fieldscopes, our first riflescope line developed exclusively for dangerous game hunting in the Monarch African series and the predator-specific Coyote Special riflescope. Also new, you'll find wider view Omega and SlugHunter riflescopes and the Monarch X binoculars, featuring advanced dielectric high reflective multi-layer prism coatings for outstanding optical performance, especially during the critical dawn and dusk periods.

2009 Table of Contents

EDG Binoculars	4-5
EDG Fieldscopes	6-7
Laser Rangefinders	8-13
Laser IRT Riflescope	13
Monarch Riflescopes	14-17
Monarch African Series	18-19
Monarch Gold Riflescopes	20
Monarch X Riflescopes	21
Encore EER & Monarch Dot Sights	22-23
Coyote Special Riflescopes	24-25
Omega Muzzleloading Riflescopes	26-27
Buckmasters Riflescopes	28-29
SlugHunter Shotgun Riflescopes	30-31
Nikon ProStaff/Team REALTREE Scopes	32-33
Premier Binoculars	34-35
Monarch X Binoculars	36-37
Monarch All Terrain Binoculars	38-39
Monarch Dream Season ATBs	39
Trailblazer/Action Extreme/StabilEyes Binoculars	40-41
Action Series Binoculars	42-43
Compact Binoculars	44-45
Fieldscopes	46
Spotting Scopes	47
Riflescope Specifications	48-51
Rangefinder/Binocular/StabilEyes Specifications	52-53
Fieldscope/Digiscoping/Spotting Scope Specifications	54

Nikon stands behind its products by offering the best consumer protection in the shooting sports industry.

At Nikon, we believe the best warranty is one you'll never have to use. For this reason, we crafted the Nikon Lifetime Full Warranty, which provides confidence on those rare occasions when something goes wrong. If any Nikon riflescope is found to have defects in workmanship or materials, we will, at our option, repair or replace it at no charge, even if you are not the original owner. No time limit applies and no warranty card is required.

If your Nikon binocular,
spotting scope or Fieldscope
requires service or repair not
covered by our 25-Year Limited Warranty,
Nikon will repair or replace it—even if it was
your fault—for just \$10, plus return shipping
and handling.

Nikon Inc. warranties and no-fault policy cover products marketed and sold in the U.S.A. only. For complete details visit Nikonsportoptics.com EDG Fieldscopes
85mm and 65mm



Premier Binoculars 8x32, 8x42, 10x42



Monarch X Binoculars 8.5x45, 10.5x45



Monarch African Riflescopes 1-4x20, 1.1-4x24, 1.1-4x24 IR





Omega BDC 250 Riflescopes

SlugHunter BDC 200 Riflescopes




ED (Extra-low Dispersion) glass to push the limits of optical performance. This exclusive glass was developed for Nikon's legendary Nikkor camera lenses, for increased resolution and color contrast. Nikon EDG binoculars offer the same results to the world's most serious hunters—high contrast images that are razor sharp and extremely bright.

ENGINEERED TO PUSH YOUR **HUNTING TO THE EDGE**

 Legendary Nikon ED (Extra-low Dispersion) Glass Lenses

Deliver superior sharpness and color contrast for unmatched detail resolution.

- Dielectric High-Reflective Multilayer Prism Coating Extraordinary technology delivers uncompromised low-light performance.
- Advanced, Fully Multicoated Optics Multiple layers of anti-reflective compounds on every glass surface for bright, vivid images.
- Sophisticated Design New ergonomic construction balances perfectly in the hand for extended hunts.
- Dual Focus Knob with Locking Diopter Adjustment A quick, central focusing knob has been paired with pop-up diopter adjustment for speed and convenience.
- Horn-Shaped Detachable Eyecups Ergonomically contoured eyecups block out peripheral light for a clear field of view.
- Long Eye Relief with Ratcheting Eyecup Adjustments Allow for a full field of view, with or without eyewear.
- Lightweight, Rubber-Armored Body Delivers superior ruggedness that is still easy to hold in any weather.
- Thumb-Position Memory Contours (42mm models) Provide optimum traction with soft-grip tactile surface.
- Magnesium-Alloy Body New body cuts weight without sacrificing durability.
- Waterproof/Fogproof Optical Performance O-ring sealed and dry nitrogen filled to handle the toughest conditions. (Up to 10 minutes submersed at 16.4 feet)





..Pulls out for



When you want absolute cutting-edge performance for any hunting conditions, the 42mm Nikon EDG could be called the ultimate choice. Delivering extremely bright, high resolution images thanks to Nikon's ED glass lenses, this model represents the pinnacle of Nikon technology. Rugged waterproof/fogproof performance in an ergonomic body design.

EDG 7x42, 8x42, 10x42


Part #7560 (7x42); #7561 (8x42); #7562 (10x42)



Built with the same rugged, waterproof/fogproof integrity, the 32mm Nikon EDG is for the hunter looking to shed even more weight on the hunt. Long eye relief with ratcheting eyecup adjustments, high-performance body materials for a better grip in any condition and the same fully multicoated lenses as big brother. All housed in a sleek, fast-handling roof prism body.

EDG 8x32, 10x32

Part #7563 (8x32); #7564 (10x32)





Complete specifications on page 52.



- Nikon's Exclusive and Legendary ED (Extra-low Dispersion) Glass Lenses
 Deliver superior sharpness and color correction for unmatched detail resolution.
- Dielectric High-Reflective Multilayer Prism Coating*
 Extraordinary technology delivers uncompromised low-light performance.
- 85mm and 65mm Objective Lenses
 Deliver an expansive field of view so you can catch more of the action.
- Fully Multicoated Optics
 Multiple layers of anti-reflective compounds on every glass surface for bright, vivid sight pictures.
- High Grade Optics and Multicoating Technology
 Carefully cut and polished glass is coated in multiple layers of anti-reflective compounds for bright resolution and brilliant color.
- EDG Eyepieces
 Both models include a zoom eyepiece and are compatible with optional eyepieces.
- Sliding Sunshade and Vue-Thru Case Protects your investment in any situation.
- Straight and Angled Body Versions
- Waterproof/Fogproof
 Nitrogen filled and O-ring sealed.

users for its brightness and resolution.




Introducing the new king of full-sized Nikon Fieldscopes. The pro-level EDG 85mm provides the ultimate in optical performance thanks to Nikon's exclusive ED lenses and dielectric coated prisms*. A rugged waterproof, fogproof new body design and full compatibility with the new line of EDG eyepieces allows you to take this new Fieldscope on the most demanding hunts in the world.

EDG Fieldscope 85mm

Part # 8292 (Straight body w/ 20-60x zoom eyepiece), #8293 (Angled body w/ 20-60x zoom eyepiece)



Part #8295 (30x EDG Eyepiece) *Dielectric coatings are only necessary on roof prisms. Not applicable on angled body models.



- Nikon's ID Technology

Nikon's advanced ID Technology compensates for various incline or decline shooting angles—up to an incredible ±89 degrees (nearly vertical up or down).

Displays in .2 yard/meter Increments (out to 100 yards/meters)

In ID Technology mode, calculated horizontal distance measurements are displayed in increments of .2 yard/meter. (In standard mode, distances are displayed in .5 yard/meter increments.)

First Target Priority Mode

Allows confident ranging of objects as small as a fence post or to get an instant reading on that lone buck in the meadow.

Easy-to-View Uncluttered LCD Display

For fast, easy ranging, even in bright sunlight.

Bright, Multicoated 6x Optics

Nikon's legendary optics and proprietary anti-reflective coatings offer high-resolution images under virtually all lighting conditions.

Single Button Operation

For fast, easy measurements. Automatically powers down after 8 seconds to reduce battery use.

Ultra-Compact Size

Fits in a pocket or pack, and can be worn on a belt without interfering with your shot.

Mode Button


Allows switching from yards to meters.

Waterproof/Fogproof (except battery chamber) Nitrogen filled and O-ring sealed.

CR2 Lithium Battery Included

Silent Technology Soft Case

In Realtree APG camouflage to match the rest of the Cianciarulo's gear.



Simple, uncluttered reticle gives you the one number you need to make your shot. Distance measurements are displayed in increments of 1/5 yard/ meter.



Ralph and Vicki Cianciarulo.





Nikon has teamed up with the pros at Archer's Choice to create a rangefinder just for bowhunting! The Nikon Archer's Choice Laser Rangefinder combines Nikon's advanced ID (Incline/Decline) technology with all the features serious bowhunters demand: Bright, multicoated optics, constant first target priority mode, long eye relief and fast, consistent and accurate measurements. Simply aim, push the button and plan your shot according to the displayed distance.

Archer's Choice Laser Rangefinder

Part #8366

Complete specifications on page 53.



The results from the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions. The origin of the technology behind this Laser Rangefinder with inclinometer is the Total Station DTM-1 (initially sold in 1985), the first highly advanced electronic model among surveying instruments incorporating both distance and angle measurement capability developed by Nikon Corporation.



TECHNOLOGY

Nikon's advanced ID (Incline/ Decline) Technology allows bowhunters to range targets from a treestand or in steep terrain with the same confidence and ease as ranging over flat ground.



in difficult situations such as shooting up a mountainside or down into a canyon. When used with Nikon's patented BDC scope reticles, it becomes the ultimate system for hunters who want to increase their long range shooting effectiveness.

- Nikon's ID Technology


Nikon's advanced ID Technology calculates the horizontal distance for various incline or decline shooting angles—up to an incredible ±89 degrees (nearly vertical up or down).

- Displays in .2 yard/meter Increments
 In ID Technology mode, distance measurements are calculated and displayed in increments of .2 yard/meter out to 99.8 yards, and in 1 yard/meter increments past 100 yards.
- True 550 Yard Ranging Capability For virtually any situation.
- Tru-Target™ Ranging System
 Flexible ranging mode capabilities for various hunting conditions and terrain (see page 13 for Tru-Target details)
- Easy-to-View Uncluttered LCD Display
 Forfast, easy ranging, even in bright sunlight.
- Bright, Multicoated 6x Optics
 Nikon's legendary optics and proprietary antireflective coatings offer high-resolution images in most lighting conditions.
- Single Button Operation
 For fast, easy measurements. Automatically powers down after 8 seconds to reduce battery use.
- Ultra-Compact Size
 Fits in a pocket or pack, and can be worn on a belt without interfering with your shot.
- Waterproof/Fogproof (except battery chamber)
 Nitrogen filled and O-ring sealed.
- CR2 Lithium Battery Included



The results from the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions.

The origin of the technology behind this Laser Rangefinder with inclinometer is the Total Station DTM-1 (initially sold in 1985), the first highly advanced electronic model among surveying instruments incorporating both distance and angle measurement capability developed by Nikon Corporation.



Complete specifications on page 53.





The Nikon RifleHunter 550 with ID Technology brings a new level of usage to hunters who demand precision—regardless of the shot angle. Advanced ID Technology calculates for various incline or decline shooting angles and provides the equivalent horizontal range to the target. You simply aim, push the button and plan the shot according to the displayed distance.



The RifleHunter 550 incorporates Nikon's ID (Incline/Decline) Technology that indicates the appropriate distance for bullet drop at virtually any shooting angle. No more guessing about holdover, just fast, accurate and consistent reads that get you on target quickly when seconds count. The RifleHunter 550 features Nikon's legendary multicoated optics, Tru-Target Technology waterproof/fogproof construction and a slim, lightweight design that travels and hunts where you do.

RifleHunter 550 Laser Rangefinder

Part #8367 (Brown); #8368 (Advantage Max-1 HD)



Budget-conscious hunters can get the same 550-yard ranging capability, waterproof/fogproof integrity and optical performance as with the RifleHunter, but without the ID Technology feature, in the ProStaff and Team REALTREE 550 laser range finders.

ProStaff 550 & Team REALTREE 550 Laser Rangefinders

Part #8369 (Green); #8370 (REALTREE APG)



- Original Digital Measurement Process
 Advanced laser pulse receivers give you incredibly fast and consistent measurements.
- Tru-Target™ Ranging System
 Flexible ranging mode capabilities for various hunting conditions and terrain.
- Bright, Multicoated Optics
 Nikon's legendary optics and proprietary antireflective coatings offer high-resolution images under virtually all lighting conditions.
- Displays in .5-yard Increments
 Laser1200 model displays in .5-yard increments out to
 1,000 yards and 1 yard increments beyond 1,000 yards.
 Laser800 model displays in .5-yard increments.
- Ultra-Compact Size
 Fits in a pocket or pack and can be worn on a belt without interfering with your shot.
- Single Button Operation
 For fast, easy measurements. Continuous ranging feature allows ranging of moving or multiple targets.
 Automatically powers down after 8 seconds to reduce battery use.
- Easy-to-View LCD Display
 For easy ranging, even in bright sunlight.
- CR2 Lithium Battery Included
- Tripod Adaptable
- Waterproof/Fogproof (except battery chamber)
 Nitrogen filled and O-ring sealed.



Tru-Target Ranging System

First Target Priority Mode

Allows confident ranging of objects as small as fence posts or to get an instant reading on that lone buck in the meadow.

First Target Priority Mode



Distant Target Priority Mode

Distant Target Priority Mode

Displays range to the farthest target among the targets measured, ideal for accurate ranging in typical hunting situations where game animals may be partially obscured by grass or brush.

Complete specifications on page 53.



Spotting trophies at distances exceeding half-a-mile is now a reality with Nikon's Monarch Gold Laser1200" compact rangefinder. This 9.8-ounce wonder has a selectable backlighting feature in the bright LCD display, continuous ranging feature, eyeglass friendly 7-power multicoated optics with focusing diopter, and a 34mm laser pulse receiver.

Monarch Gold Laser1200 Long Range 7x25 Waterproof/Fogproof

Part #8358 (Black), #8359 (REALTREE Hardwoods Green HD)



One of the most popular rangefinders ever made, the Monarch Laser 800" gives you super-fast reads alongside Nikon's advanced Tru-Target Ranging System. This palm-sized, 7.4-ounce hunting companion features 6-power multicoated optics, an eyeglass-friendly 18mm of eye relief with focusing diopter, continuous ranging feature and a selectable backlighting feature.

Monarch Laser800 6x21 Waterproof/Fogproof

Part #8356 (Black), #8357 (REALTREE Hardwoods Green HD)



Accurate long-range shots are now easier than ever, thanks to the speed and simplicity of this laser rangefinding riflescope. The Nikon Laser IRT removes the guesswork from proper shot placement while saving you precious seconds going from rangefinder to riflescope.

Nikon's Patented BDC Reticle

The BDC reticle allows hunters to hold "dead-on" at ranges exceeding those previously thought possible. The BDC's unique see-through ballistic circles offer an incredible advantage for long range shooting—yet allow a normal sight picture for shorter-range shots where the crosshair itself is the aiming point.

- Patent-pending Laser Activator

This fast, one-touch button makes determining range and taking the shot fast and simple.

Remote Control Laser Activator

Convenient remote control can be easily attached to most firearms.

- Multicoated Optics

Multiple layers of anti-reflective compounds deliver bright, high-resolution images and brilliant color.

- 4-12 Power Zoom

Versatile magnification range for close up and long range shots.

Quick Focus Eyepiece

Allows the shooter to instantly bring the reticle into sharp focus.

Low Profile Mounting System

Places the IRT securely and safely on your rifle.

Precise Hand-turn 1/4-MOA Click Adjustments
 Easy-to-use positive click reticle adjustments get you zeroed in quicker and maintain your setting—even with heavy recoil.

1 year warranty on electronics.

Complete scope & reticle specifications on pages 49 & 51.

Waterproof, Fogproof, Shockproof (except battery chamber)
 Nitrogen filled and O-ring sealed.



The Laser IRT 4-12x42 combines the speed of a Nikon rangefinder with the accuracy potential of the patented Nikon BDC reticle. Bright, multicoated Nikon optics deliver from dawn to dusk, while the field of view and power range are suitable for any hunt.

Laser | RT 4-12x42

Part #8477 (Matte, BDC)

The results from the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions.





a flagship riflescope that shattered the limits of what a riflescope should be. Hunters continue to line up to get their hands on the new Monarch and experience its superior technology.

Nikon's Patented BDC Reticle

The BDC reticle allows hunters to hold "dead-on" at ranges exceeding those previously thought possible. The BDC's unique see-through ballistic circles offer an incredible advantage for long range shooting—yet allow a normal sight picture for shorter-range shots where the crosshair itself is the aiming point.

Ultra ClearCoat® Optical System

Nikon has engineered the entire optical system to provide the shooter with a bright, sharp, incredibly flat sight picture and light transmission up to 95%.

Monarch Eye Box Technology

With an impressive 4-time zoom range and four inches* of constant, non-critical eve relief. Monarch scopes feature massive ocular lenses that delivers a huge, exceptionally bright, high-resolution sight picture.

Smooth Zoom Control

Magnification reference numbers are viewable from the shooter's position.

Enhanced Mount Ring Spacing

Most Monarch models can be mounted to virtually any rifle action regardless of caliber—even magnum-length actions. 2.5-10x50 and 2-8x32 models may require extension rings in some cases.

Interchangeable Turret Technology

All Monarchs can be customized with accessory target-style windage and elevation adjustment knobs and caps. For information and availability, visit www.NIKONHUNTING.com.

One-Piece Main Body Tubes

For minimum weight and maximum strength and durability.

Sunshade Adaptable

Optional accessory sunshade (available for 42mm & larger objectives) eliminates glare in bright conditions and keeps dust and rain off of the objective lens.

Waterproof, Fogproof, Shockproof

Nitrogen filled and O-ring sealed.



*within one-tenth-of-an-inch to five-tenths-of-an inch, depending on model

Some rifles just look better with a compact scope. From carbine to mountain rifle to deer rifle, this is a sweet little scope for your favorite rifle—with its wide power range, generous field of view and compact, lightweight size.

2-8x32 **(**

Peter Moleski, Senior Vice President of Nikon Inc. with a Trophy Cape Buffalo.

2-8x32

Part #8437 (Matte, Nikoplex), #8438 (Matte, BDC)

This Monarch's wide magnification range sets the new standard of performance for a mid-sized scope! Enhanced ring spacing allows this scope to be mounted on virtually any rifle, including magnum length actions.


2.5-10x42 **0 0**

Part #8406 (Lustre, Nikoplex), #8407 (Matte, Nikoplex), #8408 (Matte, Mildot), #8409 (Silver, BDC), #8411 (Matte, BDC)

A big objective in a surprisingly compact size, this Monarch offers you the combination of huge field of view at low power and a 5mm exit pupil even at high power, providing all the light your eye can handle at first and last light.

2.5-10x50 M

Part #8416 (Matte, Nikoplex), #8417 (Matte, BDC)




nikonhunting.com - 15 -



Sunshade Adaptable

Optional accessory sunshade eliminates glare in particularly bright conditions and keeps dust and rain off of the objective lens on rainy days or in dusty environments. Standard with 8-32x50ED, 6-24x50 & 5-20x44.

- Waterproof, Fogproof, Shockproof Nitrogen filled and O-ring sealed.
- Interchangeable Turret Technology All Monarch riflescopes can be customized with accessory high profile windage and elevation adjustment knobs and caps.
- 1/4-MOA Turret Kit #6004 (1/4-MOA scopes only) Includes high profile knobs with caps.



*within one-tenth-of-an-inch to five-tenths-of-aninch, depending on model



8-32x50ED SF (0)

Part #8479 (Matte, Nikoplex), #8480 (Matte, BDC)




6-24x50SF (I)

Part #8426 (Matte, Nikoplex), #8427 (Matte, Fine Crosshair), #8428 (Matte, Fine Crosshair w/ Dot), #8429 (Matte, BDC)



5-20x44SF (D)

Part #8424 (Matte, Nikoplex), #8425 (Matte, BDC)



Part #8439 (Matte, Nikoplex), #8440 (Matte, BDC)



Part #8421 (Matte, Nikoplex), #8422 (Matte, BDC), #8423 (Matte, Mildot)

A full 33% more magnification at the high end than a 3-9x40! A huge ocular, generous field of view and maximum light transmission for dawn to dusk brightness and resolution make this scope the "must have" for any kind of big game hunting. 3-12x425F • •

Part #8418 (Lustre, Nikoplex), #8419 (Matte, Nikoplex), #8420 (Matte, BDC)


FINISHES AVAILABLE

Lustre

Matte

Complete scope &


reticle specifications on pages 48 & 50.





Mike Rogers on a recent hunt for trophy tahr in New Zealand (left), where he put his Monarch scope and EDG binocular through their paces.

In 2009, Mike will also be putting his trust in the new Monarch African Series riflescopes on numerous African safaris.



Nikon has engineered the fully multicoated optical system to provide the shooter with a bright, sharp, incredibly flat sight picture and light transmission up to 95%.

German #4 Reticle

The proven choice for dangerous game hunting.

One-Piece Main Body Tubes

For minimum weight and maximum strength and durability.

Precise Hand-turn 1/4-MOA Click Adjustments

(1.1-4x24 models) Easy-to-use positive click reticle adjustments get you zeroed in quicker and maintain your setting even with heavy recoil. 1-4x20 model comes with

1/2-MOA click adjustments.

 Enhanced Mount Ring Spacing For mounting to virtually any rifle action regardless of caliber—even magnum length actions.

Quick Focus Eyepiece

Allows the shooter to instantly bring the reticle into sharp focus.

· Waterproof, Fogproof, Shockproof Nitrogen filled and O-ring sealed.



The first Nikon riflescope designed specifically for dangerous game hunting in Africa, the Monarch African 1-4x20 delivers a gigantic field of view and an incredible 20mm-5mm exit pupil range for low-light hunting. The 1-4 power range keeps shooters on target, in fast "both eyes open" situations.

Monarch African 1-4x20

Part #8446 (Matte, German #4)



On safari, the right scope could literally mean the difference between life and death. That's why the Monarch African 1.1-4x24 offers everything you need for a successful trip. A larger, 30mm body tube for maximum resolution, windage and elevation travel and low-light performance. A massive field of view. Nikon's fully multicoated optics for crystal clear viewing and a power range designed to handle fast shots with dangerous game.

Monarch African 1.1-4x24

Part #8448 (Matte, German #4)



ILLUMINATED GERMAN#4

GERMAN#4

For late night predators of the toothy kind or any low light, low contrast hunting, Nikon provides a Monarch African 1.1-4x24 with an illuminated German #4 reticle. It features the same larger, 30mm body tube for high resolution and low-light performance, enormous field of view and exit pupils at any magnification range and waterproof, fogproof durability.

Monarch African 1.1-4x24 Illuminated Reticle

Part #8447 (Matte, Illuminated German #4)


FINISHES AVAILABLE

Matte

Complete scope & on pages 48 & 50.









The Monarch Gold series represents the pinnacle of technology for sportsmen. Big, European-style 30mm tubes feature greater tube strength, larger internal lenses for enhanced resolution and a broader light path from objective to eyepiece lens, and wider windage and elevation travel than typical one-inch tube scopes. If your livelihood depends on your riflescope—Nikon Monarch Gold is your choice.

Ultra ClearCoat® Optical System

Nikon has engineered the entire optical system to provide the shooter with a bright, sharp, incredibly flat sight picture and light transmission up to 95%.

Rugged, One-Piece 30mm Body Tubes

Larger tubes allow for maximum resolution, wider windage and elevation travel and superior low-light performance. Milled from aircraft grade aluminum, durability is built into each model.

Larger Internal Lenses

Produce a larger "sweet spot" for enhanced resolution.

Four Time Magnification Zoom Range

Provides outstanding flexibility for up-close shots as well as long-range canyon-to-canyon shots.

- Locking Side Focus Adjustments (2.5-10 models)
 Locking side focus adjustment dials out parallax for the longest shots.
- Four Inches of Constant Eye Relief

Every Monarch Gold assures you of a full four inches of eye relief throughout the magnification range—especially important for hard-kicking magnums.

Quick Focus Eyepiece

Allows the shooter to instantly bring the reticle into sharp focus.

Hand-turn 1/4-MOA Windage and Elevation Adjustments

Get you zeroed-in quicker and maintain your setting even with heavy recoil.

 Waterproof, Fogproof, Shockproof Nitrogen filled and O-ring sealed.

Eye Relief—A Hunter's Best Friend

Nothing can boost a shooter's level of confidence better than generous, constant* eye relief in a riflescope. Heavy recoiling cartridges, light-weight rifles, severe shooting angles and just plain excitement can put your brow in danger of the scope eyepiece unless that scope happens to be Nikon.



*within one-tenth-of-an-inch, depending on model

For low light hunting, there's nothing better than the Monarch Gold 2.5-10x56.
Delivering an incredible 5.7mm exit pupil at 10x, this low light specialist also offers up a huge field of view at its lower magnifications.

2.5-10x56 Monarch Gold M


Part #6622 (Nikoplex), #6620 (German #4)



A premier dangerous game riflescope, the Monarch Gold 1.5-6x42 offers a massive field of view, a very useable power range and 7mm-plus exit pupil at any magnification. A fine choice for extreme low light hunting and the heaviest cover.

1.5-6x42 Monarch Gold (

Part #6616 (Nikoplex), #6615 (German #4)







FINISHES AVAILABLE



Complete scope & reticle specifications on pages 48 & 50.



If precision is the name of the game, the name of the riflescope is Monarch X. Designed from the ground up with the professional in mind, Nikon Monarch X scopes are overbuilt with 30mm tubes and glass etched reticles for extreme ruggedness and optical excellence. These scopes perform at the top of their game for tens of thousands of rounds, and will always be ready.

Ultra ClearCoat® Optical System

Nikon has engineered the entire optical system to provide the shooter with a bright, sharp, incredibly flat sight picture and excellent light transmission.

Rugged, One-Piece 30mm Body Tubes

Larger tubes allow for maximum resolution, wider windage and elevation travel and superior low-light performance. Milled from aircraft grade aluminum, durability is built into each model.

Four Time Magnification Range

Provides outstanding flexibility for up close as well as longdistance shots.

- Hand-turn 1/4-MOA Windage and Elevation Adjustments Reticle adjustments are made in 1/4 MOA click-stop moves you can both feel and hear, and with no backlash to make your shot creep off target.
- Glass Etched Reticle Shrugs off recoil from even the hardest hitting, flattest shooting calibers.
- Turret Mounted Side Focus Parallax Adjustments State-of-the-art adjustments are precise, repeatable and stay put until you move them.
- Easy-to-Grip Adjustment Knobs Expert marksmanship requires precision, the Monarch X riflescope delivers.
- Matte Black Anodized Finish Tough body resists corrosion and wear.
- Waterproof, Fogproof, Shockproof Nitrogen filled and O-ring sealed.
- Larger Internal Lenses Produce a larger "sweet spot" for enhanced resolution.



All Nikon scopes with Mildot reticles include a mail-in voucher for a free (plus \$4.95 S&H) Mildot Master calculator and instructions.





Part #8414 (Nikoplex), #8415 (Mildot)

Engineered as a dedicated, all-purpose precision scope, the 2.5-10x44 offers the precision, the features and the ruggedness professionals demand, including a full 80 total MOA internal adjustment travel and a choice of either Nikoplex or Mildot reticles. 2.5-10x44 Monarch X (1)

Part #8410 (Nikoplex), #8412 (Mildot)







M Matte

Complete scope & reticle specifications on pages 48 & 50.



Nikon Encore Scopes

 Ultra ClearCoat® Optical System Nikon's exclusive Ultra ClearCoat system delivers up to 95% light transmission.

Long Eye Relief

EER scopes are engineered for arm's length shooting, and to withstand the recoil of the most powerful cartridges.

Exceptional Versatility

The Nikon Encore scopes are also excellent choices for dangerous game rifles, carbines, slug guns, muzzleloaders and scout rifles when extended eye relief is needed.

Versatile Magnification Range

Provides outstanding flexibility for up-close shots as well as long-range shots.

Quick Focus Eyepiece

Allows the shooter to instantly bring the reticle into sharp focus.


Waterproof, Fogproof & Shockproof Nitrogen filled and O-ring sealed.



Vicki Cianciarulo, Archer's Choice Media. and trophy caribou.



Part #8481 (Matte, BDC), #8482 (Silver, BDC)



ENCORE BDC RETICLE

The Encore BDC reticle is optimized for handguns in the following rifle calibers and bullet weights with velocities between 2500 and 2600 fps:

7mm-08 Rem., 140 gr. bullet 308 Win., 165 gr. bullet 270 Win, 130 gr. bullet 30-06, 165 gr. bullet

Monarch® Dot Sight VSD Series

Multicoated Lenses

Objective and ocular lenses are 30mm and are multicoated for incredible sharpness, brightness and color rendition.

Electronic Dot Sight with Variable Sized Dot

Select any of five dot sizes - 1, 4, 6, 8 or 10 MOA - with the twist of a knob on the turret.

Massive Field of View

Perfect FOV for close shots.

11-Position Rheostat

Gives you almost infinite reticle brightness.

Integral Mounting System

Included system attaches to any Weaver-style mount base.

Unlimited Eye Relief

Hunt with confidence, without fear of shooter's brow.

Waterproof, Fogproof & Shockproof

(except battery chamber) Nitrogen filled and O-ring sealed.



From targets to Toms, this is the ideal choice! Providing the finest in optics, reliability and toughness, the VSD's (Variable Sized Dot) unlimited eye relief and massive field of view make it perfect for any hunting style. Select from 1,4,6,8 or 10 MOA dot size. Runs on a single lithium battery (included).

Monarch Dot Sight VSD/Team REALTREE APG VSD 🕠 🚯 🕕

Part #8430 (Matte), #8431 (Silver), #8432 (REALTREE APG)






One year warranty on electronics

Complete scope & reticle specifications on pages 49 & 51.

FINISHES AVAILABLE

Matte

Silver Camo





- Nikon's Patent Pending BDC Predator Hunting Reticle Utilizes ballistic circles with carefully researched spacing that is designed around the needs of predator hunters. Unique, open circle design doesn't obscure target, making shots on a moving coyote simple.
- ARD (Anti Reflective Device) Technology Eliminates game spooking glare.
- Nikon Multicoated Lenses Provide up to 92% light transmission and maximum brightness from dawn to dusk.
- Precise Hand-turn 1/4 MOA Click Adjustments Easy-to-use positive click reticle adjustments get you zeroed in quicker and maintain your setting even with heavy recoil.
- Generous Eye Relief For easy sighting in difficult shooting positions.
- Quick Focus Eyepiece Allows the shooter to instantly bring the reticle into sharp focus.
- Waterproof/Fogproof Nitrogen filled and O-ring sealed.

BDC PREDATOR hunting reticle 100 yds -200 yds -400 yds -22-250 Rem. 223 Rem. 55 grain 55 grain 200 vd zero 100yd. zero



Gary Roberson after a successful morning.



Warne® manufactures these all-steel rings for Nikon specifically for the Coyote Special Riflescopes. Fit any Warne, Weaver or Picatinny-style mount base, the High rings work well with AR-platform rifles--Medium rings fit most other rifles.

Camo Scope Rings

Part#740 (High rings, Advantage MAX 1) Part #741 (Med. rings, Mossy Oak Brush)







ARD TECHNOLOGY Removable Anti-Reflective Device eliminates objective lens glare.

FINISHES AVAILABLE



Complete scope & reticle specifications on pages 49 & 51.



Nikon's Patented BDC 250 Reticle

This patented, trajectory-compensating reticle integrates unique, easy-to-see "ballistic circles" that provide instant aiming points—and take the guesswork out of holdover at longer ranges.

Multicoated Optical System

Bright, multicoated optics deliver up to 92% light transmission.

Five Inches of Constant Eye Relief

Keeps your brow safe—even with heavy 3-pellet charges.

• Precise Hand-turn 1/4-MOA Click Adjustments

Easy-to-use positive click reticle adjustments get you zeroed in quicker and maintain your setting—even with heavy recoil.

100-yard Parallax Setting

Eliminates parallax for precise shooting.

Quick Focus Eyepiece

Allows the shooter to instantly bring the reticle into sharp focus.

Compact Size


The perfect fit for high-caliber muzzleloaders.

Waterproof, Fogproof, Shockproof

Nitrogen filled and O-ring sealed.

Nikon's Patented BDC 250 Reticle

Calibrated for trajectories common to .50 caliber muzzleloaders using 150-grain powder charges and 250-grain bullets, the BDC 250, when sighted-in at 100 yards on the crosshair at 9x, provides aiming-point circles at 150, 200, 225 and 250 yards. Verify the aiming points by shooting at actual, measured distances.





David Blanton with his Dall Sheep.



Nikon Field Recon Team member Tim Herald and his trophy buck.



Manufactured for Nikon by Warne®, these sturdy, all-steel, REALTREE camo pattern scope rings fit any Warne or Weaver style mount base.

Camo Scope Mount Rings

Part #8182 (med. scope ring); #8183 (med. QR scope ring)



Simply place appropriate range circle on buck's vitals and shoot

Finally, a riflescope just for muzzleloaders! Up to a full 92% light transmission, Nikon's famous multicoating provides sharp, detailed sight pictures, even in low light. Parallax adjusted at 100 yards, the Omega features hand-turn 1/4-MOA click adjustments to zero you in and keep it that way, even with rugged use. The Omega's compact size, rugged durability and waterproof, fogproof, shockproof performance make it a must-have for black powder season.

3-9x40 Omega Muzzleloading Riflescope 🛭 🚱 🕕

Part #8401 (Matte, BDC 250), #8402 (Silver, BDC 250), #8404 (Matte, Nikoplex), #8405 (REALTREE APG, BDC 250)



You asked. We delivered. With the lower magnification range you want and a super bright exit pupil of 7.2mm and Nikon's multicoated lenses you can hunt right up to the end of legal shooting time. Available with a BDC 250 designed specifically for the lower power range and smaller objective, the new Omega is every bit as accurate as the original.

1.65-5x36 Omega Muzzleloading Riflescope 🛭 🕦


Part #8441 (Matte, Nikoplex), #8442 (Matte, BDC 250), #8443 (REALTREE APG, BDC 250



M Matte

S Silver
Camo


Complete scope & reticle specifications on pages 49 & 51.





No other riflescope brings to mind trophy deer and happy hunters as the famous Nikon Buckmasters® line. You simply won't find a better combination of critical light transmission, must-have features, and rugged durability. With the Buckmasters family, there's a perfect match for every rifle, every hunter and every hunting style.

- Brightvue™ Multicoating Bright, multicoated optics deliver up to 92% light transmission.
- Large Exit Pupils Improved low light hunting at dawn or dusk, when the game is usually moving.
- Side Focus Adjustments (SF Models) Long Range models include adjustments for parallax-free sighting.
- Available in REALTREE Camouflage Using a HIGH DEFINITION® pattern this ultra-realistic camo gives hunters versatile choices for use in areas where green is prevalent.
- Precise Hand-turn 1/4-MOA Click Adjustments Easy-to-use positive click reticle adjustments get you zeroed in quicker and maintain your setting—even with heavy recoil. (6-18x40SF features 1/8-MOA adjustments)
- Quick Focus Eyepiece Allows the shooter to instantly bring the reticle into sharp focus.
- Sunshade Adaptable (except 1x20) Optional accessory sunshade eliminates glare in particularly bright conditions and keeps dust and rain off of the objective lens on rainy days or in dusty environments.
- Waterproof, Fogproof, Shockproof Nitrogen filled and O-ring sealed.



FINISHES AVAILABLE



M Matte

Silver (A) Camo

Complete scope & reticle specifications on pages 49-51 The quintessential big game/varmint combination, the Buckmasters® 6-18x40SF is a hunter's dream come true. A side-focus adjustment to dial-out parallax makes this an outstanding long-range scope at an outstanding price. Includes sunshade and extra set of target-style high profile knobs.

6-18x40SF Buckmasters (A)

Part # 6472 (Matte, Nikoplex), 6476 (Matte, Fine Crosshair w/Dot), 6473 (Matte, BDC)





Part #6452 (Matte, Nikoplex), #6469 (Matte, Mildot), #6456 (Silver, Nikoplex), #6453 (Matte, BDC) Optional Sunshade: Part #8053 (Black), #8054 (Silver)



Part #6445 (Matte, Nikoplex) Optional Sunshade: Part #8055

Whitetail hunters are drawn to this scope's huge 50mm objective lens for its superb low light clarity and brightness. The 3-9-power range is also the one most preferred by hunters across the country for the best blend of field of view and long-range capability.

3-9x50 Buckmasters

Part #6430 (Matte, Nikoplex) Optional Sunshade: Part #8055



3-9x40 Buckmasters (1) (3) (6)




Part #6420 (Matte, Nikoplex), #6410 (Silver, Nikoplex), #6479 (REALTREE APG, Nikoplex), #6421 (Matte, BDC) Optional Sunshade: Part #8053 (Black), #8054 (Silver)

The 1x20 delivers amazing light transmission and a 20mm exit pupil for bright viewing at dawn. dusk or in poor weather. Its low magnification creates a huge field of view and it is legal in states where zero magnification is required.

1x20 Black Powder Buckmasters (A)



Part #6460 (Matte, Nikoplex)



Nikon's BDC 200 SlugHunter Reticle

Designed for use with aerodynamic polymer-tipped slugs, this trajectory-compensating reticle integrates unique, easy-to-see "ballistic circles" that provide instant aiming points—and take the quesswork out of holdover at longer ranges.

Multicoated Optical System

Bright, multicoated optics deliver up to 92% light transmission.

Five Inches of Constant Eye Relief

Keeps your brow safe—even with the heaviest slug loads while providing enough eye relief for cantilever type mounts.

Precise Hand-turn 1/4-MOA Click Adjustments

Easy-to-use positive click reticle adjustments get you zeroed in quicker and maintain your setting—even with heavy recoil.

100-yard Parallax Setting

(75 yds. for 1.65-5x36) Eliminates parallax for precise shooting.

Quick Focus Eyepiece

Allows the shooter to instantly bring the reticle into sharp focus.

Compact Size


The perfect fit for high-caliber slug guns.

Waterproof, Fogproof, Shockproof

Nitrogen filled and O-ring sealed.

Nikon's BDC 200 SlugHunter Reticle

Designed to be sighted-in on the crosshair at 50 yards, the BDC 200 has two "ballistic circles" that represent 100-yard and 150-yard aiming points. For exceptionally accurate gun and load combinations, the lower reticle post becomes a 200-yard aiming point as well. After sighting-in the crosshair at 9x, determine the distance to your target with a rangefinder and use the appropriate ballistic circle.






Dave Henderson with a nice lowa Whitetail.



these sturdy, all-steel, REALTREE camo pattern scope rings fit any Warne or Weaver style mount base.

Camo Scope Mount Rings

Part #8182 (med. scope ring); #8183 (med. QR scope ring)



1.65-5x36 SlugHunter **(0**

produced.

The new SlugHunter 1.65-5x36

features an increased exit pupil for

better low light performance and a 75-yard parallax setting. Available with

Part #8444 (Matte, Nikoplex), #8445 (Matte, BDC200)

the proven BDC 200 reticle specifically calibrated for

the new power range and smaller objective, this slug

gun scope is as accurate as any riflescope Nikon has ever

Now "slug gun" and "long range" can be mentioned in the same breath. Another first

3-9x40 SlugHunter BDC 200 0 0

from Nikon, the 3-9x40 SlugHunter puts you in

lethal range from as far as 200 yards out. Engineered

bright, multicoated optics that deliver up to 92% light

transmission, precise 1/4-MOA click adjustments, a 100-yard parallax

setting and waterproof, fogproof and shockproof performance.

Part #8434 (Matte, BDC 200), #8436 (REALTREE APG, BDC 200)

with the BDC 200 reticle, this scope is the perfect match for today's powerful slug loads. Features include





Complete scope & reticle specifications on pages 49 & 51.




Simply place appropriate


range circle on buck's

vitals and shoot









- Multicoated Optical System
 Multicoated lenses boost light transmission up to 90%.
- Extremely Bright Sight Picture
 Allows for high-resolution images even when hunting in the least desirable conditions.
- Generous, Consistent Eye Relief Keeps your brow safe—even with the heaviest recoiling cartridges, lightweight rifles, and severe shooting angles.
- Versatile Magnification Range
 Offers the flexibility needed for any type
 of hunting situation, from heavy timber
 to the open prairies.
- Precise, 1/4-MOA Click Adjustments
 Positive click reticle adjustments get
 you zeroed in quicker and maintain your
 setting—even with heavy recoil.
- Waterproof/Fogproof
 Nitrogen filled and O-ring sealed.



Manufactured for Nikon by Warne[®], these sturdy, all-steel, REALTREE camo pattern scope rings fit any Warne or Weaver style mount base.

Camo Scope Mount Rings

Part #8182 (med. scope ring); #8183 (med. QR scope ring)



#6319 (REALTREE APG, Nikoplex), NEW #6321 (Matte, BDC)

This riflescope is already at home on a record number of American big game rifles.
The 3-9x40 has what it takes to fit most any hunting style: Enough power for the longest shots and a wide field of view for thick brush or timber.

3-9x40 ProStaff/3-9x40 Team REALTREE (D) (S)

Part #6310 (Matte, Nikoplex), #6311 (Silver, Nikoplex), #6318 (REALTREE APG, Nikoplex), #6320 (Matte, BDC)



The Nikon ProStaff 2-7x32 is an obvious choice for the shotgun hunter—whether on a slug gun or turkey gun. Don't hunt with a shotgun? The 2-7x32 ProStaff is the perfect size for your lightning-fast carbine, mountain rifle, youth rifle or muzzleloader as well!


2-7x32 Shotgun Hunter ProStaff/
2-7x32 Shotgun Hunter Team REALTREE (1) (1)

Part #6308 (Matte, Nikoplex), #6317 (REALTREE APG, Nikoplex)

Introduced as the ideal rimfire scope, the
4x32 Rimfire Classic has lived up to its name
and reputation. Featuring a generous 8mm exit
pupil, compact size, light weight and excellent optics,
it's no wonder centerfire rifle hunters, shotgunners and
muzzleloading hunters have stepped up to this scope as well.

4x32 Rimfire Classic ProStaff 🚯 🚯

Part #6305 (Matte, Nikoplex), #6306 (Silver, Nikoplex)





FINISHES AVAILABLE

M Matte
S Silver

Complete scope & reticle specifications on pages 49 & 51.



realize that hunting may mean searching for game for hours, but who demand to be able to judge an animal in the fading light.


- Phase-Correction Enhances resolution for excellent detail
- Silver Coated Prisms High-reflection silver coating on the prism surface for the brightest images.
- Nikon's Exclusive Field Flattener and Eyepiece Design For remarkably sharp, clear viewing.
- Fully Multicoated Optics Multiple layers of anti-reflective compounds on every glass surface for bright, vivid sight pictures.
- Quick, Central Focus Knob For fast subject acquisition.
- Durable and Protective, Rubber-Armored Coating Provides a non-slip grip, wet or dry.
- Sturdy, Die-Cast Magnesium-Alloy Body Cuts weight without sacrificing durability.
- Turn-and-Slide Rubber Eyecups With multi-click adjustments are extremely eyeglass-friendly.
- Waterproof/Fogproof Nitrogen filled and O-ring sealed.



Babe Winkelman, host, Outdoor Secrets, and trophy elk.




Pam favors the 32mm Premier.



Premier 8x42, 10x42

Part #7535 (8x42): #7536 (10x42)



Premier 8x32

Part #7534


The smallest sibling in the Nikon Premier line is absolute for compact, lightweight performance. Not only do they include an excellent field of view for a compact, but they also deliver close focus distance and long eye relief. Turn-and-slide rubber eyecups give you a perfect fit with or without eyewear and, like their big brothers, they are built to perform in any hunting situation.

Premier 8x20, 10x25

Part #7506 (8x20): #7507 (10x25)



Complete specifications on page 52.



- · Dielectric High-Reflective Multilayer Prism Coating Extraordinary technology delivers uncompromised low-light performance.
- Newly Designed Rigid Construction Ergonomic design provides excellent balance and lighter weight—both models come in at less than 26 ounces.
- Fully Multicoated Optics Multiple layers of anti-reflective compounds on every glass surface for bright, vivid sight pictures.
- Enlarged Central Focus Knob New, larger size provides incredibly fast subject acquisition.
- Durable and Protective, Rubber-Armored Coating Provides excellent non-slip grip.
- Thumb-Position Memory Contours Provide optimum traction with soft-grip tactile surface.
- Flip-Down Objective Covers Keep lenses from being scratched when not in use.
- Waterproof/Fogproof Nitrogen filled and O-ring sealed.



Rob Evans, outdoor writer and veteran bowhunter.







Low light? Next to no light? Almost dark? The incredible Monarch X 8.5x45 features Nikon's dielectric layered prisms to help you make every last second of legal hunting time count. A lightweight new body design provides excellent balance and the user friendliness of smaller objective models. Long, 20.6mm eye relief and waterproof/fogproof ruggedness makes the Monarch X at home on tough stalks or slow sits in the stand.

Monarch X 8.5x45

Part #7532



The Monarch X 10.5x45 gives you the ideal combination of power and performance. Using dielectric layered prisms for superior light gathering, this larger Monarch X still only weighs in at 25.7 ounces. Long eye relief and click-stop eyecups make viewing a simple pleasure for any user with or without eyeglasses.

Monarch X 10.5x45

Part #7533





Complete specifications on page 52.



- Fully Multicoated Lenses & Phase-Correction Coated Prisms Lead- and arsenic-free Eco-Glass™ lenses with multicoating and phase-correction coated prisms deliver excellent brightness and resolution.
- Durable and Protective, Rubber-Armored Coating Provides an excellent non-slip grip.
- Available in Team REALTREE Camouflage (42mm models)
 Using a HIGH DEFINITION® pattern, this ultra realistic camouflage gives hunters versatile choices
 for use in areas where green is prevalent.
- Lightweight, Slim Design
 Provides excellent ergonomics, strength and ruggedness in a package that is comfortable to carry all day.
- Superior Low Light Performance (56mm models) Incredibly large, 56mm lenses offer supreme low-light performance.
- Quick, Central Focus Knob Forfast subject acquisition.
- Multi-Setting Click Stop Eyecups (32mm and 56mm models)
 For a clear and comfortable view, with or without eyeglasses.
- Precision Aligned Optics
 For extended viewing on the toughest hunts.
- Waterproof/Fogproof
 Nitrogen filled and O-ring sealed.



Monarch ATB 8.5x56, 10x56, 12x56

Part #7517 (8.5x56); #7518 (10x56); #7519 (12x56)



Monarch ATB 8x42, 10x42, 12x42

Part #7430 (8x42); #7432 (10x42); #7437 (12x42)



Monarch ATB Team REALTREE® 8x42, 10x42, 12x42

Part #7524 (8x42); #7525 (10x42); #7526 (12x42)

spend more time looking for your binocular

than through your binocular.

Though smaller and lighter,
these 36mm objective Monarchs
still pack a punch when it comes to
performance, generous field of view
and long eye relief. Waterproof and fogproof,
these tough little binoculars are the optics of
choice for many professional hunters.

Monarch ATB 8x36, 10x36

Part #7513 (8x36); #7514 (10x36)



Terry & Mark Drury— co-hosts of Drury Outdoors Dream Season Television

Working together with Drury Outdoors, the Nikon Monarch Dream Season All Terrain Binoculars combine legendary Nikon optics with the features that Mark and Terry believe are crucial to successful hunting. All models are waterproof, fogproof, feature phase-correction coated prisms and fully multicoated lenses and come fully decked-out in Mossy Oak Obsession® camouflage.

Nikon and Drury Outdoors
have teamed up to create
an exciting series of fullsize Monarch ATBs. These
must-have binoculars
combine big, 56mm objective lenses delivering optimum low
light performance with classic Monarch ATB durability and
Mossy Oak Obsession® camouflage to match the rest of the Drury brothers' gear. Features include long eye relief with twist-out eyecups, fully
multicoated lenses and an ultra-rugged waterproof, fogproof body. Tripod
adapter included with 12x56 model.

Monarch Dream Season ATB 10x56, 12x56

Part #7521 (10x56); #7522 (12x56)



Season binoculars offer the best of both worlds-trademark Nikon performance and a very rugged, portable package. Wrapped in Mossy Oak Obsession® for an effective and versatile blending of characteristics in a wider variety of woodland and non-woodland environments, nothing gets you closer to the action.

Monarch Dream Season ATB 8x36, 10x36

Part #7515 (8x36); #7516 (10x36)





Complete specifications on page 52.



TRAILBLAZER™, ACTION EXTREME® & STABILEYES® BINOCULARS

Built for the toughest hunts, this collection of Nikon binoculars has been grouped together to give you waterproof, fogproof performance, full-sized views and legendary Nikon optics in a price range that any hunter can appreciate. From the sleek, Full-Size Trailblazer ATBs to the rugged Action Extreme ATBs to the rock-solid Nikon StabilEyes VR series, these binoculars will keep you hunting in the most extreme conditions.

Trailblazer[™] ATB

- Bright, Multicoated Optics
 Lead- and arsenic-free Eco-Glass™ lenses and multiple layers of anti-reflective compounds.
- Durable and Protective, Rubber-Armored Coating Provide a non-slip grip, wet or dry.
- Generous Eye Relief
 For a clear and comfortable view, especially for eyeglass wearers. Includes turn-and-slide rubber eyecups.
- Waterproof/Fogproof
 Nitrogen filled and O-ring sealed.

Action Extreme® ATB

- Bright, Multicoated Optics
 Lead- and arsenic-free Eco-Glass™ lenses and multiple layers of anti-reflective compounds.
- Ultra-Rugged, Rubber Armored Body Provides a non-slip grip, wet or dry.
- Tripod Adaptable
- Waterproof/Fogproof
 Nitrogen filled and O-ring sealed.

StabilEyes®

- Fully Multicoated Optics
 For the ultimate in brightness and resolution.
- Unique Click-Stop, Twist-Out Eyecup Design
 (12x32 and 16x32 models)
 Delivers long eye relief for use with or without eyewear.
- Unique Servo Control System
 Provides a view that is unaffected by either shake or roll, and allows stable viewing even when panning or tilting.
 14x40 model includes the exclusive Dual Mode for land or marine viewing.
- Waterproof/Fogproof
 Nitrogen filled and O-ring sealed.



Fusing top-end optical performance with Nikon ATB ruggedness, and a full-sized view, this binocular can tackle the most extreme conditions. Turn-and-slide rubber eyecups make for clear and comfortable viewing for everyone.

Trailblazer ATB 10x50, Trailblazer ATB 8x42

Part #8221 (10x50), #7531 (10x50 Advantage Max-1 HD), Part #8220 (8x42), #7530 (8x42 Advantage Max-1 HD)



The Action Extreme is a Porro prism style with all the waterproof and fogproof attributes of a Nikon All Terrain Binocular. Nikon's exclusive Eco-Glass* lenses and prism systems result in a high quality glass that is also lighter in weight. Six different power/objective combinations let you choose the size that matches your hunting style.

Action Extreme ATB 7x35, 8x40, 7x50, 10x50, 12x50, 16x50

Part #7237 (7x35), #7238 (8x40); #7239 (7x50); #7245 (10x50); #7246 (12x50); #7247 (16x50)





Created to meet the need when regular binoculars and spotting scopes become ineffective, the waterproof/fogproof Nikon StabilEyes are being hailed as some of the greatest scouting tools you can own—and for good reason. These binoculars offer hunters rock-steady views with spotting scope-like magnification—and in a surprisingly lightweight, compact package. Powered by AA batteries, included.

StabilEyes VR 12x32, StabilEyes VR 16x32 & StabilEyes VR 14x40

Part #8212 (12x32), #8214 (16x32), #8211 (14x40)



Binocular Tripod Mount fits most binoculars, including Monarch ATB, Action Extreme and Action.

Binocular Tripod Mount


Part #8177 (Black); #8178 (Camo)





One year warranty on electronics.

Complete specifications on page 52 & 53.



Nikon's Action series binoculars pull in game with six fixed power models that deliver massive panoramic views, high quality optics and fast-handling rubber bodies that are easy to grip— even with gloved hands. For the best of both worlds, the Nikon Action Zoom series gives you a wide field of view at low power, and the ability to quickly zoom in when you see something stirring in the brush.

- Multicoated, Aspherical Eyepiece Lenses and BaK4 Prisms
 Deliver bright, high-resolution images under all lighting conditions. Zoom models do not use aspherical lenses.
- Fingertip Zoom Controls (Action Zoom only)
 Provide bright images and quick, easy magnification changes.
- Large Exit Pupils (50mm Lenses)
 Translate into excellent glassing at dawn and dusk, when game is really moving.
- Available in APG REALTREE Camouflage
 Using a HIGH DEFINITION® pattern, this ultra realistic camouflage gives hunters versatile choices
 for use in areas where green is prevalent.
- Quick, Central Focusing Knob For fast subject acquisition.
- Ergonomic Body Design
 Fast-handling designs are easy to hold and operate.
- Durable and Protective, Rubber-Armored Coating Provides a non-slip grip, wet or dry.
- Tripod Adaptable
 Tripod adapter included with 16x50 Action and 10-22x50 Action Zoom XL.



Kandi Kisky with a bruiser whitetail.



Action 7x50, 10x50, 12x50, 16x50

Part #7217 (7x50); #7218 (10x50); #7219 (12x50); #7223 (16x50) Part #7257 (10x50 REALTREE APG)



With its 10-22 power zoom range the Zoom XL offers a wide field of view at the lower powers, plus the capability to move in close for amazing 22x detail with finger tip zoom controls. Includes tripod adapter.

10-22x50 Action Zoom XL

Part #7234



Nikon's Action Zoom is a mid-sized zoom with a very useful 7-15 power zoom range. 7x provides a wide viewing field and large exit pupil, while 15x provides superb detail in a package that won't weigh you down.

7-15x35 Action Zoom

Part #7227



Keep all of your optics lenses in top shapewith these lens cleaning accessories. Liquid lens cleaner in a spray bottle; handy, individually wrapped, take-anywhere moist lens cleaner cloths; and a travel-size lens cleaning kitthat includes a spray bottle, moist lens cleaner cloths and a micro fiber cleaning cloth, all in a convenient pouch.

Lens Cleaner Accessories

Part #8174, Spray Bottle; #8175, Wet Cloth; #8176, Kit; #8072, Micro Fiber Cleaning Cloth




Binocular Tripod Mount fits most binoculars, including Monarch ATB, Action Extreme and Action.

Binocular Tripod Mount

Part #8177 (Black): #8178 (Camo)



Complete specifications on page 53.



Fully Waterproof/Fogproof
 Nikon Trailblazer and ProStaff Waterproof ATB models
 are ready for the toughest hunts.

REALTREE Camouflage Get in close with REALTREE APG camo on REALTREE Outdoors® binoculars and REALTREE Hardwoods Green HD® camo on the Trailblazer.

Long Eye Relief The Nikon REALTREE Outdoors and Sportstar are excellent choices for eyeglass wearers.

- Durable and Protective, Rubber Armored Body Delivers a fast, sure grip on the Nikon ProStaff Waterproof ATB, Sportstar, REALTREE Outdoors and Travelite V binoculars.
- BaK4 High Index Prisms
 Extra-high resolution images thanks to these prisms are available on every Nikon compact binocular.
- Quick, Central Focusing Knob For fast subject acquisition.
- Bright, Multicoated Optics
 Multiple layers of anti-reflective compounds offer
 excellent brightness and resolution.



Pete Shepley, owner of PSE Archery, with a beautiful trophy buck.

Our smallest ATB has 'successful hunting' written all over it. These little beauties feature the same rugged durability and optical performance as their big brothers in the Monarch and Action Extreme series. Rubber armored for a sure grip.

Nikon ProStaff™ Waterproof ATB 8x25, 10x25, 12x25

Part #7483 (8x25); #7485 (10x25); #7486 (12x25)



Make room for the waterproof/
fogproof Trailblazer All Terrain binoculars. They offer versatile viewing
with 10x, or 8x magnification and Eco-Glass™ optics
housed in a sleek, lightweight body that can fit in a pocket
or pack, yet can still handle the toughest weather conditions.

Trailblazer™ Waterproof ATB 8x25, 10x25

Part #8217 (8x25, Black); #8218 (10x25, Black), #8219 (10x25, REALTREE Hardwoods Green HD)

With a modest 8x magnification for normal glassing, Nikon's compact zoom binocular also offers a 3-time zoom capability that allows you to zoom all the way up to 24-power for a true close-in view.

Eagleview Zoom 8-24x25

Part #7496 (Black); #7497 (Silver)

These compact binoculars feature multicoated optics, a durable, carbon fiber shell, a highly ergonomic chassis and robust rubber armor. Aspherical eyepiece lenses (except zoom) allow for a viewing field that is uncommonly flat and clear from edge-to-edge.

Travelite V 8-24x25 Zoom, 8x25, 9x25, 10x25, 12x25

Part #7512 (Zoom); #7508 (8x25); #7509 (9x25); #7510 (10x25); #7511 (12x25)



REALTREE Outdoors 10x25

Part #8230

This fold-up, pocket-sized roof prism compact is at home whether tracking, trailing or stand hunting. It incorporates long eye relief, precisely cut lens and prism glass, and multicoated optics for crisp, sharp and comfortable viewing.

Sportstar 10x25

Part #8202





Complete specifications on page 53.



FIELDSCOPES

- Extra-Low Dispersion Glass (ED)
 Nikon ED glass delivers the utmost in edge-to-edge sharpness, detail resolution and clear, true color images.
- High Grade Optics and Full
 Multicoating Technology
 Carefully cut and polished glass is
 fully coated in multiple layers of
 anti-reflective compounds for bright
 resolution and brilliant color while
 scouting.
- Sliding Sunshade and Vue-Thru Case (82mm and 60mm models)
 Protects your investment in any situation.
- Straight and Angled Body Versions
- Waterproof/Fogproof
 Nitrogen filled and O-ring sealed.



When you're in the market for an unmatched full-sized spotting scope, look no further than Nikon's amazing Fieldscope 82mm ED. With a massive 82mm objective lens, this is the ultimate target, varmint, and hunting scope.

Fieldscope 82mm ED

Part #8332 (Straight Body w/25-75x zoom eyepiece); #8337 (Angled Body w/25-75x zoom eyepiece)

Nikon's Fieldscope III 60mm is a waterproof, fogproof spotter that delivers the ideal degree of optical performance and flexibility. The Fieldscope III 60mm is available in ED (Extra-low Dispersion) glass versions for the utmost in edge-to-edge sharpness and detail resolution.



Fieldscope III 60mm, 60mm ED

Part #8330 (Straight Body w/20-60x zoom eyepiece); #8336 (Angled Body w/20-60x zoom eyepiece); #8331 (Straight Body, ED w/20-60x zoom eyepiece); #8340 (Angled Body, ED w/20-60x zoom eyepiece)

The Fieldscope 50mm ED is incredibly compact and lightweight, perfect for tucking into your pack for all your hunting adventures. Nikon ED glass delivers extremely bright, sharp, true color images.

Fieldscope 50mm ED

Part #8320 (Straight Body w/13-30x zoom eyepiece); #8321 (Angled Body w/13-30x zoom eyepiece)

The award-winning performance of the

Nikon Fieldscope series is beyond compare in the world of optics. For spotting at extreme ranges or in poor light, nothing matches their ability to pull game out of their background and reveal every detail in optimum contrast, edge-to-edge resolution and brilliant color. Waterproof and fogproof construction will satisfy even the toughest critics.

SPOTTING SCOPES

Spot and stalk hunting for big game, long distance varminting or targets during sight-ins—Nikon's extensive selection of spotting scopes provides the perfect addition to your hunting kit. The ProStaff™ Waterproof 82mm and 65mm and Spotter XL II 60mm are all available in Team REALTREE camo. Any of these scopes will save you time and legwork on the hunt.

 Bright, Fully Multicoated Optics Feature lead- and arsenic-free Eco-Glass for high resolution images and increased light transmission. Spotter XL II features phasecorrection coated prisms and fully

multicoated lenses.

- ProStaff™ Waterproof Outfits Include straight body, Vue-thru case, zoom eyepiece and full-size tripod. Camo outfit also includes window mount.
- Spotter XL II Outfits Include Spotter XLII in fitted case, compact tripod and carry case for the set. Team REALTREE outfit includes scope, fitted case, camo tripod and padded camouflage case with shoulder straps that doubles as a backpack.
- Super-Fast Bayonet Eyepiece (ProStaff Models) Perfect to scout wide areas with ease.
- Zoom Eyepieces With power zoom ranges, you'll have a wide field of view at the lower powers, plus the capability to move in close for amazing detail with higher powers.
- Lightweight, Ergonomic Designs Easy-to-pack and easy-to-use.
- Waterproof, Fogproof Nitrogen filled and O-ring sealed.



The ProStaff Waterproof 82mm spotting scope features a large objective lens for the brightest field of view, 20-60x zoom eyepiece, as well as straight or angled body versions. O-ring sealed and nitrogen-purged for waterproof, fogproof performance. A sliding sunshade and removable peep sight are standard.

Nikon ProStaff Waterproof 20-60x82mm

Part #8311 (Straight Body w/ zoom eyepiece); #8312 (Angled Body w/ zoom eyepiece); #8313 (Straight Body w/zoom eyepiece in REALTREE Hardwoods Green HD); #8317 (Outfit); #8319 (Outfit in REALTREE Hardwoods Green HD)



Compact, lightweight and tough, the ProStaff Waterproof 65mm makes life easier on hunters going deep into the woods. Equipped with a sliding sunshade and removable peep sight, the waterproof/fogproof scope is available in straight or angled body versions.

Nikon ProStaff Waterproof 16-48x65mm

Part #8308 (Straight Body w/zoom eyepiece); #8309 (Angled Body w/zoom eyepiece); #8310 (Straight Body w/zoom eyepiece in REALTREE Hardwoods Green HD); #8314 (Outfit); #8316 (Outfit in REALTREE Hardwoods Green HD)

A complete line of tripods and window mounts are available to steady your spotting scope or high powered binocular. Realtree Hardwoods Green HD camo and standard finishes.

Tripods and Window Mounts

#822 Compact Tripod; #851 Compact Camo Tripod; #847 Full-Size Tripod; #7074 Full-Size Camo Tripod #848 Bosch Full-Size Tripod; #849 Bogen Pro Tripod w/ Pistol Grip; #7070 Window Mount; #7071 Camo Window Mount



This Spotter XL II comes through with a lightweight roof prism design and a powerful zoom eyepiece that delivers 48x magnification once you've found your quarry. Includes increased eye relief, a durable and protective rubber body coating, a sliding sunshade with sighting notch and, like all spotting/fieldscopes, a 25-Year Warranty and Nikon's No-Fault Repair/Replacement policy.

Spotter XL II Outfit Waterproof 16-48x60

Part #6892 (Outfit)



Team REALTREE Spotter XL II Outfit is the ultimate kit for long days in the field. Wrapped in Bill Jordan's REALTREE Hardwoods Green HD camo, this camo version shares all the attributes of the Spotter XL II for easy scouting.

Team REALTREE 16-48x60 Spotter XL II Outfit

Part #6894 (Outfit)



Complete specifications on page 54.

MONARCH® RIFLESCOPES														
Model	2-8x32	2-8x32	2.5-10x42	2.5-10x42	2.5-10x42	2.5-10x50	2.5-10x50	3-12x42SF	3-12x42SF	4-16x42SF	4-16x42SF	4-16x42SF	4-16x50SF	4-16x50SF
Reticle	Nikoplex	BDC	Nikoplex	x BDC Mildot		Nikoplex	BDC Nikoplex		BDC	Nikoplex BDC		Mildot Nikoplex		BDC
Lustre	N/A	N/A	8406	N/A	N/A	N/A	N/A	8418	N/A	N/A	N/A	N/A	N/A	N/A
Matte	8437	8438	8407	8411	8408	8416	8417	8419	8420	8421	8422	8423	8439	8440
Silver	N/A	N/A	N/A	8409	N/A	N/A	N/A							
Actual Magnification	2x-8x	2x-8x	2.5x-10x	2.5x-10x	2.5x-10x	2.5x-10x	2.5x-10x	3x-12x	3x-12x	4x-16x	4x-16x	4x-16x	4x-16x	4x-16x
Effective Objective Diameter	32mm	32mm	42mm	42mm	42mm	50mm	50mm	42mm	42mm	42mm	42mm	42mm	50mm	50mm
Exit Pupil (mm)	16.0-4.0	16.0-4.0	16.8-4.2	16.8-4.2	16.8-4.2	20.0-5.0	20.0-5.0	14.0-3.5	14.0-3.5	10.5-2.6	10.5-2.6	10.5-2.6	12.5-3.1	12.5-3.1
Eye Relief (in.)	4.0-3.8	4.0-3.8	4.0 - 3.8	4.0 - 3.8	4.0 - 3.8	4.0 - 3.9	4.0 - 3.9	4.0 -3.7	4.0 -3.7	4.0 -3.7	4.0 -3.7	4.0 -3.7	4.0-3.7	4.0-3.7
FOV at 100 yds (ft.)	46.2-11.5	46.2-11.5	40.3-10.1	40.3-10.1	40.3-10.1	40.3-10.1	40.3-10.1	33.6-8.4	33.6-8.4	25.2-6.3	25.2-6.3	25.2-6.3	25.2-6.3	25.2-6.3
Tube Diameter	1 in. (25.4mm)	1 in. (25.4mm)	1 in (25.4mm)	1 in. (25.4mm)	1 in. (25.4mm)									
Objective O.D. (mm/in)	39.3/1.55	39.3/1.55	49.3/1.94	49.3/1.94	49.3/1.94	57.3/2.26	57.3/2.26	49.3/1.94	49.3/1.94	49.3/1.94	49.3/1.94	49.3/1.94	57.3/2.26	57.3/2.26
Eyepiece O.D. (mm/in)	41/1.61	41/1.61	44.0/1.73	44.0/1.73	44.0/1.73	44.0/1.73	44.0/1.73	44.0/1.73	44.0/1.73	44.0/1.73	44.0/1.73	44.0/1.73	44/1.73	44/1.73
Length (in)	11.5	11.5	12.6	12.6	12.6	13.7	13.7	13.1	13.1	13.5	13.5	13.5	14.7	14.7
Weight (oz)	13.4	13.4	16.6	16.6	16.6	18.0	18.0	18.7	18.7	19.0	19.0	19.0	19.4	19.4
Adjustment Graduation (1 click)	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA
Max Internal Adjustment	80 MOA	80 MOA	70 MOA	70 MOA	70 MOA	70 MOA	70 MOA	60 MOA	60 MOA	40 MOA	40 MOA	40 MOA	40 MOA	40 MOA
Parallax setting (yds)	100	100	100	100	100	100	100	50 - ∞	50 - ∞	50 - ∞	50 - ∞	50 - ∞	50 - ∞	50 - ∞
Sunshade Lustre	N/A	NA	7163	N/A	NA	N/A	NA	7163	N/A	NA	N/A	NA	N/A	NA
Matte	N/A	NA	7162	7162	7162	7166	7166	7162	7162	7162	7162	7162	7166	7166
Silver	N/A	N/A	NA	7164	N/A	NA	N/A	NA	N/A	NA	N/A	NA	N/A	NA

MONARCH® RIFLESCOPES								
Model	5-20x44SF	5-20x44SF	6-24x50SF	6-24x50SF	6-24x50SF	6-24x50SF	8-32x50ED SF	8-32x50ED SF
Reticle	Nikoplex	BDC	Nikoplex	BDC	Fine Crosshair	Fine Crosshair w/Dot	Nikoplex	BDC
Matte	8424	8425	8426	8429	8427	8428	8479	8480
Actual Magnification	5x-20x	5x-20x	6x-24x	6x-24x	6x-24x	6x-24x	8x-32x	8x-32x
Effective Objective Diameter	44mm	44mm	50mm	50mm	50mm	50mm	50mm	50mm
Exit Pupil (mm)	8.8-2.2	8.8-2.2	8.3-2.1	8.3-2.1	8.3-2.1	8.3-2.1	6.3-1.6	6.3-1.6
Eye Relief (in.)	4.0- 3.6	4.0- 3.6	4.0- 3.6	4.0- 3.6	4.0- 3.6	4.0- 3.6	4.0-3.5	4.0-3.5
FOV at 100 yds (ft.)	20.1-5.0	20.1-5.0	16.8-4.2	16.8-4.2	16.8-4.2	16.8-4.2	12.6-3.2	12.6-3.2
Tube Diameter	1 in (25.4mm)	1 in (25.4mm)	1 in. (25.4mm)	1 in. (25.4mm)				
Objective O.D. (mm/in)	52.0/2.05	52.0/2.05	57.3/2.26	57.3/2.26	57.3/2.26	57.3/2.26	57.3/2.26	57.3/2.26
Eyepiece O.D. (mm/in)	44.0/1.73	44.0/1.73	44.0/1.73	44.0/1.73	44.0/1.73	44.0/1.73	44/1.73	44/1.73
Length (in)	14.1	14.1	15.5	15.5	15.5	15.5	16.4	16.4
Weight (oz)	19.0	19.0	20.5	20.5	20.5	20.5	20.8	20.8
Adjustment Graduation (1 click)	1/8 MOA	1/8 MOA	1/8 MOA	1/8 MOA				
Max Internal Adjustment	34 M0A	34 M0A	30 MOA	30 MOA	30 M0A	30 MOA	20 MOA	20 MOA
Parallax setting (yds)	50 - ∞	50 - ∞	50 - ∞	50 - ∞	50 - ∞	50 - ∞	50 - ∞	50 - ∞
Sunshade —Matte	7165	7165	7166	7166	7166	7166	7166	7166

Model	1-4x20	1.1-4x24	1.1-4x24
Reticle	German #4	Illuminated German #4	German #4
Matte Black	8446	8447	8448
Actual Magnification	1x-4x	1.1x-4x	1.1x-4x
Effective Objective Diameter	20mm	24mm	24mm
Exit Pupil (mm)	4 (at 4x)	6 (at 4x)	6 (at 4x)
Eye Relief (in)	4.1 - 4.0	3.7 - 3.7	3.7 - 3.7
FOV 100 yds (ft)	92.9 - 23.1	108.0 - 29.3	108.0 - 29.3
Tube Diameter	1 in.	30mm	30mm
Objective O.D. (mm/in)	25.4/1	30/1.18	30/1.18
Eyepiece O.D. (mm/in)	41/1.61	44/1.72	44/1.72
Length (in)	10.35	10.51	10.51
Weight (oz)	12.16	16.93	15.7
Adjustment Graduation	1/2 MOA	1/4 MOA	1/4 MOA
Max Internal Adjustment	120 MOA	80 MOA	80 MOA
Parallax Setting (yds)	100	100	100

MONARCH® GOLD RIFLESC	OPES						
Model	1.5-6x42	1.5-6x42	2.5-10x50*	2.5-10x50*	2.5-10x50*	2.5-10x56*	2.5-10x56*
Reticle	Nikoplex	German #4	Nikoplex	German #4	BDC	Nikoplex	German #4
Matte	6616	6615	6619	6617	6618	6622	6620
Actual Magnification	1.55x-5.8x	1.55x-5.8x	2.6x-9.7x	2.6x-9.7x	2.6x-9.7x	2.6x-9.8x	2.6x-9.8x
Effective Objective Diameter	42mm	42mm	50mm	50mm	50mm	56mm	56mm
Exit Pupil (mm)	27.1-7.2	27.1-7.2	19.2-5.2	19.2-5.2	19.2-5.2	21.5-5.7	21.5-5.7
Eye Relief (in)	4.1-4.0	4.1-4.0	4.1-4.0	4.1-4.0	4.1-4.0	4.1-4.0	4.1-4.0
FOV @ 100 yds (ft)	64.7-17.3	64.7-17.3	38.8-10.5	38.8-10.5	38.8-10.5	38.8-10.5	38.8-10.5
Tube Diameter	30mm						
Objective O.D. (mm/in)	50/1.97	50/1.97	58/2.28	58/2.28	58/2.28	65/2.56	65/2.56
Eyepiece O.D. (mm/in)	43/1.69	43/1.69	43/1.69	43/1.69	43/1.69	43/1.69	43/1.69
Length (in)	11.4	11.4	13	13	13	13.8	13.8
Weight (oz)	17.3	17.3	21.2	21.2	21.2	23.6	23.6
Adjustment Graduation	1/4 M0A	1/4 MOA	1/4 MOA	1/4 M0A	1/4 MOA	1/4 MOA	1/4 MOA
Max Internal Adjustment	120 MOA	120 MOA	80 MOA	80 MOA	80 MOA	80 MOA	80 MOA
Parallax Setting (yds)	100	100	50 - ∞	50 - ∞	50 - ∞	50 - ∞	50 - ∞
Sunshade —Matte	7162	7162	7166	7166	7166	N/A	N/A

Model	2.5-10x44	2.5-10x44	2.5-10x44 IR	4-16x50	4-16x50
Reticle	Nikoplex	Mildot	Mildot	Nikoplex	Mildot
Matte Black	8410	8412	8413	8414	8415
Actual Magnification	2.5x-10x	2.5x-10x	2.5x-10x	4x-16x	4x-16x
Effective Objective Diameter	44mm	44mm	44mm	50mm	50mm
Exit Pupil (mm)	17.6-4.4	17.6-4.4	17.6-4.4	12.5-3.1	12.5-3.1
Eye Relief (in)	3.5-3.7	3.5-3.7	3.5-3.7	3.5-3.7	3.5-3.7
FOV @ 100 yds (ft)	42-10.5	42-10.5	42-10.5	26.2-6.6	26.2-6.6
Tube Diameter	30mm	30mm	30mm	30mm	30mm
Objective O.D. (mm/in)	52/2.05	52/2.05	52/2.05	58/2.28	58/2.28
Eyepiece O.D. (mm/in)	43/1.69	43/1.69	43/1.69	43/1.69	43/1.69
Length (in)	13.9	13.9	13.9	14.8	14.8
Weight (oz)	23.5	23.5	24.7	25.4	25.4
Adjustment Graduation	1/4 M0A	1/4 M0A	1/4 MOA	1/4 MOA	1/4 MOA
Max Internal Adjustment	80 MOA	80 MOA	80 MOA	50 MOA	50 MOA
Parallax Setting (yds)	50 - ∞	50 - ∞	50 - ∞	50 - ∞	50 - ∞
Sunshade —Matte	8198	8198	8198	8199	8199

MONARCH® X RIFLESCOPES

^{*}Locking side focus parallax adjuxtment

	LASER IRT	ENCORE®
Model	4-12x42	2.5-8x28 EER
Reticle	BDC	BDC
Matte	8477	8481
Silver	N/A	8482
Actual Magnification	4x-12x	2.5x-8x
Effective Objective Diameter	42mm	28mm
Exit Pupil (mm)	3.5	3.5
Eye Relief (in)	3	12-30 (@2.5x), 9-13 (@8x)
FOV @ 100 yds (ft)	24.9-8.3	13.1-4.1
Effective Range (yds)	33-766†	
Measurement Accuracy	±1 yd	
Measurement Time	under 3 sec.	
Tube Diameter	N/A	1 in.
Objective O.D. (mm/in)	N/A	35.5/1.4
Eyepiece O.D. (mm/in)	N/A	41/1.61
Length (in)	13.1	9.8
Weight (oz)	23.3	11.46
Adjustment Graduation	1/4 MOA	1/4 MOA
Max Internal Adjustment	40 MOA	40 MOA
Parallax Setting (yds)	100	100
	100	

TAt distances greater than 400 yds, accuracy may not achieve ±1yd. The results from the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions.

1x30 VSD
8430
8431
8432
1x
30mm
30
unlimited
3.8
7.8
1 click: 1 MOA
100 MOA
50
1, 4, 6, 8, 10

COYOTE SPECIAL™ RIFLESCOPE	S	
Model	3-9x40	4.5-14x40
Reticle	BDC Predator	BDC Predator
Advantage MAX-1	8449	8451
Mossy Oak Brush	8450	8452
Actual Magnification	3x-9x	4.5x-14x
Effective Objective Diameter	40mm	40mm
Exit Pupil (mm)	13.3-4.4	8.9-2.9
Eye Relief (in)	3.6 - 3.6	3.7 - 3.6
FOV @ 100 yds (ft)	35.7 - 11.9	19.9 - 6.8
Tube Diameter	1 in.	1 in.
Objective O.D. (mm/in)	49.3/1.94	49.3/1.94
Eyepiece O.D. (mm/in)	43/1.69	43/1.69
Length (in)	13.1	14.4
Weight (oz)	16	17.6
Adjustment Graduation	1/4 MOA	1/4 MOA
Max Internal Adjustment	80 MOA	50 MOA
Parallax Setting (yds)	100	50 - ∞
Sunshade	ARD	ARD

RIFLESCOPES		OMEGA			SLUGHUNTER	
Model	1.65-5x36	1.65-5x36	3-9x40	1.65-5x36	1.65-5x36	3-9x40
Reticle	Nikoplex	BDC 250	BDC 250	Nikoplex	BDC 200	BDC 200
Matte Black	8441	8442	8401	8444	8445	8434
Silver	N/A	N/A	8402	N/A	N/A	N/A
Camo*	N/A	8443	8405	N/A	N/A	8436
Actual Magnification	1.65x-5x	1.65x-5x	3x-9x	1.65x-5x	1.65x-5x	3x-9x
Effective Objective Diameter	36mm	36mm	40mm	36mm	36mm	40mm
Exit Pupil (mm)	7.2 (at 5x)	7.2 (at 5x)	13.3-4.4	7.2 (at 5x)	7.2 (at 5x)	13.3-4.4
Eye Relief (in)	5.0-5.0	5.0-5.0	5.0-5.0	5.0-5.0	5.0-5.0	5.0-5.0
FOV 100 yds (ft)	45.3 - 15.1	45.3 - 15.1	25.2-8.4	45.3 - 15.1	45.3 - 15.1	25.2-8.4
Tube Diameter	1 in.	1 in.	1 in.	1 in.	1 in.	1 in.
Objective O.D. (mm/in)	45/1.78	45/1.78	49.3/1.94	45/1.78	45/1.78	49.3/1.94
Eyepiece O.D. (mm/in)	42/1.65	42/1.65	42/1.65	42/1.65	42/1.65	42/1.65
Length (in)	11.14	11.14	11.3	11.14	11.14	11.3
Weight (oz)	13.58	13.58	13.7	13.58	13.58	13.7
Adjustment Graduation	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 M0A
Max Internal Adjustment	100 MOA	100 MOA	60 MOA	100 MOA	100 MOA	60 MOA
Parallax Setting (yds)	100	100	100	75	75	100
Sunshade Matte	N/A	N/A	8053	N/A	N/A	8053
Silver	N/A	N/A	8054	N/A	N/A	N/A

^{*}Finished in REALTREE APG HD® camo

BUCKMASTERS® RIFLESCO	PES										
Model	1x20BP	3-9x40	3-9x40	3-9x50	4-12x50SF	4.5-14x40SF	4.5-14x40SF	4.5-14x40SF	6-18x40SF	6-18x40SF	6-18x40SF
Reticle	Nikoplex	Nikoplex	BDC	Nikoplex	Nikoplex	Nikoplex	BDC	Mildot	Nikoplex	BDC	FC w/Dot**
Matte	6460	6420	6421	6430	6445	6452	6453	6469	6472	6473	6476
Silver	N/A	6410	N/A	N/A	N/A	6456	N/A	N/A	N/A	N/A	N/A
Camot	N/A	6479	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Actual Magnification	1x	3x-9x	3x-9x	3x-9x	4x-12x	4.5x-14x	4.5x-14x	4.5x-14x	6x-18x	6x-18x	6x-18x
Effective Objective Diameter	20mm	40mm	40mm	50mm	50mm	40mm	40mm	40mm	40mm	40mm	40mm
Exit Pupil (mm)	20	13.3-4.4	13.3-4.4	16.7-5.6	12.5-4.2	8.9-2.9	8.9-2.9	8.9-2.9	6.7-2.2	6.7-2.2	6.7-2.2
Eye Relief (in)	4.3-13.0	3.6-3.6	3.6-3.6	3.6-3.6	3.7-3.7	3.7-3.6	3.7-3.6	3.7-3.6	3.7-3.5	3.7-3.5	3.7-3.5
FOV @ 100 yds (ft)	52.5*	35.7-11.9	35.7-11.9	35.7-11.9	24.3-8.0	19.9-6.8	19.9-6.8	19.9-6.8	16.1-5.92	16.1-5.92	16.1-5.92
Tube Diameter	1 in.	1 in.	1 in.	1 in.	1 in.	1 in.					
Objective O.D. (mm/in)	25.4/1.0	49.3/1.94	49.3/1.94	61.7/2.43	61.7/2.43	49.3/1.94	49.3/1.94	49.3/1.94	49.3/1.94	49.3/1.94	49.3/1.94
Eyepiece O.D. (mm/in)	42.0/1.65	43/1.69	43/1.69	43/1.69	43/1.69	43/1.69	43/1.69	43/1.69	43/1.69	43/1.69	43/1.69
Length (in)	9.1	13.1	13.1	13.4	13.9	14.4	14.4	14.4	14.7	14.7	14.7
Weight (oz)	10.6	16.1	16.1	18.0	20.6	17.6	17.6	17.6	19.4	19.4	19.4
Adjustment Graduation	1/2 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/8 MOA	1/8 MOA	1/8 MOA				
Max Internal Adjustment	80 MOA	80 MOA	80 MOA	80 MOA	60 MOA	50 MOA	50 MOA	50 MOA	50 MOA	50 MOA	50 MOA
Parallax Setting (yds)	75	100	100	100	50 - ∞	50 - ∞	50 - ∞	50 - ∞	50 - ∞	50 - ∞	50 - ∞
Sunshade (Matte/Silver)	N/A	8053/8054	8053	8055	8055	8053/8054	8053	8053	8053	8053	8053

*FOV @ 75 yds (ft.) **FC w/Dot—Fine Crosshair with Dot †Finished in REALTREE APG HD® camo



LensPens are designed for cleaning fine optics including binoculars, riflescopes, spotting scopes and cameras. System includes retractable dust brush and a cleaning tip with non-liquid compound that won't spill or dry out.


LensPen


Part # 7072 (black); #8227 (camo); #8228 (LensPen Pro Kit)


NIKON PROSTAFF™/TEAM	NIKON PROSTAFF"/TEAM REALTREE® RIFLESCOPES														
Model	4x32 Rimfire Classic	2-7x32 Shotgun Hunter	3-9x40	3-9x40	3-9x50	3-9x50									
Reticle	Nikoplex	Nikoplex	Nikoplex	BDC	Nikoplex	BDC									
Matte	6305	6308	6310	6320	6313	6321									
Silver	6306	N/A	6311	N/A	6314	N/A									
Camo	N/A	6317	6318	N/A	6319	N/A									
Actual Magnification	4x	2x-7x	3x-9x	3x-9x	3x-9x	3x-9x									
Effective Objective Diameter	32mm	32mm	40mm	40mm	50mm	50mm									
Exit Pupil (mm)	8	16.0-4.6	13.3-4.4	16.7-5.6	16.7-5.6	16.7-5.6									
Eye Relief (in)	4.1	3.8-3.8	3.6-3.6	3.6-3.6	3.6-3.6	3.6-3.6									
FOV (ft)	11.1 @ 50 yds	33.4-9.5 @ 75 yds	33.8-11.3 @100 yds	33.8-11.3 @100 yds	33.8-11.3 @100 yds	33.8-11.3 @100 yds									
Tube Diameter	1 in	1 in	1 in	1 in	1 in	1 in									
Objective O.D. (mm/in)	39.3/1.55	39.3/1.55	47.3/1.86	58.7/2.31	47.3/1.86	58.7/2.31									
Eyepiece O.D. (mm/in)	39.3/1.55	39.3/1.55	39.3/1.55	39.3/1.55	39.3/1.55	39.3/1.55									
Length (in)	11.2	11.2	12.3	12.8	12.3	12.8									
Weight (oz)	12	12.5	13.7	16.6	13.7	16.6									
Adjustment Graduation	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA									
Max Internal Adjustment	80 MOA	AOM 08	80 MOA	80 M0A	80 MOA	80 MOA									
Parallax Setting (yds)	50	75	100	100	100	100									

Nikon BDC Reticle

Nikon's Bullet Drop Compensating reticle eliminates guesswork and boosts confidence in making ethical, long-range shots. Simply determine the exact distance with your Nikon rangefinder use the appropriate circle and squeeze off your shot.







MONARCH® R	IFLESC	OPE RE	TICLE SUB	TENSIO	NS (IN	CHES AT 1	00 YARDS)													
	2-8	x32	2-8x32	2.5-1	0x42	2.5-10x42	2.5-10x42	2.5-1	0x50	2.5-10x50	3-12x	42SF	3-12x42SF	4-16x	42SF	4-16x42SF	4-16x42SF	4-16x	c50SF	4-16x50SF
	Niko	plex	BDC	Niko	plex	BDC	Mildot	Niko	plex	BDC	Niko	plex	BDC	Niko	plex	BDC	Mildot	Niko	plex	BDC
Magnification	2x	8x	8x	2.5x	10x	10x	10 (MIL)	2.5x	10x	10x	3x	12x	12x	4x	16x	16x	12 (MIL)	4x	16x	16x
A	3.75	0.94	0.25	3	0.75	0.25	2	3	0.75	0.25	2.5	0.63	0.25	1.88	0.47	0.25	2	1.88	0.47	0.25
В	0.98	0.24	10	0.78	0.2	6.9	0.25	0.78	0.2	6.9	0.65	0.16	5.75	0.49	0.12	4.31	0.25	0.49	0.12	4
С	34.5	8.63	1.50	27.6	6.9	1.5	36	27.6	6.9	1.5	23	5.75	1.5	17.25	4.31	1.5	36	17.3	4.33	1.50
D			2			2	0.72			2			2			2	0.72			2
E			2			2	3.6			2			2			2	3.6			2
F			4.5			4.5				4.5			4.5			4.5				4.5
G			7			7				7			7			7				7
Н			11			11				11			11			11				11
I			15			15				15			15			15				15
J			1			1				1			1			1				1

MONARCH® R	IFLESC	OPE RE	TICLE SUBT	TENSIO	NS (INC	HES AT 100	YARDS)					
	5-20>	(44SF	5-20x44SF	6-24>	c50SF	6-24x50SF	6-24>	50SF	6-24)	c50SF	8-32x5	OED SF	8-32x50ED SF
	Nikoplex		BDC	Niko	plex	BDC	Fine Cr	osshair	FineCross	hair w/Dot	Niko	plex	BDC
Magnification	5x	20x	20x	6x	24x	24x	6x	24x	6x	24x	8x	32x	32x
A	1.5	0.38	0.25	1.25	0.31	0.25	0.14	0.03	0.14	0.03	0.94	0.23	0.25
В	0.39	0.1	3.45	0.33	0.08	2.88			1.25	0.31	0.24	0.06	3
С	13.8	3.45	1.5	11.5	2.88	1.5					8.63	2.16	0.5
D			2			2							1
Е			2			2							2
F			4.5			4.5							4.5
G			7			7							7
Н			11			11							11
			15			15							15
J			1			1							1

	1-4x20	1.1-4X24	1.1-4X24						
	German #4	III. German #4	German #4						
Magnification									
Α									
В	NOT AVAILABLE								
С		AT PRESS TIME							
D	VICIT	NIKONHUNTING	COM						
E	VISII	INIKUINHUINTIINU	.CUIVI						
F									
G									
Н									

MON	ARCH® (OLD RII	FLESCOP	E RETIC	LE SUBT	ENSION	S (INCHI	ES AT 10	O YARDS)				
	1.5-6	6x42	1.5-6	6x42	2.5-1	0x50	2.5-1	0x50	2.5-10x50	2.5-1	0x56	2.5-1	0x56
	Nikoplex German #4		an #4	Nikoplex		German #4		BDC	Nikoplex		German #4		
	1.5x	6x	1.5x	6x	2.5x	10x	2.5x	10x	9.7x	2.5x	10x	2.5x	10x
Α	5.01	1.25	26.56	6.64	3.01	0.75	15.93	3.98	.25	3.01	0.75	15.93	3.98
В	1.30	0.33	2.66	0.66	0.78	0.20	1.59	0.40	7	0.78	0.20	1.59	0.40
С	46.10	11.52	133.28	33.32	27.66	6.91	79.97	19.99	1.5	27.66	6.91	79.97	19.99
D									2				
Е									2				
F									4.5				
G									7				
Н									11				
I									15				
J									1				

MONA	MONARCH® X RIFLESCOPE RETICLE SUBTENSIONS (INCHES AT 100 YARDS)											
	2.5-1	0x44	2.5-1	0x44	2.5-10	x44 IR	4-16	ix50	4-16x50			
	Nikoplex		Mil	dot	Mil	Mildot Nikoplex Mil		Mildot				
	2.5x	10x	2.5x	10 (MIL)	2.5x	10 (MIL)	4x	16x	4x	12 (MIL)	16x	
Α	3.39	0.85	8.01	2.00	8.01	2.00	2.53	0.63	5.99	2.00	1.50	
В	0.66	0.16	1.00	0.25	1.00	0.25	0.62	0.15	0.75	0.25	0.19	
С	31.73	7.93	144.00	36.00	144.00	36.00	23.81	5.95	107.92	36.00	26.98	
D			2.87	0.72	2.87	0.72			2.16	0.72	0.54	
E			14.4	3.6	14.4	3.6			10.79	3.60	2.70	

NIKO	N PROSTAFF™/TEAM	REALTREE®	RIFLESCOP	E RETICLE	SUBTEN	SIONS (INCHES	S)		
	4x32 Rimfire Classic	2-7x32 Sho	tgun Hunter	3-9	x40	3-9x40	3-9	x50	3-9x50
	Nikoplex @50 yds	Nikoplex	@75 yds	Nikoplex	@100yds	BDC@100yds	Nikoplex @100yds		BDC@100yds
	4x	2x	7x	3x	9x	9x	3x	9x	9x
Α	1.07	2.91	0.83	2.58	0.86	.25	2.58	0.9	.25
В	0.29	0.76	0.22	0.67	0.22	8	0.67	0.22	8
С	15.5	26.74	7.64	23.77	7.92	1.5	23.8	7.9	1.5
D						2			2
E						2			2
F						4.5			4.5
G						7			7
Н						11			11
I						15			15
J						1			1


	GA MUZZLEL CLE SUBTENS		PES Es at 100 yar		SLUGHUN	TER		
	1.65-	·5x36	1.65-5x36	3-9x40	1.65-	5x36	1.65-5x36	3-9x40
	Niko	plex	BDC 250	BDC 250	Nikoplex		BDC 200	BDC 200
	1.65x 5x		5x	9x	1.65x	5x	5x	9x
Α	2.4	0.8	.50	.25	2.4	0.8	.50	.25
В	0.62	0.21	12	54	.62	.21	8	8
С	22.1	7.37	1.5	1.5	22.1	7.37	1.5	1.5
D			2.5	2			2.5	2
E			2	2			4	4
F			4	4			10	10
G			7	7			14	14
Н			10	10			2	2
T			15	15				
J			2	2				

	1x20BP	3-9	x40	3-9x40	3-9:	x50	4-12x	50SF	4.5-14	x40SF	4.5-14x40SF	4	.5-14x40SF		6-18x	40SF	6-18x40SF	6-18x	40SF
	Nikoplex*	Niko	plex	BDC	Niko	plex	Niko	plex	Niko	plex	BDC		Mildot		Niko	plex	BDC	FC w/	Dot**
	1x	3x	9x	9x	3x	9x	4x	12x	4.5x	14x	14x	4.5x	12 (MIL)	14x	6x	18x	18x	6x	18x
Α	7.2	2.45	0.82	.25	2.45	0.82	1.95	0.65	1.73	0.56	.25	5.37	2.00	1.73	1.3	0.43	.25	0.14	0.05
В	2.88	0.98	0.33	8	0.98	0.33	0.51	0.17	0.45	0.14	5	0.69	0.25	0.22	0.34	0.11	4	1.3	0.43
С	69.12	23.49	7.83	1.5	23.49	7.83	17.92	5.97	15.93	5.12	1.5	96.45	36.00	31.00	11.95	3.98	1.5		
D				2							2	1.9	0.72	0.61			2		
E				2							2	9.7	3.60	3.12			2		
F				4.5							4.5						4.5		
G				7							7						7		
Н				11							11						11		
I				15							15						15		
J				1							1						1		


	COYOTE SP	ECIAL	ENCORE	LASER IRT
RETIO	CLE SUBTENSIO	NS (INCHES AT	100 YARDS)	
	3-9x40	4.5-14x40	2.5-8x28	4-12x42
	BDC Predator	BDC Predator	BDC Encore	BDC
	9x	14x	8x	12x
Α	0.25	0.25	0.25	0.25
В	8	8	10	6
С	3	3	1.5	1.5
D	2	2	2	2
E	1	1	2.5	2
F	4	4	6	4.5
G	3	3	15	7
Н	5.5	5.5	1	11
	8	8		15
J	1	1		1











Size of object in inches x 27.77 and mil reading

Size of object in inches x 25.4 mil reading = distance in meters

EDG					
Model	8x32	10x32	7x42	8x42	10x42
Product Number	7563	7564	7560	7561	7562
Focusing System	CF	CF	CF	CF	CF
Magnification x	8	10	7	8	10
Objective Diameter (mm)	32	32	42	42	42
Angular Field Real	7.8	6.5	8.0	7.7	6.5
of View Apparent	57.2	59.2	52.2	56.6	59.2
FOV @ 1000 yds. (ft.)	409	341	419	403	341
Close Focus Distance (ft.)	8.2	8.2	9.8	9.8	9.8
Exit Pupil (mm)	4.0	3.2	6.0	5.3	4.2
Relative Brightness	16.0	10.2	36.0	28.1	17.6
Eye Relief (mm)	18.5	17.3	22.1	19.3	18.0
Size (L&W) inches	5.6 x5.3	5.6 x5.3	5.9 x5.4	5.8 x5.4	5.9 x5.4
mm	142 x134	142 x134	149 x137	148 x137	151 x137
Weight oz	23.6	23.6	28.6	28.6	28.9
grams	670	670	810	810	820

PREMIER						
Model		8x20	10x25	8x32	8x42	10x42
Product Number		7506	7507	7534	7535	7536
Focusing System		CF	CF	CF	CF	CF
Magnification x		8	10	8	8	10
Objective Diameter	(mm)	20	25	32	42	42
Angular Field Re	al	6.8	5.4	7.8	7	6
of View App	parent	50.8	50.5	57.2	52.1	55.3
FOV @ 1000 yds. (ft.))	356	283	409	267	314
Close Focus Distant	ce (ft.)	7.8	10.4	8.2	9.8	9.8
Exit Pupil (mm)		2.5	2.5	4	5.3	4.2
Relative Brightness		6.3	6.3	16	28.1	17.6
Eye Relief (mm)		15	15	17	20	18.5
Size (L&W)	inches	3.7 x 4.3	4.4 x 4.3	5.1 x 5.4	6.2 x 5.5	6.2 x 5.5
	mm	96 x 109	112 x 109	129 x 138	157 x 139	157 x 139
Weight	OZ	9.5	10.5	24.5	28	27.9
	grams	270	300	695	795	790

^{*} Weight may change slightly

MONARCH X		
Model	8.5x45	10.5x45
Product Number	7532	7533
Focusing System	CF	CF
Magnification x	8.5	10.5
Objective Diameter (mm)	45	45
Angular Field Real	6.3	6.3
of View Apparent	50.1	60.0
FOV @ 1000 yds. (ft.)	330	330
Close Focus Distance (ft.)	9.8	9.8
Exit Pupil (mm)	5.3	4.3
Relative Brightness	28.1	18.5
Eye Relief (mm)	20.6	16
Size (L&W) inches	6.1 x 5.5	6.1 x 5.5
mm	156 x 139	156 x 139
Weight oz	25.4	25.7
grams	720	730

^{*} Weight may change slightly

MONARCH® ATB								
Model	8.5x56	10x56	12x56	8x42	10x42	12x42	8x36	10x36
Black	7517	7518	7519	7430	7432	7437	7513	7514
Camo	N/A	7521**	7522**	7524*	7525*	7526*	7515**	7516**
Focusing System	CF							
Magnification x	8.5	10	12	8	10	12	8	10
Objective Diameter (mm)	56	56	56	42	42	42	36	36
Angular Field Real	6.2	6	5.5	6.3	6	5	7	6
of View Apparent	49.4	55.3	59.9	47.5	55.3	55.3	52.1	55.3
FOV @ 1000 yds. (ft.)	325	314	288	330	314	262	367	314
Close Focus Distance (ft.)	32.8	32.8	32.8	8.2	8.2	8.2	8.2	8.2
Exit Pupil (mm)	6.6	5.6	4.7	5.3	4.2	3.5	4.5	3.6
Relative Brightness	43.6	31.4	22.1	28.1	17.6	12.3	20.3	13.0
Eye Relief (mm)	19.2	17.4	16.3	19.6	15.5	15.4	17.0	15.0
Size (L&W) inches	7.8 x5.7	7.8 x5.7	7.8 x5.7	5.7 x5.1	5.6 x5.1	5.7 x5.1	4.9 x5.1	4.8 x5.1
mm	197 x144	197 x144	197 x144	146 x129	143 x129	146 x129	124 x129	122 x129
Weight oz	40.2	40.7	41.6	21.5	21.5	21.9	20.1	20.3
grams	1140	1155	1180	610	610	620	570	575

^{*}Team Realtree versions finished in REALTREE APG HD® camo
**Dream Season versions finished in Mossy Oak® Obsession™ camo

ACTION EXTREME ATB				PROST/	AFF COMP	ACT ATB		TRAILBL	AZER ATE	:			
Model	7x35	7x50	8x40	10x50	12x50	16x50	8x25	10x25	12x25	8x25	10x25	8x42	10x50
Black	7237	7239	7238	7245	7246	7247	7483	7485	7486	8217	8218	8220	8221
Camo	N/A	8219*	7530**	7531**									
Focusing System	CF												
Magnification x	7	7	8	10	12	16	8	10	12	8	10	8	10
Objective Diameter (mm)	35	50	40	50	50	50	25	25	25	25	25	42	50
Angular Field Real	9.3	6.4	8.2	6.5	5.5	3.5	6.3	5	4.2	8.2	6.5	7	5.6
of View Apparant	59.3	42.7	59.7	59.2	59.9	52.1	47.5	47.2	47.5	59.7	59.2	52.1	52.1
FOV @ 1000 yds. (ft.)	488	335	430	341	288	183	330	262	220	429	342	367	293
Close Focus Distance (ft.)	16.4	23	16.4	23	23	23	9.2	9.2	9.2	8.2	11.5	16.4	16.4
Exit Pupil (mm)	5	7.1	5	5	4.2	3.1	3.1	2.5	2.1	3.1	2.5	5.3	5
Relative Brightness	25	50.4	25	25	17.6	9.6	9.6	6.3	4.4	9.6	6.3	28.1	25
Eye Relief (mm)	17.3	17.1	17.2	17.2	16.1	17.8	15.5	15.9	15.9	10	10	19.7	19.6
Size (L&W) inches	4.7 x7.2	7 x7.7	5.4 x7.4	7 x7.7	7 x7.7	7 x7.7	3.9 x4.5	4 x4.5	4.1 x4.5	4.1 x4.5	4.1 x4.5	6.1 x5.2	7.4 x5.5
mm	120 x184	179 x196	138 x187	178 x196	178 x196	177 x196	100 x116	102 x116	103 x116	103 x114	103 x114	154 x131	187 x139
Weight oz	28.2	35.3	30.2	36	36.9	36.7	12.5	12.9	12.9	9.9	9.9	23.6	29.1
grams	800	1000	855	1020	1045	1040	355	365	365	280	280	670	825

^{*}Team REALTREE version finished in REALTREE APG HD® camo **Advantage version finished in Advantage Max-1 HD® camo

		ACTION				ACTIO	N ZOOM	
Model	7x35	8x40	7x50	10x50	12x50	16x50	10-22x50XL	7-15x35
Black	7215	7216	7217	7218	7219	7223	7234	7227
Camo	N/A	7261*	N/A	7257*	N/A	N/A	N/A	N/A
Focusing System	CF							
Magnification x	7	8	7	10	12	16	10-22	7-15
Objective Diameter (mm)	35	40	50	50	50	50	50	35
Angular Field Real	9.3	8.2	6.4	6.5	5.5	4.1	3.8@10x	5.5@7x
of View Apparent	59.3	59.7	42.7	59.2	59.9	59.6	36.7	37.2
FOV @ 1000 yds. (ft.)	488	430	335	341	288	215	199@10x	288@7x
Close Focus Distance (ft.)	16.4	16.4	26.2	23.0	23.0	29.5	49.2@10x	36.5@7x
Exit Pupil (mm)	5	5	7.1	5	4.2	3.1	5@10x	5@7x
Relative Brightness	25	25	50.4	25	17.6	9.6	25@10x	25@7x
Eye Relief (mm)	11.9	11.9	17.6	11.8	9.7	12.3	8.6@10x	8.7@7x
Size (L&W) inches	4.8 x7.2	5.6 x7.2	7.4 x7.6	7.2 x7.6	7 x7.6	7.2 x7.6	7.8 x7.6	5.4 x7.2
mm	123 x182	143 x182	189 x193	184 x193	179 x193	184 x193	197 x193	138 x182
Weight oz	25.2	26.8	34.6	34.2	33.9	34.9	36.2	28.4
grams	715	760	980	970	960	990	1025	805

*Team	REALTREE VE	rsions finished	in REALTREE	APG HD® camo

	SPORTSTAR	REALTREE OUTDOORS	TRAVELITE V ZOOM		TRAV	ELITE V		EAGLEVIEW ZOOM
Model	10x25	10x25	8-24x25	8x25	9x25	10x25	12x25	8-24x25
Black	8202	N/A	7512	7508	7509	7510	7511	7496
Camo	N/A	8230*	N/A	N/A	N/A	N/A	N/A	N/A
Silver	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7497
Focusing System	CF	CF	CF	CF	CF	CF	CF	CF
Magnification x	10	10	8-24	8	9	10	12	8-24
Objective Diameter (mm)	25	25	25	25	25	25	25	25
Angular Field Real	5	5	4.6	5.6	5.6	5	4.2	4.6@8x
of View Apparent	47.2	47.2	35.6	42.7	47.5	47.2	47.5	35.6
FOV @ 1000 yds. (ft.)	262	262	241	293	293	262	220	241
Close Focus Distance (ft.)	9.8	9.8	16.4	9.8	9.8	9.8	13.1	13.1
Exit Pupil (mm)	2.5	2.5	3.1@8x	3.1	2.8	2.5	2.1	3.1@8x
Relative Brightness	6.3	6.3	9.6@8x	9.6	7.8	6.3	4.4	9.6@8x
Eye Relief (mm)	13	13	13	14	12.2	11.1	11.1	13@8x
Size (L&W) inches	4.5	4.5	5	4.5	4.4	4.3	4.3	4.7
	(2.8 folded) x4.8	(2.8 folded) x4.8	x4.6	x4.6	x4.6	x4.6	x4.6	x4.3
mm	115	115	127	115	113	110	110	119
	(71 folded) x122	(71 folded) x122	x118	x118	x118	x118	x118	x110
Weight oz	9.5	9.5	10.9	9	9	8.8	9.2	12.3
grams	270	270	310	255	255	250	260	350

^{*}Finished in REALTREE APG HD® camo

STABILEYES®			
Model	14x40	12x32	16x32
Product Number	8211	8212	8214
Focusing System	CF	CF	CF
Magnification x	14	12	16
Objective Diameter (mm)	40	32	32
Angular Field Real	4	5	3.8
of View Apparent	52.1	55.3	55.9
FOV @ 1000 yds. (ft.)	210	262	199
Close Focus Distance (ft.)	16.4	11.5	11.5
Exit Pupil (mm)	2.9	2.7	2
Relative Brightness	8.4	7.3	4
Eye Relief (mm)	13	15	15
Size (L&W) inches	7.3	7	7.1
	x5.8	x5.6	x5.6
mm	186	178	181
	x148	x142	x142
Weight oz	47.3*	39.9*	39.5*
grams	1340*	1130*	1120*

^{*}Weight without batteries

RANGEFINDERS	Archer's Choice	RifleHunter 550	ProStaff	Laser800	Laser1200
	w/ID Tech.	w/ID Tech.			
Measurement Range* (yds)	5-100	11-550	11-550	11-800	11-1200
Increment Reading** (yds)	0.5	0.5/1	0.5/1	0.5	0.5/1
Increment Reading in ID mode*** (yd	s) 0.2	0.2/1	N/A	N/A	N/A
Viewfinder Display	m/YD	m/YD	m/YD	m/YD	m/YD
Magnification x	6	6	6	6	7
Angular Field Real	6	6	6	6	5
of View Apparent	34.9	34.9	34.9	34.9	34
Eye Relief (mm)	18.2	18.2	18.2	18.2	18.6
Diopter Adjustment	±4	±4	±4	±4	±4
Power Source	1 CR2 lithium	1 CR2 lithium	1 CR2 lithium	1 CR2 lithium	1 CR2 lithium
Solid Color	8366 (Green)	8367 (Brown)	8369 (Green)	8356 (Black)	8358 (Black)
Camo Finish	N/A~	8368~	8370~~	8357	8359
Size (LxHxW) inches	5.1	5.1	5.1	5	5.7
	x2.7	x2.7	x2.7	x2.8	x3.2
	x1.5	x1.5	x1.5	x1.5	x1.8
mm	130	130	130	126	145
	x69	x69	x69	x72	x82
	x37	x37	x37	x37	x47
Weight oz	6.3	6.3	6.3	7.4	9.8
(w/o batteries) grams	180	180	180	210	280
Objective Diameter (mm)	21	21	21	21	25
Exit Pupil (mm)	3.5	3.5	3.5	3.5	3.6

Safety & EMC for Archer's Choice, RifleHunter 550 and ProStaff: class 1M laser product (IEC 60825-1:2001) class 1 laser product (21 CFR 1040.10 and 1040.11) CE: EMC directive, Foc Part 15 subpart B class 8 c-tick, VCCI class B, WEEE.
Safety & EMC for Laser8000 & Laser1200: class 1 laser product (21 CFR 1040.10 and 1040.11) CE; EMC directive, Foc Part 15 subpart B class B c-tick, VCCI class B, WEEE.

*Results may vary based on weather conditions, target object's shape or surface texture and other variables.

**First number is increment displayed out to 99.8 yards, second number is increment displayed past 100 yards, except Laser1200 models where first number is increment displayed out to 999.5 m/yds, second number is increment displayed past 1000 m/yds.

***In Incline/Decline Mode, first number is increment displayed out to 99.8 yards, second number is increment

displayed past 100 yards. The origin of the technology behind this Laser Rangefinder with inclinometer is the Total Station DTM-1 (initially sold in 1985), the first highly advanced electronic model among Surveying

instruments incorporating both distance and angle measurement capability developed by Nikon Corporation. 'Archer's Choice comes with REALTREE APG neoprene case

"RifleHunter camo model finished in Bill Jordan's Advantage MAX-1 "Team REALTREE ProStaff model finished in REALTREE APG



Keep your rangefinder close at hand, yet secure and out of the way. Hooks into the Rangefinder Pouch on the Field Recon Team Optics Pack.

Retractable Rangefinder Tether

Part #8172 Black; #8173 REALTREE Hardwoods Green HD

EDG FIELDSCOPES	EDG FIELDSCOP	E 65MM	EDG FIELDSCOPE 85MM		
Model	65mm Straight Body	65mm Angled Body	85mm Straight Body	85mm Angled Body	
Product Number	8290	8291	8292	8293	
Objective Diameter (mm)	65	65	85	85	
Close Focus Distance (ft.)	10.8	10.8	16.4	16.4	
Size (L&W) inches (Body Only)	12.3 x 3.5	13.1 x 3.5	14.9 x 4.0	15.7 x 4.0	
mm	313 x 88	332 x 88	379 x 102	398 x 102	
Weight oz.	57.85	59.79	71.6	73.54	
(Body Only) gram	1640	1695	2030	2085	

All EDG Fieldscopes are supplied with a Zoom Eyepiece (16-48x for the 65mm body and 20-60x for the 85mm body)
Specifications are subject to change without notice

FIELDSCOPE EYEPIECES	#7466 13-30X/20-45X/25-56X ZOOM EYEPIECE				
Model	w/50mm Fieldscope Body	w/60mm Fieldscope Body	w/82mm Fieldscope Body		
Magnification x	13-30	20-45	25-56		
Angular Field Real	3@13x	2@20x	1.6@25x		
of View Apparent	38.5@13x	38.5@20x	38.5@25x		
FOV at 1000 yds. (ft.)	157@13x	105@20x	84@25x		
Exit Pupil (mm)	38.5@13x	38.5@20x	3.8.5@25x		
Relative Brightness	14.4@13x	9@20x	10.9@25x		
Eye Relief (mm)	12.9@13x	12.9@20x	12.9@25x		
Size (L&W) inches	3 x1.5	3 x1.5	3 x1.5		
(Eyepiece Only) mm	76 x39	76 x39	76 x39		
Weight (Eyepiece Only) oz.	3.5	3.5	3.5		
grams	100	100	100		

8322	Fieldscope Digital SLR Camera Attachment FSA-L1
DIGITA	L CAMERA ADAPTERS FOR FIELDSCOPES
6952	Fieldscope Digital Camera Attachment FSA-L1 & L2
6953	Fieldscope Digital Camera Attachment FSA-3

Real

Apparent

#6954 16X/24X/30X WIDE DIGISCOPING EYEPIECE

w/60mm

Fieldscope

Body

24

3

64.3

157

2.5

6.3

18.7

6

170

w/82mm

Fieldscope

Body

30

2.4

64.3

126

2.7

7.3

18.7

6

170

w/50mm

Fieldscope

Body

4.5

64.3

236

3.1

9.6

18.7

6

170

SPECIAL DIGISCOPING EYE-PIECE FOR FIELDSCOPES

Model

of View

Magnification x

FOV at 1000 yds. (ft.)

Relative Brightness

Weight (Eyepiece Only) oz.

Angular Field

Exit Pupil (mm)

Eye Relief (mm)

PROSTAFF SPOTTING SCOPE EYEPIECE	#8323 16-48X/20-60X EYEPIECE			
Model	w/65mm ProS- taff Body	w/82mm ProS- taff Body		
Magnification x	16-48	20-60		
Angular Field Real	2.4@16x	1.9@20x		
of View Apparent	37.1@16x	37.1@20x		
FOV at 1000 yds. (ft.)	126@16x	99@20x		
Exit Pupil (mm)	4.1@16x	4.1@20x		
Relative Brightness	16.8@16x	16.8@20x		
Eye Relief (mm)	15.2@16x	15.2@20x		

SPOTTING SCOPES	NIKON PROSTAI	FF WP 65MM	NIKON PROSTAI	SPOTTER XL II ZOOM	
Model	65mm Straight Body*	65mm Angled Body*	82mm Straight Body*	82mm Angled Body*	16-48x60
Black	8308	8309	8311	8312	N/A
Team REALTREE	8310**	N/A	8313**	N/A	N/A
Outfit	8314	N/A	8317	N/A	6892
Team REALTREE Outfit	8316**	N/A	8319**	N/A	6894**
Magnification x	16-48	16-48	20-60	20-60	16-48
Objective Diameter (mm)	65	65	82	82	60
Angular Field Real	2.4@16x	2.4@16x	1.9@20x	1.9@20x	2.3@16x
of View Apparent	37.1@16x	37.1@16x	37.1@20x	37.1@20x	36.0@16x
FOV at 1000 yds. (ft.)	126@16x	126@16x	99@20x	99@20x	120
Close Focus Distance (ft.)	13.1	13.1	20	20	32.8
Exit Pupil (mm)	4.1@16x	4.1@16x	4.1@20x	4.1@20x	3.8@16x
Relative Brightness	16.8@16x	16.8@16x	16.8@20x	16.8@20x	14.4@16x
Eye Relief (mm)	15.2@16x	15.2@16x	15.2@20x	15.2@20x	19
Size (L&W) inches	11.5 x4.1	12 x4.1	15 x4.5	15.4 x4.5	12.3 x2.9
(Body Only)	293 x105	304 x105	380 x114	391 x114	313 x74
Weight (Body Only) oz.	31.7	32.5	42.3	43	31.2
grams	900	920	1200	1220	885

EDG FIELDSCOPE EYEPIECES	#8295 24x/30x V	VIDE EYEPIECE		20-60x ZOOM PIECE	#8300 20x/25x LER EYEPIECE		
Model	w/65mm Field- scope Body	w/85mm Field- scope Body	w/65mm Field- scope Body	w/85mm Field- scope Body	w/65mm Field- scope Body	w/85mm Field- scope Body	
Black	24	30	16-48	20-60	20	25	
Angular Field Real of View Apparent	3 64.3	2.4 64.3	2.8 - 1.4 42 - 60	2.2 - 1.1 42 - 60	3 55.3	2.4 55.3	
FOV at 1000 yds. (ft.)							
Exit Pupil (mm)	2.7	2.8	4.1 - 1.4	4.3 - 1.4	3.3	3.4	
Relative Brightness	7.3	7.8	16.8 - 2.0	18.5 - 2.0	10.9	11.6	
Eye Relief (mm)	25.4	25.4	18.4 - 16.5	18.4 - 16.5	32.3	32.3	
Size (L&O.D.) inches (Eyepiece Only)	3.2 x 2.5	3.2 x 2.5	3.9 x 2.5	3.9 x 2.5	3 x 2.5	3 x 2.5	
mm	81 x 63	81 x 63	99 x 63	99 x 63	77 x 63	77 x 63	
Weight oz.	N/A	N/A*	N/A*	N/A*	N/A*	N/A*	
(Eyepiece Only) gram	N/A	N/A*	N/A*	N/A*	N/A*	N/A*	

^{*} Not Available at Time of Printing Specifications are subject to change without notice

FIELDSCOPES	FIELDSCOPE 50MM ED		FIELDSCOPE III 60MM, 60MM ED			FIELDSCOPE 82MM ED		
Model	50mm Straight Body	50mm Angled Body	60mm Straight Body	60mm Angled Body	60mm ED Straight Body	60mm ED Angled Body	82mm ED Straight Body	82mm ED Angled Body
Product Number Outfit*	8320	8321	8330	8336	8331	8340	8332	8337
Objective Diameter (mm)	50	50	60	60	60	60	82	82
Close Focus Distance (ft.)	9.8	9.8	16.4	16.4	16.4	16.4	16.4	16.4
Size (L&W) inches (Body Only)	8.2 x2.8	8.1 x2.8	10.9 x3.1	11.5 x3.7	10.9 x3.1	11.5 x3.7	12.9 x4.2	13.3 x4.2
mm	209 x71	207 x71	279 x80	291 x94	279 x80	291 x94	327 x108	339 x108
Weight (Body Only) oz.	16.1	16.6	38	41.6	38.4	42	55.5	58.9
grams	455	470	1080	1180	1090	1190	1575	1670

^{*50}mm outfit comes with 13-30x Zoom Eyepiece; 60mm outfit comes with 20-60x Zoom Eyepiece; 82mm outfit comes with 25-75x Zoom Eyepiece: See Eyepiece Chart for specs

^{*}Specs are shown with zoom eyepiece
**Team REALTREE versions finished in REALTREE Hardwoods Green HD®



- · Quality, water resistant construction
- Silent brushed fabric with double stitching throughout
- Padded Spotting Scope/Digiscope sleeve inside pack
- Water resistant digital camera pocket
- Outer pocket for carrying extra binocular
- Pockets for optics cleaning accessories
- Silent zippers on compartments
- Stowable waist belt holds detachable padded rangefinder pouch
- Rangefinder pouch can be relocated to a belt or the outside of the Pack/Interior loop for attaching Rangefinder Tether
- BlackHawk's patented S.T.R.I.K.E.® system allows hunting-specific pouches and organizers to be attached as desired for the ultimate in customization
- Special mesh exterior pockets with quick clip straps hold tripod or shooting sticks
- Unique, quick-connect binocular attachments on padded shoulder straps allow easy carry and use of binoculars while wearing the pack
- Shoulder straps feature non-slip HawkTex™ to keep over-the-shoulder slings in place
- Exterior bungee system on upper pocket for storage of extra clothing layers, etc.



The first backpack designed from the ground up specifically for hunting optics. Engineered by Nikon and BlackHawk® Products Group, a leader in equipping US special operations personnel, the pack organizes, protects, and safely transports all vital hunting optics and other hunting gear in the field. With 1,950 cubic inches of interior space, including multiple compartments specifically designed for optics care and accessibility, the Field Recon Team optics pack also offers numerous features that make it a truly field-worthy hunting companion.

Nikon Field Recon Team Optics Pack

Part #8179 (Field Recon Optics Pack 1950 Foliage Green); #8180 (Field Recon Optics Pack 1950 ADVANTAGE Max1); #8181 (Field Recon Optics Pack 1950 Mossy Oak)



Technology for the Long Shot!

"ENTER, HUNT, WIN"

Nikon's BDC Slam is a "Slam" of any four game animals (including varmints and predators) of your choice — taken within a 12-month period — all using Nikon riflescopes with the Patented BDC reticle (use either the rifle BDC, the muzzleloader BDC 250, the SlugHunter BDC 200 or the Encore handqun BDC reticle — or a combination).

To enter the challenge, simply register at www.nikonhunting.com/bdc-slam.html and set your goal of the animals that you're hunting for your Slam. As you take your trophy, get a photo of it showing you and your Nikon scope and upload it together with information on the hunt

By registering, you will receive a free gift from Nikon — once you complete the slam, you will receive an award gift as well — commemorating your BDC Slam achievement. All participants will also be entered into random drawings throughout 2008/2009 for chances to win a "Slam" of four Nikon hunting optics — Monarch 2.5-10x42 BDC Riflescope, Monarch 8x42 ATB Binocular, RifleHunter 550 Laser Rangefinder and ProStaff 16-48x65 Team REALTREE Spotting Scope Outfit.

www.nikonhunting.com/bdc-slam.html

This reusable anti-fog cloth utilizes a breakthrough dry compound that stops condensation from forming on lens surfaces. Each 6"x7" cloth is good for multiple applications. Sold in 3-packs.

Fog Eliminator

Part # 8073





SR0304

The trusted name in optics.

Corporate Headquarters 1300 Walt Whitman Rd, Melville, NY 11747-3064 www.nikonsportoptics.com

Catalogs & Literature 1-800-247-3464

Technical Information 1-800-NIKON US

Service & Repair 1-800-NIKONSV

Nikon Service & Repair Center, 841 Apollo Street, Suite 100, El Segundo, CA 90245

Specifications are subject to change without notice.

Nikon, Monarch, Action, Action Extreme, Eagleview, Travelite, StabilEyes, Spotter XL, and the brand symbols for Nikon, ID/Digiscoping, Laser IRT and the X for Monarch X are all registered trademarks of Nikon Corporation.

Laser IRT, Brightvue, Tru-Target, EDG, ATB, Trailblazer, Nikon ProStaff, Eco-Glass. and the phrases The Trusted Name in Optics and A better look at your world are trademarks of Nikon Corporation.

Coyote Special, Encore® is a registered trademark of Thompson Center Arms.

ARD (Anti-Reflective Device) for the Coyote Special riflescope is manufactured by Tenebraex.

Team Realtree, Realtree APG HD, Realtree Hardwoods Green HD and Advantage MAX-1 and all respective logos are registered trademarks of Jordan Outdoor Enterprises, LTD.